

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

SULPHAMIC ACID AR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : SULPHAMIC ACID AR

Product code : S0200500500

Identification of the product : Sulfamic acid
 CAS No: 5329-14-6
 EC No :226-218-8
 Annex No :016-026-00-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xi; R36/38
 R52-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315
 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

Environmental hazards : Hazardous to the aquatic environment - Chronic hazard - Category 3 (CLP :
 Aquatic Chronic 3) H412

2.2. Label elements

MATERIAL SAFETY DATA SHEET (MSDS)

SULPHAMIC ACID AR

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s)

: Xi : Irritant

R Phrase(s)

: R36/38 : Irritating to eyes and skin.
R52/53 : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S Phrase(s)

: S2 : Keep out of the reach of children.
S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28 : After contact with skin, wash immediately with
S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Contains

: Sulfamic acid

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Warning

Hazard statements

: H319 : Causes serious eye irritation.
H315 : Causes skin irritation.
H412 : Harmful to aquatic life with long lasting effects.

Precautionary statements

• General

: P102: Keep out of reach of children.
P103: Read label before use.
P101: If medical advice is needed, have product container or label at hand.

• Prevention

: P280: Wear protective gloves, protective clothing, eye protection, face protection.
P273: Avoid release to the environment.
P264: Wash thoroughly after handling.

• Response

: P302+P352: IF ON SKIN : Wash with plenty of soap and water.
P332+P313: If skin irritation occurs : Get medical advice.
P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P363: Wash contaminated clothing before reuse.

• Disposal considerations

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Contains

: Sulfamic acid

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

SULPHAMIC ACID AR

2. Hazards identification -DSD (continued)

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Sulfamic acid

EC No :226-218-8
Annex No :016-026-00-0
Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Sulfamic acid	100 %	5329-14-6	226-218-8	016-026-00-0	----	Xi: R36/38 R52-53 ----- Eye irrit 2 _ H319 Skin Irrit. 2 _ H315 Aquatic Chronic 3 _ H412

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest.
Skin contact : Specific treatment (see on this label). Get medical advice. If skin irritation occurs : Wash with plenty of soap and water. Wash contaminated clothing before reuse.
Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.
Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes serious eye irritation.
Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

MATERIAL SAFETY DATA SHEET (MSDS)
SULPHAMIC ACID AR
5. Fire-fighting measures (continued)

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.
Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection.
 Ventilate area.
For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
 Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust.
 Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

- Handling** : Wash thoroughly after handling.
 Wash thoroughly after handling.

MATERIAL SAFETY DATA SHEET (MSDS)
SULPHAMIC ACID AR
7. Handling and storage (continued)

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection
8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

- **Respiratory protection** : Wear approved mask.
- **Hand protection** : Wear protective gloves.
- **Skin protection** : Wear suitable protective clothing.
- **Eye protection** : Chemical goggles or safety glasses.
- **Others** : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : White powder

Odour : Odorless

Odour threshold : No data available.

pH value : Not applicable.

Melting point [°C] : 215 - 225 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A

MATERIAL SAFETY DATA SHEET (MSDS)

SULPHAMIC ACID AR

9. Physical and chemical properties (continued)

Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: 3,3
Density [g/cm ³]	: 2,15
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Soluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 1.18
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

10.4. Conditions to avoid

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

MATERIAL SAFETY DATA SHEET (MSDS)
SULPHAMIC ACID AR
10. Stability and reactivity (continued)
10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information
11.1. Information on toxicological effects
Acute toxicity

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Causes serious eye irritation.
Causes skin irritation.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information : Harmful to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

MATERIAL SAFETY DATA SHEET (MSDS)

SULPHAMIC ACID AR

12. Ecological information (continued)

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : SULPHAMIC ACID
UN N° : 2967
H.I. nr : 80
ADR - Class : 8
Labelling - Transport : 8 : Corrosive substance.



ADR - Classification code : C2
ADR - Group : III
ADR - Packing instructions : P002 R001 LP002
ADR - Limited Quantity : 5 KG
ADR - Tunnel code : E : Passage forbidden through tunnels of category E.

MATERIAL SAFETY DATA SHEET (MSDS)

SULPHAMIC ACID AR

14. Transport information (continued)



14.2. Sea transport (IMDG) [English only]

Proper shipping name	: SULPHAMIC ACID
UN N°	: 2967
IMO-IMDG - Class or division	: 8 : Corrosive substance.
IMO-IMDG - Packing group	: III
IMO-IMDG - Packing instructions	: P002 LP02
IMO-IMDG - Limited quantities	: 5 kg
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-A S-B

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: SULPHAMIC ACID
UN N°	: 2967
IATA - Class or division	: 8 : Corrosive substance.
IATA - Packing group	: III
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 860
- Passenger and Cargo - Maximum Quantity/Packing	: 25 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 864
- Cargo only - Maximum Quantity/Packing	: 100 kg
IATA - Limited Quantities	: 5 kg
ERG-Nr	: 8L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture : Ensure all national/local regulations are observed.

MATERIAL SAFETY DATA SHEET (MSDS)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document