

MATERIAL SAFETY DATA SHEET (MSDS)

ARSENAZO III (REAGENT FOR THORIUM)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : ARSENAZO III (REAGENT FOR THORIUM)

Product code : A0032600025
Identification of the product : ARSENAZO III AR
CAS No :1668-00-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T; R25

Xn; R22 N; R50

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP

: Aquatic Acute 1) H400

Hazardous to the aquatic environment - Chronic hazard - Category 4 (CLP:

Aquatic Chronic 4) H413

2.2. Label elements



MATERIAL SAFETY DATA SHEET (MSDS)

ARSENAZO III (REAGENT FOR THORIUM)

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)





Symbol(s) : T : Toxic

N: Dangerous for the environment

R Phrase(s) : R22 : Harmful if swallowed.

R25: Toxic if swallowed.

R50: Very toxic to aquatic organisms.

R53: May cause long-term adverse effects in the aquatic environment.

S Phrase(s) : S20 : When using do not eat or drink.

S21: When using do not smoke.

S28: After contact with skin, wash immediately with

S45: In case of accident or if you feel unwell, seek medical advice immediately (

show the label when possible).

S60: This material and its container must be disposed of as hazardous waste. S61: Avoid release to the environment. Refer to special instructions/Safety data

sheets.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms





Signal words : Danger

Hazard statements : H301 : Toxic if swallowed.

H400 : Very toxic to aquatic life.

H413: May cause long lasting harmful effects to aquatic life.

Precautionary statements

• **Prevention** : P273: Avoid release to the environment.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response : P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.

P391: Collect spillage.

• **Storage** : P405: Store locked up.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards



MATERIAL SAFETY DATA SHEET (MSDS)

ARSENAZO III (REAGENT FOR THORIUM)

2. Hazards identification -DSD (continued)

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : ARSENAZO III AR

CAS No :1668-00-4

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Rinse mouth. Specific treatment (see on this label). Do NOT induce vomiting.

Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.



MATERIAL SAFETY DATA SHEET (MSDS)

ARSENAZO III (REAGENT FOR THORIUM)

5. Fire-fighting measures (continued)

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Wash thoroughly after handling. Do not eat, drink or smoke when using this

product.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

closed when not in use.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.



MATERIAL SAFETY DATA SHEET (MSDS)

ARSENAZO III (REAGENT FOR THORIUM)

7. Handling and storage (continued)

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

Respiratory protection : Wear approved mask.Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.
 Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : Dark brown
Odour : N/A

Odour threshold : No data available.
pH value : Not applicable.

: > 320 °C Melting point [°C] : N/A **Decomposition point [°C]** Critical temperature [°C] : N/A : N/A Auto-ignition temperature [°C] : N/A Flammability (solid, gas) Flash point [°C] : N/A : N/A Boiling point [°C] Initial boiling point [°C] : N/A Final boiling point [°C] : N/A **Evaporation rate** : N/A Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : N/A



MATERIAL SAFETY DATA SHEET (MSDS)

ARSENAZO III (REAGENT FOR THORIUM)

9. Physical and chemical properties (continued)

Vapour density : 6,25

Density [g/cm3] : N/A

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : N/A

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.



MATERIAL SAFETY DATA SHEET (MSDS)

ARSENAZO III (REAGENT FOR THORIUM)

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Inhalation
 Based on available data, the classification criteria are not met.
 Dermal
 Based on available data, the classification criteria are not met.

• Ingestion : Toxic if swallowed.

Corrosion : Based on available data, the classification criteria are not met. Irritation : Based on available data, the classification criteria are not met. Sensitization : Based on available data, the classification criteria are not met. Mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. **Toxic for reproduction** : Based on available data, the classification criteria are not met. STOT-single exposure : Based on available data, the classification criteria are not met. STOT-repeated exposure : Based on available data, the classification criteria are not met. **Aspiration hazard**

12. Ecological information

12.1. Toxicity

Toxicity information : Very toxic to aquatic life.

May cause long lasting harmful effects to aquatic life.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects



MATERIAL SAFETY DATA SHEET (MSDS)

ARSENAZO III (REAGENT FOR THORIUM)

12. Ecological information (continued)

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Hazardous waste due to toxicity.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : ORGANOARSENIC COMPOUND, SOLID, N.O.S.

UN N° : 3465 H.I. nr : 60 ADR - Class : 6.1

Labelling - Transport : 6.1 : Toxic substances. 9 : Miscellaneous dangerous substances and articles.





ADR - Classification code : T3

T3

ADR - Group : II

ADR - Packing instructions : P002 ADR - Limited Quantity : 500 G

ADR - Tunnel code : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and

E. Other carriage: Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG) [English only]

Proper shipping name : ORGANOARSENIC COMPOUND, SOLID, N.O.S.



MATERIAL SAFETY DATA SHEET (MSDS)

ARSENAZO III (REAGENT FOR THORIUM)

14. Transport information (continued)

UN N° : 3465

IMO-IMDG - Class or division : 6.1 : Toxic substances. (9 : Miscellaneous dangerous substances and articles.)

IMO-IMDG - Packing group : II

IMO- IMDG - Packing instructions : P002

IMO-IMDG - Limited quantities : 500 g

IMO-IMDG - Marine pollution : Yes

EMS-Nr : F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : ORGANOARSENIC COMPOUND, SOLID, N.O.S.

UN N° : 3465

IATA - Class or division : 6.1 : Toxic substances. (9 : Miscellaneous dangerous substances and articles.)

IATA - Packing group : ||

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 669

instruction

- Passenger and Cargo - Maximum : 25 kg

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 676 - Cargo only - Maximum Quantity/ : 100 kg

Packing

IATA - Limited Quantites : 1 kg ERG-Nr : 6L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental: Ensure all national/local regulations are observed.

regulations/legislation specific for the substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.



MATERIAL SAFETY DATA SHEET (MSDS)

ARSENAZO III (REAGENT FOR THORIUM)

16. Other information

Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document

Page: 10