

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

01680

BARIUM CHLORIDE AR (DIHYDRATED)

1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u> Trade name	: BARIUM CHLORIDE AR (DIHYDRATED)
Product code Identification of the product	: B0035905000 : BARIUM CHLORIDE DIHYDRATE CAS No :10326-27-9
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Use	: Industrial. For professional use only.
1.3. Details of the supplier of the safety data sheet	
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com
1.4. Emergency telephone number	
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification	: T; R25
	Xn; R20

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards: Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301
Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

01680

BARIUM CHLORIDE AR (DIHYDRATED)

2. Hazards identification -DSD (continued) Symbol(s)



Symbol(s) R Phrase(s) S Phrase(s)	 : T : Toxic : R20 : Harmful by inhalation. R25 : Toxic if swallowed. : S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). 	
Labelling Regulation EC 1272/2008 (Labelling Regulation EC 1272/2008 (CLP)	
Hazard pictograms		
Signal words	: Danger	
Hazard statements	: H301 : Toxic if swallowed. H332 : Harmful if inhaled.	
Precautionary statements		
Prevention	 P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product. 	
Response	: P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.	
Storage	: P405: Store locked up.	
 Disposal considerations 	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	

3. Composition/information on ingredients	
Substance / Preparation	: BARIUM CHLORIDEDIHYDRATE AR/ACS CAS No :10326-27-9 Substance.
Contains no other components o	r impurities which will influence the classification of the product.

Page: 2

AN ISO 9001: 2015 CERTIFIED



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

01680

BARIUM CHLORIDE AR (DIHYDRATED)

4. First aid measures	
4.1. Description of first aid mea	sures
Inhalation	: Assure fresh air breathing. Allow the victim to rest. Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
Ingestion	: Rinse mouth. Do NOT induce vomiting. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.
4.2. Most important symptoms and effects, both acute and delayed	
Symptoms relating to use	: Swallowing a small quantity of this material will result in serious health hazard. Danger of serious damage to health by prolonged exposure through inhalation.
4.3. Indication of any immediate medical attention and special treatment needed	
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the substance or mixture		
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.	
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

01680

BARIUM CHLORIDE AR (DIHYDRATED)

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.	
6.4. Reference to other sections		

See section 8. Exposure controls/personal protection

Handling and storage 7.1. Precautions for safe handling Handling : Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. **Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour. 7.2. Conditions for safe storage, including any incompatibilities : Keep only in the original container in a cool, well ventilated place. Keep container Storage closed when not in use. : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Storage - away from 7.3. Specific end use(s) : None. Specific end use(s)

B. Exposure controls/personal protection

8.1. Exposure controls



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

01680

BARIUM CHLORIDE AR (DIHYDRATED)

8. Exposure controls/personal protection (continued)	
Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	: In case of insufficient ventilation, wear suitable respiratory equipment.
 Hand protection 	: Wear protective gloves.
 Eye protection 	: Chemical goggles or safety glasses.
Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White powder
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 9630C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 1560°C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 3,86
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 31 g/100 g water @ 0
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 5 - 8 at 50 g/l at 2



MATERIAL SAFETY DATA SHEET (MSDS)

01680

BARIUM CHLORIDE AR (DIHYDRATED)

9. Physical and chemical properties (continued)	
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.
0. Stability and reactivity	
<u>10.1. Reactivity</u>	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition products	
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.
1 Toxicological information	

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Harmful if inhaled.
• Dermal	: Based on available data, the classification criteria are not met.
 Ingestion 	: Toxic if swallowed.



MATERIAL SAFETY DATA SHEET (MSDS)

01680

BARIUM CHLORIDE AR (DIHYDRATED)

11. Toxicological information (continued)

Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
<u>12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB assessm	ent : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

01680

BARIUM CHLORIDE AR (DIHYDRATED)

13. Disposal considerations (continued) point, in accordance with local, regional, national and/or international regulation. Special precautions : Hazardous waste due to toxicity. 14. Transport information 14.1. Land transport (ADR-RID) Proper shipping name : BARIUM COMPOUND, N.O.S. UN N° : 1564 H.I. nr : 60

ADR - Class

Labelling - Transport

: 6.1 : Toxic substances.

: 6.1

<u>~</u> ~\	
\sim	
10 M M M	

1 C

ADR - Classification code	: T5 T5
ADR - Group	: 111
ADR - Packing instructions	: P002 R001 LP002
ADR - Limited Quantity	: 5 KG
ADR - Tunnel code	

: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name	: BARIUM COMPOUND, N.O.S.
UN N°	: 1564
IMO-IMDG - Class or division	: 6.1 : Toxic substances.
IMO-IMDG - Packing group	: 111
IMO- IMDG - Packing instructions	: P002 LP02
IMO-IMDG - Limited quantities	: 5 kg
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-A S-A

14.3. Air transport (ICAO-IATA) [English only]



MATERIAL SAFETY DATA SHEET (MSDS)

01680

BARIUM CHLORIDE AR (DIHYDRATED)

14. Transport information (continued)

Proper shipping name UN N°	: BARIUM COMPOUND, N.O.S. : 1564
IATA - Class or division	: 6.1 : Toxic substances.
IATA - Packing group	: 111
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 670
- Passenger and Cargo - Maximum Quantity/Packing	:100 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 677
- Cargo only - Maximum Quantity/ Packing	: 200 kg
IATA - Limited Quantites	: 10 kg
ERG-Nr	: 6L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. e
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.
-	

16. Other information

Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
Further information	: None.



MATERIAL SAFETY DATA SHEET (MSDS)

BARIUM CHLORIDE AR (DIHYDRATED)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED