

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### BENZILIC ACID (FOR SYNTHESIS)

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : BENZILIC ACID (FOR SYNTHESIS)

Product code : B0039200100

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM  
 Chaitanya Tower, 2nd Floor, Office # 206,  
 Siddharth Nagar, S.V. Road,  
 Goregaon (West), Mumbai - 400062,  
 Maharashtra, India.  
 Contact: +91 22 28725393 / 94 / 95  
 Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : Xn; R22

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -  
 Category 3 - Warning (CLP : STOT SE 3) H335  
 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319  
 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

##### 2.2. Label elements

##### Labelling EC 67/548 or EC 1999/45

Symbol(s)



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZILIC ACID (FOR SYNTHESIS)**
**2. Hazards identification -DSD (continued)**

Symbol(s) : Xn : Harmful  
 R Phrase(s) : R22 : Harmful if swallowed.  
 S Phrase(s) : S36 : Wear suitable protective clothing.  
 Contains : Pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

**Labelling Regulation EC 1272/2008 (CLP)**
**Hazard pictograms**


Signal words : Warning  
 Hazard statements : H319 : Causes serious eye irritation.  
 H315 : Causes skin irritation.  
 H335 : May cause respiratory irritation.

**Precautionary statements**

- **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.  
 P271: Use only outdoors or in a well-ventilated area.  
 P261: Avoid breathing dust, fume, gas, mist, vapours, spray.  
 P264: Wash thoroughly after handling.
  - **Response** : P302+P352: IF ON SKIN : Wash with plenty of soap and water.  
 P332+P313: If skin irritation occurs : Get medical advice.  
 P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.  
 Remove contact lenses, if present and easy to do. Continue rinsing.  
 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.  
 P363: Wash contaminated clothing before reuse.
  - **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.  
 P405: Store locked up.
  - **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Contains : Pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

**2.3. Other hazards**

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**3. Composition/information on ingredients**

Substance / Preparation		Preparation.				
Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Pentasodium (carboxylatomethyl) : iminobis(ethylenenitrilo) tetraacetate		583-61-9	209-514-1	----	----	R10 Xn; R22 Xi; R37/38-41  Eye Dam 1 _ H318 Flam. Sol. 2 _ H228

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZILIC ACID (FOR SYNTHESIS)**
**3. Composition/information on ingredients (continued)**

 Acute Tox. 4 (oral) \_ H302  
 Skin Irrit. 2 \_ H315  
 STOT SE 3 \_ H335

**4. First aid measures**
**4.1. Description of first aid measures**

- Inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.
- Skin contact** : Get medical advice. Specific treatment (see on this label). Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation occurs :
- Eye contact** : Get medical advice. If eye irritation persists : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
- Ingestion** : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

- Symptoms relating to use** : Causes serious eye irritation.  
 Causes skin irritation. May cause respiratory irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

- General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**5. Fire-fighting measures**
**5.1. Extinguishing media**

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

**5.2. Special hazards arising from the substance or mixture**

- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

**5.3. Advice for fire-fighters**

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZILIC ACID (FOR SYNTHESIS)**
**6. Accidental release measures**
**6.1. Personal precautions, protective equipment and emergency procedures**

**For emergency responders** : Equip cleanup crew with proper protection.  
Ventilate area.

**For non-emergency personnel** : Evacuate unnecessary personnel.

**6.2. Environmental precautions**

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

**6.3. Methods and material for containment and cleaning up**

**Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust.  
Store away from other materials.

**6.4. Reference to other sections**

See section 8. Exposure controls/personal protection

**7. Handling and storage**
**7.1. Precautions for safe handling**

**Handling** : Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.  
Wash thoroughly after handling.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

**Special precautions** : Avoid breathing dust, fume, gas, mist, vapours, spray.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

**7.3. Specific end use(s)**

**Specific end use(s)** : None.

**8. Exposure controls/personal protection**
**8.1. Exposure controls**

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZILIC ACID (FOR SYNTHESIS)**
**8. Exposure controls/personal protection (continued)**

Personal protection	: Avoid all unnecessary exposure.
• Respiratory protection	: Wear approved mask.
• Hand protection	: Wear protective gloves.
• Skin protection	: Wear suitable protective clothing.
• Eye protection	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke.

**8.2. Control parameters**

Occupational Exposure Limits	: No data available.
------------------------------	----------------------

**9. Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state at 20 °C	: Solid.
Colour	: Off white powder
Odour	: N/A
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 149 - 151 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 180°C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm <sup>3</sup> ]	: N/A
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: N/A
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZILIC ACID (FOR SYNTHESIS)**
**9. Physical and chemical properties (continued)**

Solubility : N/A  
 Viscosity at 40°C [mm<sup>2</sup>/s] : N/A

**9.2. Other information**

Explosive properties : N/A  
 Explosion limits - upper [%] : N/A  
 Explosion limits - lower [%] : N/A  
 Oxidising properties : No data available.

**10. Stability and reactivity**
**10.1. Reactivity**

Reactivity : Not established.

**10.2. Chemical stability**

Chemical stability : Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

Hazardous reactions : Not established.

**10.4. Conditions to avoid**

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

**10.5. Incompatible materials**

Materials to avoid : Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

**11. Toxicological information**
**11.1. Information on toxicological effects**

Toxicity information : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

Acute toxicity

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZILIC ACID (FOR SYNTHESIS)**
**11. Toxicological information (continued)**

• Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
• Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

**12. Ecological information**
**12.1. Toxicity**

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
----------------------	--

**12.2. Persistence - degradability**

Persistence - degradability	: Biodegradable.
-----------------------------	------------------

**12.3. Bioaccumulative potential**

Bioaccumulative potential	: Not established.
---------------------------	--------------------

**12.4. Mobility in soil**

Mobility in soil	: Not established.
------------------	--------------------

**12.5. Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
------------------------------------	---

**12.6. Other adverse effects**

Environmental precautions	: Avoid release to the environment.
---------------------------	-------------------------------------



**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZILIC ACID (FOR SYNTHESIS)**
**13. Disposal considerations**
**13.1. Waste treatment methods**

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

**14. Transport information**
**14.1. Land transport (ADR-RID)**

**General information** : Not regulated.

**14.2. Sea transport (IMDG) [English only]**

**General information** : Not regulated.

**14.3. Air transport (ICAO-IATA) [English only]**

**General information** : Not regulated.

**15. Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Safety, health and environmental regulations/legislation specific for the substance or mixture** : Ensure all national/local regulations are observed.

**REACH Restrictions - Annex XVII** : The components of this product are not subject to restrictions.

**REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

**15.2. Chemical Safety Assessment**

**Chemical Safety Assessment** : It has not been carried out.

**16. Other information**

**Revision** : Revision - See : \*

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.  
vPvB: very persistent and very bioaccumulative

**Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZILIC ACID (FOR SYNTHESIS)**
**16. Other information (continued)**

**List of relevant R phrases (heading 3) :** R10 : Flammable.  
 R22 : Harmful if swallowed.  
 R37/38 : Irritating to respiratory system and skin.  
 R41 : Risk of serious damage to eyes.

**List of full text of H-statements in section 3 :** H228 : Flammable solid.  
 H302 : Harmful if swallowed.  
 H315 : Causes skin irritation.  
 H318 : Causes serious eye damage.  
 H335 : May cause respiratory irritation.

**Further information :** None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**