

MATERIAL SAFETY DATA SHEET (MSDS)

BENZILIC ACID (FOR SYNTHESIS)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : BENZILIC ACID (FOR SYNTHESIS)

Product code : B0039201000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM

Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xn; R22

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -

Category 3 - Warning (CLP: STOT SE 3) H335

Eye irritation - Category 2A - Warning (CLP: Eye Irrit. 2) H319 Skin irritation - Category 2 - Warning (CLP: Skin Corr. 2) H315

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s)





MATERIAL SAFETY DATA SHEET (MSDS)

BENZILIC ACID (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)

Symbol(s) : Xn : Harmful

R Phrase(s) : R22 : Harmful if swallowed.

S Phrase(s) : S36: Wear suitable protective clothing.

: Pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate **Contains**

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms

Signal words : Warning

Hazard statements : H319 : Causes serious eye irritation.

H315: Causes skin irritation.

H335: May cause respiratory irritation.

Precautionary statements

: P280: Wear protective gloves, protective clothing, eye protection, face protection. Prevention

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

 Response : P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P332+P313: If skin irritation occurs: Get medical advice.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing.

P363: Wash contaminated clothing before reuse.

: P403+P233: Store in well-ventilated place. Keep container tightly closed. Storage

P405: Store locked up.

 Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

Contains : Pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Preparation.

Substance name Contents

Pentasodium (carboxylatomethyl):

iminobis(ethylenenitrilo)

tetraacetate

CAS No

583-61-9

EC No 209-514-1 Annex No

REACH Ref.

Classification R10 Xn; R22 Xi; R37/38-41

Eye Dam 1 _ H318 Flam. Sol. 2 _ H228



MATERIAL SAFETY DATA SHEET (MSDS)

BENZILIC ACID (FOR SYNTHESIS)

3. Composition/information on ingredients (continued)

Acute Tox. 4 (oral) _ H302 Skin Irrit. 2 _ H315 STOT SE 3 _ H335

4. First aid measures

4.1. Description of first aid measures

Inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor if you feel unwell.

Skin contact : Get medical advice. Specific treatment (see on this label). Wash contaminated

clothing before reuse. Wash with plenty of soap and water. If skin irritation occurs :

Eye contact : Get medical advice. If eye irritation persists : Remove contact lenses, if present and

easy to do. Continue rinsing. Rinse cautiously with water for several minutes.

Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes serious eye irritation.

Causes skin irritation. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.



MATERIAL SAFETY DATA SHEET (MSDS)

BENZILIC ACID (FOR SYNTHESIS)

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

Wash thoroughly after handling.

Technical protective measures: Provide good ventilation in process area to prevent formation of vapour.

Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls



MATERIAL SAFETY DATA SHEET (MSDS)

BENZILIC ACID (FOR SYNTHESIS)

8. Exposure controls/personal protection (continued)

Personal protection : Avoid all unnecessary exposure.

Respiratory protectionHand protection: Wear approved mask.: Wear protective gloves.

Skin protection
 Eye protection
 Others
 Wear suitable protective clothing.
 Chemical goggles or safety glasses.
 When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : Off white powder

Odour : N/A

Odour threshold : No data available.
pH value : Not applicable.
Melting point [°C] : 149 - 151 °C

: N/A **Decomposition point [°C]** : N/A Critical temperature [°C] : N/A Auto-ignition temperature [°C] : N/A Flammability (solid, gas) Flash point [°C] : N/A **Boiling point [°C]** : 180°C Initial boiling point [°C] : N/A Final boiling point [°C] : N/A **Evaporation rate** : N/A Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : N/A Vapour density : N/A : N/A Density [g/cm3] Relative density, gas (air=1) : N/A Relative density, liquid (water=1) : N/A

Solubility in water [% weight]

Solubility in water

Log Pow octanol / water at 20°C : No data available.

: N/A

: N/A



MATERIAL SAFETY DATA SHEET (MSDS)

BENZILIC ACID (FOR SYNTHESIS)

9. Physical and chemical properties (continued)

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Toxicity information: The product has been not fully tested. The calculated risk has been done under the

requirements of the EU regulations.

Acute toxicity



MATERIAL SAFETY DATA SHEET (MSDS)

BENZILIC ACID (FOR SYNTHESIS)

11. Toxicological information (continued)

Inhalation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Ingestion
 Based on available data, the classification criteria are not met.
 Corrosion
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

Irritation : Causes serious eye irritation.

Causes skin irritation.

May cause respiratory irritation.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information: The product has been not fully tested. The calculated risk has been done under the

requirements of the EU regulations.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.



MATERIAL SAFETY DATA SHEET (MSDS)

BENZILIC ACID (FOR SYNTHESIS)

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

14. Transport information

14.1. Land transport (ADR-RID)

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: Ensure all national/local regulations are observed. Safety, health and environmental

regulations/legislation specific for the substance or mixture

: The components of this product are not subject to restrictions. **REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

: It has not been carried out. **Chemical Safety Assessment**

16. Other information

Revision : Revision - See : *

: PBT: persistent, bioaccumulative and toxic. Abbreviations and acronyms

vPvB: very persistent and very bioaccumulative

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF Sources of key data used

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006



MATERIAL SAFETY DATA SHEET (MSDS)

BENZILIC ACID (FOR SYNTHESIS)

16. Other information (continued)

List of relevant R phrases (heading 3): R10: Flammable.

R22: Harmful if swallowed.

R37/38: Irritating to respiratory system and skin.

R41: Risk of serious damage to eyes.

List of full text of H-statements in

section 3

: H228 : Flammable solid. H302 : Harmful if swallowed. H315 : Causes skin irritation.

H318 : Causes serious eye damage. H335 : May cause respiratory irritation.

Further information : None.

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document