

MATERIAL SAFETY DATA SHEET (MSDS)

BISMUTH CARBONATE LR (BASIC) (BISMUTH OXY CARBONATE)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name	: BISMUTH CARBONATE LR (BASIC) (BISMUTH OXY CARBONATE)
Product code	: B0043600100
Identification of the product	: BISMUTH CARBONATE (BASIC)
Case No.	: 5892-10-4
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
Use	: Industrial. For professional use only.
1.3. Details of the supplier of the safet	t <u>y data sheet</u>
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206,
	Siddharth Nagar, S.V. Road,
	Goregaon (West), Mumbai - 400062,
	Maharashtra, India.
	Contact: +91 22 28725393 / 94 / 95
	Email ID: info@suvchem.com/care@suvchem.com
1.4. Emergency telephone number	
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Not classified.

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Not classified.

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Not classified.

Labelling Regulation EC 1272/2008 (CLP)

Page : 1



MATERIAL SAFETY DATA SHEET (MSDS)

BISMUTH CARBONATE LR (BASIC) (BISMUTH OXY CARBONATE)

2. Hazards identification -DSD (continued)

Not classified.

2.3. Other hazards

Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation

: BISMUTH CARBONATE (BASIC)

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation	: Assure fresh air breathing. Allow the victim to rest.	
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.	
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.	
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms relating to use	: Not expected to present a significant hazard under anticipated conditions of normal use.	
4.3. Indication of any immediate medical attention and special treatment needed		
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	

5. Fire-fighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Page: 2

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS)

BISMUTH CARBONATE LR (BASIC) (BISMUTH OXY CARBONATE)

5. Fire-fighting measures (continued)	
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency proceduresFor emergency responders: Equip cleanup crew with proper protection.
Ventilate area.For non-emergency personnel: Evacuate unnecessary personnel.6.2. Environmental precautions: Evacuate unnecessary personnel.Environmental precautions: Prevent entry to sewers and public waters. Notify authorities if product enters
sewers or public waters.6.3. Methods and material for containment and cleaning upClean up methods: On land, sweep or shovel into suitable containers. Minimize generation of dust.
Store away from other materials.6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling		
Handling	: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.	



MATERIAL SAFETY DATA SHEET (MSDS)

BISMUTH CARBONATE LR (BASIC) (BISMUTH OXY CARBONATE)

7. Handling and storage (continued	(b)
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
<u>7.3. Specific end use(s)</u>	
Specific end use(s)	: None.
8. Exposure controls/personal pro	tection
8.1. Exposure controls	
Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	: Wear approved mask.
 Hand protection 	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C Colour	: Solid. : White powder
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: No data available.
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A



MATERIAL SAFETY DATA SHEET (MSDS)

BISMUTH CARBONATE LR (BASIC) (BISMUTH OXY CARBONATE)

9. Physical and chemical properties (continued)

Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 6,86
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.	

Page: 5



MATERIAL SAFETY DATA SHEET (MSDS) BISMUTH CARBONATE LR (BASIC) (BISMUTH OXY CARBONATE)

11. Toxicological information

11.1. Information on toxicological effects

Acute	toxicity
-------	----------

Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>		
Toxicity information	: Not established.	
<u> 12.2. Persistence - degradability</u>		
Persistence - degradability	: Biodegradable.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessme	nt : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	

Page: 6

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

BISMUTH CARBONATE LR (BASIC) (BISMUTH OXY CARBONATE)

13. Disposal considerations

13.1. Waste treatment methods

General

: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

14. Transport information

14.1. Land transport (ADR-RID)

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental Ensure all national/local regulations are observed. regulations/legislation specific for the substance or mixture	
REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV	: The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.

16. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Page:7

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS)

BISMUTH CARBONATE LR (BASIC) (BISMUTH OXY CARBONATE)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document

Page :8