

MATERIAL SAFETY DATA SHEET (MSDS)
BISMUTH OXYCHLORIDE LR [BISMUTH CHLORIDE (OXY)]
1. Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Trade name : BISMUTH OXYCHLORIDE LR [BISMUTH CHLORIDE (OXY)]

Product code : B0044500500

 Identification of the product : BISMUTH OXYCHLORIDE
 CAS No : 7787-59-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

 Company identification : SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD
2.1. Classification of the substance or mixture
Classification EC 67/548 or EC 1999/45

Classification : Xi; R36

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

 Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -
 Category 3 - Warning (CLP : STOT SE 3) H335
 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315
 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

2.2. Label elements
Labelling EC 67/548 or EC 1999/45

MATERIAL SAFETY DATA SHEET (MSDS)
BISMUTH OXYCHLORIDE LR [BISMUTH CHLORIDE (OXY)]
2. Hazards identification -DSD (continued)
Symbol(s)

Symbol(s)

: Xi : Irritant

R Phrase(s)

 : R36 : Irritating to eyes.
 R37 : Irritating to respiratory system.
 R38 : Irritating to skin.

S Phrase(s)

 : S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S36 : Wear suitable protective clothing.

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Warning

Hazard statements

 : H319 : Causes serious eye irritation.
 H315 : Causes skin irritation.
 H335 : May cause respiratory irritation.

Precautionary statements
• Prevention

 : P280: Wear protective gloves, protective clothing, eye protection, face protection.
 P271: Use only outdoors or in a well-ventilated area.
 P261: Avoid breathing dust, fume, gas, mist, vapours, spray.
 P264: Wash thoroughly after handling.

• Response

 : P302+P352: IF ON SKIN : Wash with plenty of soap and water.
 P332+P313: If skin irritation occurs : Get medical advice.
 P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
 P363: Wash contaminated clothing before reuse.

• Storage

 : P403+P233: Store in well-ventilated place. Keep container tightly closed.
 P405: Store locked up.

• Disposal considerations

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards
Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

MATERIAL SAFETY DATA SHEET (MSDS)
BISMUTH OXYCHLORIDE LR [BISMUTH CHLORIDE (OXY)]
3. Composition/information on ingredients

Substance / Preparation : BISMUTH OXYCHLORIDE
 CAS No : 7787-59-9
 Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures
4.1. Description of first aid measures

Inhalation : Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin contact : Wash with plenty of soap and water. If skin irritation occurs : Specific treatment (see on this label). Get medical advice. Wash contaminated clothing before reuse.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.

Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes serious eye irritation.
 Causes skin irritation. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures
5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.

MATERIAL SAFETY DATA SHEET (MSDS)
BISMUTH OXYCHLORIDE LR [BISMUTH CHLORIDE (OXY)]
5. Fire-fighting measures (continued)

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.
Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.
Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

Handling : Wash thoroughly after handling.
Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

MATERIAL SAFETY DATA SHEET (MSDS)
BISMUTH OXYCHLORIDE LR [BISMUTH CHLORIDE (OXY)]
8. Exposure controls/personal protection
8.1. Exposure controls

| | |
|--------------------------|---|
| Personal protection | : Avoid all unnecessary exposure. |
| • Respiratory protection | : Wear approved mask. |
| • Hand protection | : Wear protective gloves. |
| • Skin protection | : Wear suitable protective clothing. |
| • Eye protection | : Chemical goggles or safety glasses. |
| • Others | : When using, do not eat, drink or smoke. |

8.2. Control parameters

| | |
|------------------------------|----------------------|
| Occupational Exposure Limits | : No data available. |
|------------------------------|----------------------|

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

| | |
|------------------------------------|----------------------|
| Physical state at 20 °C | : Solid. |
| Colour | : White powder |
| Odour | : N/A |
| Odour threshold | : No data available. |
| pH value | : Not applicable. |
| Melting point [°C] | : 500°C |
| Decomposition point [°C] | : N/A |
| Critical temperature [°C] | : N/A |
| Auto-ignition temperature [°C] | : N/A |
| Flammability (solid, gas) | : N/A |
| Flash point [°C] | : N/A |
| Boiling point [°C] | : N/A |
| Initial boiling point [°C] | : N/A |
| Final boiling point [°C] | : N/A |
| Evaporation rate | : N/A |
| Vapour pressure [20°C] | : N/A |
| Vapour pressure mm/Hg | : N/A |
| Vapour density | : N/A |
| Density [g/cm ³] | : 7,72 |
| Relative density, gas (air=1) | : N/A |
| Relative density, liquid (water=1) | : N/A |
| Solubility in water [% weight] | : Insoluble in water |

MATERIAL SAFETY DATA SHEET (MSDS)
BISMUTH OXYCHLORIDE LR [BISMUTH CHLORIDE (OXY)]
9. Physical and chemical properties (continued)

| | |
|--|----------------------|
| Solubility in water | : N/A |
| Log Pow octanol / water at 20°C | : No data available. |
| Solubility | : N/A |
| Viscosity at 40°C [mm ² /s] | : N/A |

9.2. Other information

| | |
|------------------------------|----------------------|
| Explosive properties | : N/A |
| Explosion limits - upper [%] | : N/A |
| Explosion limits - lower [%] | : N/A |
| Oxidising properties | : No data available. |

10. Stability and reactivity
10.1. Reactivity

| | |
|------------|--------------------|
| Reactivity | : Not established. |
|------------|--------------------|

10.2. Chemical stability

| | |
|--------------------|--|
| Chemical stability | : Stable under recommended storage conditions. |
|--------------------|--|

10.3. Possibility of hazardous reactions

| | |
|---------------------|--------------------|
| Hazardous reactions | : Not established. |
|---------------------|--------------------|

10.4. Conditions to avoid

| | |
|---------------------|--|
| Conditions to avoid | : Direct sunlight. Extremely high or low temperatures. |
|---------------------|--|

10.5. Incompatible materials

| | |
|--------------------|-------------------------------|
| Materials to avoid | : Strong acids. Strong bases. |
|--------------------|-------------------------------|

10.6. Hazardous decomposition products

| | |
|----------------------------------|---|
| Hazardous decomposition products | : Fumes. Carbon monoxide. Carbon dioxide. |
|----------------------------------|---|

11. Toxicological information
11.1. Information on toxicological effects

| | |
|----------------|--|
| Acute toxicity | |
|----------------|--|

MATERIAL SAFETY DATA SHEET (MSDS)
BISMUTH OXYCHLORIDE LR [BISMUTH CHLORIDE (OXY)]
11. Toxicological information (continued)

| | |
|------------------------|--|
| • Inhalation | : Based on available data, the classification criteria are not met. |
| • Dermal | : Based on available data, the classification criteria are not met. |
| • Ingestion | : Based on available data, the classification criteria are not met. |
| Corrosion | : Based on available data, the classification criteria are not met. |
| Irritation | : Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation. |
| Sensitization | : Based on available data, the classification criteria are not met. |
| Mutagenicity | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | : Based on available data, the classification criteria are not met. |
| Toxic for reproduction | : Based on available data, the classification criteria are not met. |
| STOT-single exposure | : Based on available data, the classification criteria are not met. |
| STOT-repeated exposure | : Based on available data, the classification criteria are not met. |
| Aspiration hazard | : Based on available data, the classification criteria are not met. |

12. Ecological information
12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

MATERIAL SAFETY DATA SHEET (MSDS)
BISMUTH OXYCHLORIDE LR [BISMUTH CHLORIDE (OXY)]
13. Disposal considerations
13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

14. Transport information
14.1. Land transport (ADR-RID)

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture : Ensure all national/local regulations are observed.

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision : Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.
vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

MATERIAL SAFETY DATA SHEET (MSDS)

BISMUTH OXYCHLORIDE LR [BISMUTH CHLORIDE (OXY)]

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document