

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**BUTYLATED HYDROXY TOLUENE (B.H.T.)**

**1. Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Trade name : BUTYLATED HYDROXY TOLUENE (B.H.T.)

Product code : B0052400500

Identification of the product : Butylated hydroxytoluene  
CAS No :128-37-0  
EC No :204-881-4

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use : Industrial. For professional use only.

**1.3. Details of the supplier of the safety data sheet**

Company identification : SUVCHEM  
Chaitanya Tower, 2nd Floor, Office # 206,  
Siddharth Nagar, S.V. Road,  
Goregaon (West), Mumbai - 400062,  
Maharashtra, India.  
Contact: +91 22 28725393 / 94 / 95  
Email ID: info@suvchem.com/care@suvchem.com

**1.4. Emergency telephone number**

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

**2. Hazards identification -DSD**

**2.1. Classification of the substance or mixture**

**Classification EC 67/548 or EC 1999/45**

Classification : Xn; R22  
Xi; R36/38  
N; R51-53

**Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)**

Health hazards : Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319  
Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302  
Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

Environmental hazards : Hazardous to the aquatic environment - Chronic hazard - Category 2 (CLP :  
Aquatic Chronic 2) H411

**2.2. Label elements**

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**BUTYLATED HYDROXY TOLUENE (B.H.T.)**
**2. Hazards identification -DSD (continued)**
Labelling EC 67/548 or EC 1999/45
**Symbol(s)**

**Symbol(s)**

: Xn : Harmful  
 N : Dangerous for the environment

**R Phrase(s)**

: R22 : Harmful if swallowed.  
 R36/38 : Irritating to eyes and skin.  
 R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**S Phrase(s)**

: S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

**Contains**

: Butylated hydroxytoluene

Labelling Regulation EC 1272/2008 (CLP)
**Hazard pictograms**

**Signal words**

: Warning

**Hazard statements**

: H302 : Harmful if swallowed.  
 H319 : Causes serious eye irritation.  
 H315 : Causes skin irritation.  
 H411 : Toxic to aquatic life with long lasting effects.

**Precautionary statements**
**• Prevention**

: P280: Wear protective gloves, protective clothing, eye protection, face protection.  
 P273: Avoid release to the environment.  
 P264: Wash thoroughly after handling.  
 P270: Do not eat, drink or smoke when using this product.

**• Response**

: P302+P352: IF ON SKIN : Wash with plenty of soap and water.  
 P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.  
 P332+P313: If skin irritation occurs : Get medical advice.  
 P391: Collect spillage.  
 P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P363: Wash contaminated clothing before reuse.

**• Disposal considerations**

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

### MATERIAL SAFETY DATA SHEET (MSDS)

## BUTYLATED HYDROXY TOLUENE (B.H.T.)

#### 2. Hazards identification -DSD (continued)

**Contains** : Butylated hydroxytoluene

#### 2.3. Other hazards

**Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

**Substance / Preparation** : Butylated hydroxytoluene  
CAS No :128-37-0  
EC No :204-881-4  
Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Butylated hydroxytoluene	100 %	128-37-0	204-881-4	----	----	Xn; R22 Xi; R36/38 N; R51-53  Acute Tox. 4 (oral) _ H302 Eye irrit. 2 _ H319 Skin Irrit. 2 _ H315 Aquatic Chronic 2 _ H411

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

##### 4.1. Description of first aid measures

**Inhalation** : Assure fresh air breathing. Allow the victim to rest.  
**Skin contact** : Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation occurs : Get medical advice. Specific treatment (see on this label).  
**Eye contact** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.  
**Ingestion** : Obtain emergency medical attention. Call a POISON CENTER or doctor if you feel unwell. Do NOT induce vomiting. Rinse mouth.

##### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms relating to use** : Swallowing a small quantity of this material will result in serious health hazard.  
Causes serious eye irritation.  
Causes skin irritation.

##### 4.3. Indication of any immediate medical attention and special treatment needed

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

## MATERIAL SAFETY DATA SHEET (MSDS)

### BUTYLATED HYDROXY TOLUENE (B.H.T.)

#### 5. Fire-fighting measures

##### 5.1. Extinguishing media

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

##### 5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

##### 5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection.  
Ventilate area.
- For non-emergency personnel** : Evacuate unnecessary personnel.

##### 6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.  
Avoid release to the environment.

##### 6.3. Methods and material for containment and cleaning up

- Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

##### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

##### 7.1. Precautions for safe handling

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BUTYLATED HYDROXY TOLUENE (B.H.T.)**
**7. Handling and storage (continued)**

**Handling** : Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wash thoroughly after handling.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

**7.3. Specific end use(s)**

**Specific end use(s)** : None.

**8. Exposure controls/personal protection**
**8.1. Exposure controls**

**Personal protection** : Avoid all unnecessary exposure.

- **Respiratory protection** : Wear approved mask.
- **Hand protection** : Wear protective gloves.
- **Skin protection** : Wear suitable protective clothing.
- **Eye protection** : Chemical goggles or safety glasses.
- **Others** : When using, do not eat, drink or smoke.

**8.2. Control parameters**

**Occupational Exposure Limits** : No data available.

**9. Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

**Physical state at 20 °C** : Solid.

**Colour** : Colorless crystals

**Odour** : Characteristic odour

**Odour threshold** : No data available.

**pH value** : No data available.

**Melting point [°C]** : 69 - 73 °C

**Decomposition point [°C]** : N/A

**Critical temperature [°C]** : N/A

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BUTYLATED HYDROXY TOLUENE (B.H.T.)**
**9. Physical and chemical properties (continued)**

Auto-ignition temperature [°C]	: 470 °C
Flammability (solid, gas)	: N/A
Flash point [°C]	: 127°C
Boiling point [°C]	: 265 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 0.01 mm Hg @ 200C
Vapour pressure mm/Hg	: 0.01 mm Hg @ 200C
Vapour density	: 7,6
Density [g/cm <sup>3</sup> ]	: 1,048
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

**9.2. Other information**

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

**10. Stability and reactivity**
**10.1. Reactivity.**

Reactivity	: Not established.
------------	--------------------

**10.2. Chemical stability**

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

**10.3. Possibility of hazardous reactions**

Hazardous reactions	: Not established.
---------------------	--------------------

**10.4. Conditions to avoid**

## MATERIAL SAFETY DATA SHEET (MSDS)

### BUTYLATED HYDROXY TOLUENE (B.H.T.)

#### 10. Stability and reactivity (continued)

**Conditions to avoid** : Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

**Materials to avoid** : Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** : Fumes. Carbon monoxide. Carbon dioxide.

#### 11. Toxicological information

##### 11.1. Information on toxicological effects

##### **Acute toxicity**

- **Inhalation** : Based on available data, the classification criteria are not met.
- **Dermal** : Based on available data, the classification criteria are not met.
- **Ingestion** : Harmful if swallowed.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Causes serious eye irritation.  
Causes skin irritation.

**Sensitization** : Based on available data, the classification criteria are not met.

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Based on available data, the classification criteria are not met.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure** : Based on available data, the classification criteria are not met.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

#### 12. Ecological information

##### 12.1. Toxicity

**Toxicity information** : Toxic to aquatic life with long lasting effects.

##### 12.2. Persistence - degradability

**Persistence - degradability** : May cause long-term adverse effects in the environment.

##### 12.3. Bioaccumulative potential

## MATERIAL SAFETY DATA SHEET (MSDS)

### BUTYLATED HYDROXY TOLUENE (B.H.T.)

#### 12. Ecological information (continued)

**Bioaccumulative potential** : Not established.

##### 12.4. Mobility in soil

**Mobility in soil** : Not established.

##### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

##### 12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

#### 13. Disposal considerations

##### 13.1. Waste treatment methods

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 14. Transport information

##### 14.1. Land transport (ADR-RID)

**General information** : Not regulated.

##### 14.2. Sea transport (IMDG) [English only]

**General information** : Not regulated.

##### 14.3. Air transport (ICAO-IATA) [English only]

**General information** : Not regulated.

#### 15. Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Safety, health and environmental regulations/legislation specific for the** : Ensure all national/local regulations are observed.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**BUTYLATED HYDROXY TOLUENE (B.H.T.)**

---

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
  - **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
  - **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.
- 

**End of document**