

MATERIAL SAFETY DATA SHEET (MSDS)
BUTYLATED HYDROXY TOLUENE (B.H.T.)**1. Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name : BUTYLATED HYDROXY TOLUENE (B.H.T.)

Product code : B0052405000

Identification of the product : Butylated hydroxytoluene
CAS No :128-37-0
EC No :204-881-4**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet**Company identification**SUVCHEM
Chaitanya Tower, 2nd Floor, Office # 206,
Siddharth Nagar, S.V. Road,
Goregaon (West), Mumbai - 400062,
Maharashtra, India.
Contact: +91 22 28725393 / 94 / 95
Email ID: info@suvchem.com/care@suvchem.com**1.4. Emergency telephone number**

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD**2.1. Classification of the substance or mixture****Classification EC 67/548 or EC 1999/45**Classification : Xn; R22
Xi; R36/38
N; R51-53**Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)**Health hazards : Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319
Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302
Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315Environmental hazards : Hazardous to the aquatic environment - Chronic hazard - Category 2 (CLP :
Aquatic Chronic 2) H411**2.2. Label elements**

MATERIAL SAFETY DATA SHEET (MSDS)
BUTYLATED HYDROXY TOLUENE (B.H.T.)
2. Hazards identification -DSD (continued)
Labelling EC 67/548 or EC 1999/45
Symbol(s)

Symbol(s)

: Xn : Harmful
 N : Dangerous for the environment

R Phrase(s)

: R22 : Harmful if swallowed.
 R36/38 : Irritating to eyes and skin.
 R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S Phrase(s)

: S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Contains

: Butylated hydroxytoluene

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Warning

Hazard statements

: H302 : Harmful if swallowed.
 H319 : Causes serious eye irritation.
 H315 : Causes skin irritation.
 H411 : Toxic to aquatic life with long lasting effects.

Precautionary statements
• Prevention

: P280: Wear protective gloves, protective clothing, eye protection, face protection.
 P273: Avoid release to the environment.
 P264: Wash thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.

• Response

: P302+P352: IF ON SKIN : Wash with plenty of soap and water.
 P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.
 P332+P313: If skin irritation occurs : Get medical advice.
 P391: Collect spillage.
 P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P363: Wash contaminated clothing before reuse.

• Disposal considerations

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

BUTYLATED HYDROXY TOLUENE (B.H.T.)

2. Hazards identification -DSD (continued)

Contains : Butylated hydroxytoluene

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Butylated hydroxytoluene
CAS No :128-37-0
EC No :204-881-4
Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Butylated hydroxytoluene	100 %	128-37-0	204-881-4	----	----	Xn; R22 Xi; R36/38 N; R51-53 ----- Acute Tox. 4 (oral) _ H302 Eye irrit. 2 _ H319 Skin Irrit. 2 _ H315 Aquatic Chronic 2 _ H411

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest.
Skin contact : Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation occurs : Get medical advice. Specific treatment (see on this label).
Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.
Ingestion : Obtain emergency medical attention. Call a POISON CENTER or doctor if you feel unwell. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Swallowing a small quantity of this material will result in serious health hazard.
Causes serious eye irritation.
Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

MATERIAL SAFETY DATA SHEET (MSDS)

BUTYLATED HYDROXY TOLUENE (B.H.T.)

5. Fire-fighting measures

5.1. Extinguishing media

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection.
Ventilate area.
- For non-emergency personnel** : Evacuate unnecessary personnel.

6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

MATERIAL SAFETY DATA SHEET (MSDS)
BUTYLATED HYDROXY TOLUENE (B.H.T.)
7. Handling and storage (continued)

Handling : Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wash thoroughly after handling.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection
8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

- **Respiratory protection** : Wear approved mask.
- **Hand protection** : Wear protective gloves.
- **Skin protection** : Wear suitable protective clothing.
- **Eye protection** : Chemical goggles or safety glasses.
- **Others** : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : Colorless crystals

Odour : Characteristic odour

Odour threshold : No data available.

pH value : No data available.

Melting point [°C] : 69 - 73 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

MATERIAL SAFETY DATA SHEET (MSDS)
BUTYLATED HYDROXY TOLUENE (B.H.T.)
9. Physical and chemical properties (continued)

Auto-ignition temperature [°C]	: 470 °C
Flammability (solid, gas)	: N/A
Flash point [°C]	: 127°C
Boiling point [°C]	: 265 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 0.01 mm Hg @ 200C
Vapour pressure mm/Hg	: 0.01 mm Hg @ 200C
Vapour density	: 7,6
Density [g/cm ³]	: 1,048
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity
10.1. Reactivity.

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

MATERIAL SAFETY DATA SHEET (MSDS)

BUTYLATED HYDROXY TOLUENE (B.H.T.)

10. Stability and reactivity (continued)

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

- **Inhalation** : Based on available data, the classification criteria are not met.
- **Dermal** : Based on available data, the classification criteria are not met.
- **Ingestion** : Harmful if swallowed.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Causes serious eye irritation.
Causes skin irritation.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : Toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

MATERIAL SAFETY DATA SHEET (MSDS)

BUTYLATED HYDROXY TOLUENE (B.H.T.)

12. Ecological information (continued)

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the : Ensure all national/local regulations are observed.

MATERIAL SAFETY DATA SHEET (MSDS)
BUTYLATED HYDROXY TOLUENE (B.H.T.)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
 - **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
 - **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.
-

End of document