

MATERIAL SAFETY DATA SHEET (MSDS)

CADMIUM OXIDE LR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : CADMIUM OXIDE LR

Product code : C0054000500

Identification of the product : CADMIUM OXIDE 99.5%
CAS No :1306-19-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
Chaitanya Tower, 2nd Floor, Office # 206,
Siddharth Nagar, S.V. Road,
Goregaon (West), Mumbai - 400062,
Maharashtra, India.
Contact: +91 22 28725393 / 94 / 95
Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T+; R26
T; R48/23/25
N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Category 2 - Warning (CLP : STOT SE 2) H371
Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP : STOT RE 1) H372
Acute toxicity, Inhalation - Category 2 - Danger (CLP : Acute Tox. 2) H330

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400
Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP : Aquatic Chronic 1) H410

MATERIAL SAFETY DATA SHEET (MSDS)
CADMIUM OXIDE LR
2. Hazards identification -DSD (continued)
2.2. Label elements
Labelling EC 67/548 or EC 1999/45
Symbol(s)

Symbol(s)

: T+ : Very toxic
 N : Dangerous for the environment

R Phrase(s)

: R45 : May cause cancer.
 R63 : Possible risk of harm to the unborn child.
 R26 : Very toxic by inhalation.
 R48/23/25 : Toxic : danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
 R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 R62 : Possible risk of impaired fertility.
 R68 : Possible risks of irreversible effects.

S Phrase(s)

: S53 : Avoid exposure - obtain special instructions before use.
 S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
 S60 : This material and its container must be disposed of as hazardous waste.
 S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Danger

Hazard statements

: H330 : Fatal if inhaled.
 H372 : Causes damage to organs through prolonged or repeated exposure.
 H371 : May cause damage to organs.
 H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements
• Prevention

: P284: Wear respiratory protection.
 P271: Use only outdoors or in a well-ventilated area.
 P260: Do not breathe dust, fume, gas, mist, vapours, spray.
 P273: Avoid release to the environment.
 P264: Wash thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.

MATERIAL SAFETY DATA SHEET (MSDS)

CADMIUM OXIDE LR

2. Hazards identification -DSD (continued)

- **Response** : P309+P311: IF exposed or if you feel unwell : Call a POISON CENTER or doctor.
P391: Collect spillage.
P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
P314: Get medical advice if you feel unwell.
- **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.
P405: Store locked up.
- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

- Substance / Preparation** : CADMIUM OXIDE 99.5%
CAS No :1306-19-0
Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Specific treatment is urgent (see on this label). Immediately call a POISON CENTER or doctor. Remove to fresh air and keep at rest in a position comfortable for breathing.
- Skin contact** : Wash with plenty of soap and water.
- Eye contact** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Ingestion** : Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Causes damage to organs through prolonged or repeated exposure.
Fatal if inhaled.
May cause damage to organs.

4.3. Indication of any immediate medical attention and special treatment needed

- General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

MATERIAL SAFETY DATA SHEET (MSDS)
CADMIUM OXIDE LR
5. Fire-fighting measures
5.1. Extinguishing media

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection.
Ventilate area.
Avoid breathing dust, fume, gas, mist, vapours, spray.
- For non-emergency personnel** : Evacuate unnecessary personnel.

6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Clean up methods** : On land, sweep or shovel into suitable containers. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

MATERIAL SAFETY DATA SHEET (MSDS)

CADMIUM OXIDE LR

7. Handling and storage (continued)

- Personal protection** : Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
- Handling** : Use only outdoors or in a well-ventilated area. Do not breathe dust, fume, gas, mist, vapours, spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.
- Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

- Storage** : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.
- Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

- Specific end use(s)** : None.

8. Exposure controls/personal protection

8.1. Exposure controls

- Personal protection** : Avoid all unnecessary exposure.
- **Respiratory protection** : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
Wear respiratory protection.
 - **Hand protection** : Wear protective gloves.
 - **Eye protection** : Chemical goggles or safety glasses.
 - **Others** : When using, do not eat, drink or smoke.

8.2. Control parameters

- Occupational Exposure Limits** : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state at 20 °C** : Solid.
- Colour** : Dark brown
- Odour** : Odorless
- Odour threshold** : No data available.
- pH value** : Not applicable.

MATERIAL SAFETY DATA SHEET (MSDS)
CADMIUM OXIDE LR
9. Physical and chemical properties (continued)

Melting point [°C]	: 9500C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 15590C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: 8,15
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity
10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

MATERIAL SAFETY DATA SHEET (MSDS)
CADMIUM OXIDE LR
10. Stability and reactivity (continued)

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information
11.1. Information on toxicological effects
Acute toxicity

- **Inhalation** : Fatal if inhaled.
- **Dermal** : Based on available data, the classification criteria are not met.
- **Ingestion** : Based on available data, the classification criteria are not met.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Causes damage to organ.

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information : Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

MATERIAL SAFETY DATA SHEET (MSDS)
CADMIUM OXIDE LR
12. Ecological information (continued)
12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment
Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations
13.1. Waste treatment methods
General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Hazardous waste due to toxicity.

14. Transport information
14.1. Land transport (ADR-RID)

Proper shipping name : CADMIUM COMPOUND

UN N° : 2570

H.I. nr : 60

ADR - Class : 6.1

Labelling - Transport : 6.1 : Toxic substances.



ADR - Classification code : T5

MATERIAL SAFETY DATA SHEET (MSDS)
CADMIUM OXIDE LR
14. Transport information (continued)

ADR - Group	: III
ADR - Packing instructions	: P002 R001 LP002
ADR - Limited Quantity	: 5 KG
ADR - Tunnel code	: E : Passage forbidden through tunnels of category E.


14.2. Sea transport (IMDG) [English only]

Proper shipping name	: CADMIUM COMPOUND
UN N°	: 2570
IMO-IMDG - Class or division	: 6.1 : Toxic substances.
IMO-IMDG - Packing group	: III
IMO-IMDG - Packing instructions	: P002 LP02
IMO-IMDG - Limited quantities	: 5 kg
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: CADMIUM COMPOUND
UN N°	: 2570
IATA - Class or division	: 6.1 : Toxic substances.
IATA - Packing group	: III
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 670
- Passenger and Cargo - Maximum Quantity/Packing	: 100 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 677
- Cargo only - Maximum Quantity/Packing	: 200 kg
IATA - Limited Quantities	: 10 kg
ERG-Nr	: 6L

15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

MATERIAL SAFETY DATA SHEET (MSDS)

CADMIUM OXIDE LR

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document