

**MATERIAL SAFETY DATA SHEET (MSDS)****CALCIUM CHLORIDE FUSED LR****1. Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name : CALCIUM CHLORIDE FUSED LR

Product code : C0055100500

Identification of the product : Calcium chloride  
CAS No :10043-52-4  
EC No :233-140-8  
Annex No :017-013-00-2**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use : Industrial. For professional use only.

**1.3. Details of the supplier of the safety data sheet**Company identification : SUVCHEM  
Chaitanya Tower, 2nd Floor, Office # 206,  
Siddharth Nagar, S.V. Road,  
Goregaon (West), Mumbai - 400062,  
Maharashtra, India.  
Contact: +91 22 28725393 / 94 / 95  
Email ID: info@suvchem.com/care@suvchem.com**1.4. Emergency telephone number**

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

**2. Hazards identification -DSD****2.1. Classification of the substance or mixture****Classification EC 67/548 or EC 1999/45**

Classification : Xi; R36

**Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)**

Health hazards : Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

**2.2. Label elements****Labelling EC 67/548 or EC 1999/45**

### MATERIAL SAFETY DATA SHEET (MSDS)

### CALCIUM CHLORIDE FUSED LR

#### 2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s)

: Xi : Irritant

R Phrase(s)

: R36 : Irritating to eyes.

S Phrase(s)

: S2 : Keep out of the reach of children.  
S22 : Do not breathe dust.  
S24 : Avoid contact with skin.

Contains

: Calcium chloride

#### Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Warning

Hazard statements

: H319 : Causes serious eye irritation.

Precautionary statements

• General

: P102: Keep out of reach of children.  
P103: Read label before use.  
P101: If medical advice is needed, have product container or label at hand.

• Prevention

: P280: Wear protective gloves, protective clothing, eye protection, face protection.  
P264: Wash thoroughly after handling.

• Response

: P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical advice/attention.

Contains

: Calcium chloride

#### 2.3. Other hazards

Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

Substance / Preparation

: Calcium chloride  
CAS No :10043-52-4  
EC No :233-140-8  
Annex No :017-013-00-2  
Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Calcium chloride	100 %	10043-52-4	233-140-8	017-013-00-2	----	Xi; R36 Eye irrit 2 _ H319

## MATERIAL SAFETY DATA SHEET (MSDS)

### CALCIUM CHLORIDE FUSED LR

#### 3. Composition/information on ingredients (continued)

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

##### 4.1. Description of first aid measures

<b>Inhalation</b>	: Assure fresh air breathing. Allow the victim to rest.
<b>Skin contact</b>	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
<b>Eye contact</b>	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.
<b>Ingestion</b>	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

##### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms relating to use** : Causes serious eye irritation.

##### 4.3. Indication of any immediate medical attention and special treatment needed

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

#### 5. Fire-fighting measures

##### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
<b>Unsuitable extinguishing media</b>	: Do not use a heavy water stream.
<b>Surrounding fires</b>	: Use water spray or fog for cooling exposed containers.

##### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

##### 5.3. Advice for fire-fighters

<b>Protection against fire</b>	: Do not enter fire area without proper protective equipment, including respiratory protection.
<b>Special procedures</b>	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**CALCIUM CHLORIDE FUSED LR**
**6. Accidental release measures**
**6.1. Personal precautions, protective equipment and emergency procedures**

**For emergency responders** : Equip cleanup crew with proper protection. Ventilate area.

**For non-emergency personnel** : Evacuate unnecessary personnel.

**6.2. Environmental precautions**

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

**6.3. Methods and material for containment and cleaning up**

**Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.

**6.4. Reference to other sections**

See section 8. Exposure controls/personal protection

**7. Handling and storage**
**7.1. Precautions for safe handling**

**Handling** : Wash thoroughly after handling.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

**7.3. Specific end use(s)**

**Specific end use(s)** : None.

**8. Exposure controls/personal protection**
**8.1. Exposure controls**

**Personal protection** : Avoid all unnecessary exposure.

## MATERIAL SAFETY DATA SHEET (MSDS)

### CALCIUM CHLORIDE FUSED LR

#### 8. Exposure controls/personal protection (continued)

- Respiratory protection : Wear approved mask.
- Hand protection : Wear protective gloves.
- Eye protection : Chemical goggles or safety glasses.
- Others : When using, do not eat, drink or smoke.

#### 8.2. Control parameters

Occupational Exposure Limits : No data available.

#### 9. Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White powder
Odour	: Odorless
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: 176 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: > 16000C
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 0.01 hPa at 20 °C
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm <sup>3</sup> ]	: 1,85
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 147 g/l at 20 °C - c
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 5 - 8
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

**MATERIAL SAFETY DATA SHEET (MSDS)**
**CALCIUM CHLORIDE FUSED LR**
**9. Physical and chemical properties (continued)**
**9.2. Other information**

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

**10. Stability and reactivity**
**10.1. Reactivity**

Reactivity	: Not established.
------------	--------------------

**10.2. Chemical stability**

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

**10.3. Possibility of hazardous reactions**

Hazardous reactions	: Not established.
---------------------	--------------------

**10.4. Conditions to avoid**

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

**10.5. Incompatible materials**

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

**10.6. Hazardous decomposition products**

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.
----------------------------------	---

**11. Toxicological information**
**11.1. Information on toxicological effects**
**Acute toxicity**

• Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
• Ingestion	: Based on available data, the classification criteria are not met.
<b>Corrosion</b>	: Based on available data, the classification criteria are not met.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**CALCIUM CHLORIDE FUSED LR**
**11. Toxicological information (continued)**

<b>Irritation</b>	: Causes serious eye irritation.
<b>Sensitization</b>	: Based on available data, the classification criteria are not met.
<b>Mutagenicity</b>	: Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	: Based on available data, the classification criteria are not met.
<b>Toxic for reproduction</b>	: Based on available data, the classification criteria are not met.
<b>STOT-single exposure</b>	: Based on available data, the classification criteria are not met.
<b>STOT-repeated exposure</b>	: Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	: Based on available data, the classification criteria are not met.

**12. Ecological information**
**12.1. Toxicity**

**Toxicity information** : Not established.

**12.2. Persistence - degradability**

**Persistence - degradability** : Biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** : Not established.

**12.4. Mobility in soil**

**Mobility in soil** : Not established.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**12.6. Other adverse effects**

**Environmental precautions** : Avoid release to the environment.

**13. Disposal considerations**
**13.1. Waste treatment methods**

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**CALCIUM CHLORIDE FUSED LR**
**14. Transport information**
**14.1. Land transport (ADR-RID)**

General information : Not regulated.

**14.2. Sea transport (IMDG) [English only]**

General information : Not regulated.

**14.3. Air transport (ICAO-IATA) [English only]**

General information : Not regulated.

**15. Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Safety, health and environmental regulations/legislation specific for the substance or mixture : Ensure all national/local regulations are observed.

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

**15.2. Chemical Safety Assessment**

Chemical Safety Assessment : It has not been carried out.

**16. Other information**

Revision : Revision - See : \*

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.  
vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

List of relevant R phrases (heading 3) : R36 : Irritating to eyes.

List of full text of H-statements in section 3 : H319 : Causes serious eye irritation.

Further information : None.

**MATERIAL SAFETY DATA SHEET (MSDS)**

**CALCIUM CHLORIDE FUSED LR**

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**