

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN (FOR MICROCOPY)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : CARBOL FUCHSIN (FOR MICROCOPY)

Product code : C00595000025

Identification of the product : CARBOL FUCHSIN POWDER
CAS No :4197-24-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM
Chaitanya Tower, 2nd Floor, Office # 206,
Siddharth Nagar, S.V. Road,
Goregaon (West), Mumbai - 400062,
Maharashtra, India.
Contact: +91 22 28725393 / 94 / 95
Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T; R23/24/25
Xn; 48/20/21/22
C; R34

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Category 2 - Warning (CLP : STOT SE 2) H371
Specific Target Organ Toxicity - Repeated exposure - Category 2 - Warning (CLP : STOT RE 2) H373
Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331
Skin corrosion - Category 1B - Danger (CLP : Skin Corr. 1B) H314
Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301
Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311

2.2. Label elements

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN (FOR MICROCOPY)
2. Hazards identification -DSD (continued)
Labelling EC 67/548 or EC 1999/45
Symbol(s)

Symbol(s)

: T : Toxic

R Phrase(s)

: R45 : May cause cancer.

R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed.

R34 : Causes burns.

R48/20/21/22 : Harmful : danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

R68 : Possible risks of irreversible effects.

S Phrase(s)

: S53 : Avoid exposure - obtain special instructions before use.

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection.

S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Danger

Hazard statements

: H314 : Causes severe skin burns and eye damage.

H301 : Toxic if swallowed.

H311 : Toxic in contact with skin.

H331 : Toxic if inhaled.

H371 : May cause damage to organs.

H373 : May cause damage to organs through prolonged or repeated exposure.

Precautionary statements
• Prevention

: P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response

: P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P309+P311: IF exposed or if you feel unwell : Call a POISON CENTER or doctor.

P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.

P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN (FOR MICROCOPY)
2. Hazards identification -DSD (continued)

- clothing. Rinse skin with water/shower.
 P363: Wash contaminated clothing before reuse.
 P314: Get medical advice if you feel unwell.
 P361: Remove immediately all contaminated clothing.
- **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.
 P405: Store locked up.
 - **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
 P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

- Substance / Preparation** : CARBOL FUCHSIN POWDER
 CAS No :4197-24-4
 Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures
4.1. Description of first aid measures

- Inhalation** : Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). Remove to fresh air and keep at rest in a position comfortable for breathing.
- Skin contact** : Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor. Specific treatment (see on this label).
- Eye contact** : Immediately call a POISON CENTER or doctor. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
- Ingestion** : Specific treatment (see on this label). Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Repeated exposure to this material can result in absorption through skin causing significant health hazard.
 Causes damage to organ.
 Causes severe skin burns and eye damage.
 Danger of serious damage to health by prolonged exposure through inhalation.

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN (FOR MICROCOPY)

4. First aid measures (continued)

May cause damage to organs.
Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.
Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.
Thermal decomposition generates : Corrosive vapours.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.
Ventilate area.
Avoid breathing dust, fume, gas, mist, vapours, spray.
For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN (FOR MICROCOPY)

6. Accidental release measures (continued)

Clean up methods : On land, sweep or shovel into suitable containers. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Personal protection : Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Handling : Do not breathe dust, fume, gas, mist, vapours, spray. Wash contaminated clothing before reuse. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Avoid breathing dust, fume, gas, mist, vapours, spray.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

Storage regulation : Comply with applicable regulations.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

- **Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
- **Hand protection** : Wear protective gloves.
- **Skin protection** : Wear suitable protective clothing.
- **Eye protection** : Chemical goggles or face shield.
- **Others** : When using, do not eat, drink or smoke.

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN (FOR MICROCOPY)
8. Exposure controls/personal protection (continued)
8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: Black
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: No data available.
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 0.2 mm Hg at 20C
Vapour pressure mm/Hg	: N/A
Vapour density	: 3,24
Density [g/cm ³]	: 1,1
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Very soluble
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN (FOR MICROCOPY)
9. Physical and chemical properties (continued)

Explosion limits - lower [%] : N/A
 Oxidising properties : No data available.

10. Stability and reactivity
10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.
 Thermal decomposition generates : Corrosive vapours.

11. Toxicological information
11.1. Information on toxicological effects
Acute toxicity

- Inhalation : Toxic if inhaled.
- Dermal : Toxic in contact with skin.
- Ingestion : Toxic if swallowed.

Corrosion : Causes severe skin burns and eye damage.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN (FOR MICROCOPY)
11. Toxicological information (continued)

Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Causes damage to organ.
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations
13.1. Waste treatment methods

General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Special precautions	: Hazardous waste due to toxicity.


MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN (FOR MICROCOPY)

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : CORROSIVE SOLID, TOXIC, N.O.S.
UN N° : 2923
H.I. nr : 86
ADR - Class : 8
Labelling - Transport : 8 : Corrosive substance. 6.1 : Toxic substances.



ADR - Classification code : CT2
ADR - Group : II
ADR - Packing instructions : P002
ADR - Limited Quantity : 1 KG
ADR - Tunnel code : E : Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG) [English only]

Proper shipping name : CORROSIVE SOLID, TOXIC, N.O.S.
UN N° : 2923
IMO-IMDG - Class or division : 8 : Corrosive substance. (6.1 : Toxic substances.)
IMO-IMDG - Packing group : II
IMO-IMDG - Packing instructions : P002
IMO-IMDG - Limited quantities : 1 kg
IMO-IMDG - Marine pollution : No
EMS-Nr : F-A S-B

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : CORROSIVE SOLID, TOXIC, N.O.S.
UN N° : 2923
IATA - Class or division : 8 : Corrosive substance. (6.1 : Toxic substances.)
IATA - Packing group : II
IATA - Passenger and Cargo Aircraft : ALLOWED
- Passenger and Cargo - Packing instruction : 859

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN (FOR MICROCOPY)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document