

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) CINNAMIC ACID (FOR SYNTHESIS)

1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u> Trade name	: CINNAMIC ACID (FOR SYNTHESIS)	
Product code Identification of the product	: C0071000500 : CINNAMIC ACID 99%	
<u>1.2. Relevant identified uses of the s</u>	CAS No :140-10-3 ubstance or mixture and uses advised against	
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the safety data sheet		
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India.	
	Contact: +91 22 28725393 / 94 / 95	
<u>1.4. Emergency telephone number</u>	Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com	

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification	: Xi; R36/37/38
Hazard Class and Categor	<u>y Code(s), Regulation (EC) No 1272/2008 (CLP)</u>
Health hazards	: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation - Category 3 - Warning (CLP : STOT SE 3) H335 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315
2.2. Label elements	

Labelling EC 67/548 or EC 1999/45

Page : 1



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) CINNAMIC ACID (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s) R Phrase(s) S Phrase(s)	 Xi : Irritant R36/37/38 : Irritating to eyes, respiratory system and skin. S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36 : Wear suitable protective clothing.
Labelling Regulation EC 1272/2008 (<u>CLP)</u>
Hazard pictograms	
Signal words	: Warning
Hazard statements	 H319 : Causes serious eye irritation. H315 : Causes skin irritation. H335 : May cause respiratory irritation.
Precautionary statements	
Prevention	 P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling.
• Response	 P302+P352: IF ON SKIN : Wash with plenty of soap and water. P332+P313: If skin irritation occurs : Get medical advice. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P363: Wash contaminated clothing before reuse.
Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.
 Disposal considerations 	P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
2.3. Other hazards	
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.



MATERIAL SAFETY DATA SHEET (MSDS) CINNAMIC ACID (FOR SYNTHESIS)

3. Composition/information on ingredients		
Substance / Preparation	: CINNAMIC ACID 99% CAS No :140-10-3 Substance.	
Contains no other components or impu	rities which will influence the classification of the product.	
4. First aid measures		
4.1. Description of first aid measures	<u>3</u>	
Inhalation	: Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.	
Skin contact	: If skin irritation occurs : Get medical advice. Specific treatment (see on this label). Wash contaminated clothing before reuse. Wash with plenty of soap and water.	
Eye contact	 : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice. : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth. 	
Ingestion 4.2. Most important symptoms and e		
Symptoms relating to use	: Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.	
4.3. Indication of any immediate med	lical attention and special treatment needed	
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
5. Fire-fighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream.	
Surrounding fires	: Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the	5.2. Special hazards arising from the substance or mixture	
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.	
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	

Page: 3

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS)

CINNAMIC ACID (FOR SYNTHESIS)

5. Fire-fighting measures (continued)

Special procedures

: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.	
6.4. Reference to other sections		

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling	: Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Wash thoroughly after handling.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	
Special precautions	: Avoid breathing dust, fume, gas, mist, vapours, spray.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.	
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.	
<u>7.3. Specific end use(s)</u>		
Specific end use(s)	: None.	

Page: 4



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) CINNAMIC ACID (FOR SYNTHESIS)

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	: Wear approved mask.
 Hand protection 	: Wear protective gloves.
 Skin protection 	: Wear suitable protective clothing.
 Eye protection 	: Chemical goggles or safety glasses.
Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C Colour Odour Odour threshold pH value Melting point [°C] Decomposition point [°C] Critical temperature [°C] Auto-ignition temperature [°C]	 Solid. White crystalline Faint odour No data available. Not applicable. 132 - 135 °C N/A N/A N/A N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: 100 °C
Boiling point [°C]	: 300 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 1,248
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 0.4 g/l in water (20



MATERIAL SAFETY DATA SHEET (MSDS) CINNAMIC ACID (FOR SYNTHESIS)

9. Physical and chemical properties (continued)

Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 3 - 4
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reaction	<u>ns</u>
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition products	
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Page: 6



MATERIAL SAFETY DATA SHEET (MSDS) CINNAMIC ACID (FOR SYNTHESIS)

11. Toxicological information (continued)

Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>		
Toxicity information	: Not established.	
<u>12.2. Persistence - degradability</u>		
Persistence - degradability	: Biodegradable.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessme	ent : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) CINNAMIC ACID (FOR SYNTHESIS)

13. Disposal considerations

13.1. Waste treatment methods

General

: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

14. Transport information

14.1. Land transport (ADR-RID)

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental Ensure all national/local regulations are observed. regulations/legislation specific for the substance or mixture	
REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV	: The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.

16. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Page: 8

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS)

CINNAMIC ACID (FOR SYNTHESIS)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document

Page :9