

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### COBALT (II) CHLORIDE LR (HEXAHYDRATE)

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : COBALT (II) CHLORIDE LR (HEXAHYDRATE)

Product code : C0072900500

Identification of the product : COBALT (II) CHLORIDE EXTRA PURE (HEXAHYDRATE)  
 CAS No : 7791-13-1

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM  
 Chaitanya Tower, 2nd Floor, Office # 206,  
 Siddharth Nagar, S.V. Road,  
 Goregaon (West), Mumbai - 400062,  
 Maharashtra, India.  
 Contact: +91 22 28725393 / 94 / 95  
 Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : Xn; R22  
 Xn ; R42/43  
 N; R50-53

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Skin sensitisation - Category 1 - Warning (CLP : Skin Sens. 1) H317  
 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302  
 Respiratory sensitization - Category 1 - Danger (CLP : Resp. Sens. 1) H334

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400  
 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP : Aquatic Chronic 1) H410

##### 2.2. Label elements

## MATERIAL SAFETY DATA SHEET (MSDS)

### COBALT (II) CHLORIDE LR (HEXAHYDRATE)

#### 2. Hazards identification -DSD (continued)

##### Labelling EC 67/548 or EC 1999/45

##### Symbol(s)



##### Symbol(s)

: T : Toxic  
 N : Dangerous for the environment

##### R Phrase(s)

: R49 : May cause cancer by inhalation.  
 R22 : Harmful if swallowed.  
 R42/43 : May cause sensitization by inhalation and skin contact.  
 R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

##### S Phrase(s)

: S53 : Avoid exposure - obtain special instructions before use.  
 S22 : Do not breathe dust.  
 S45 : In case of accident or if you feel unwell, seek medical advice immediately ( show the label when possible).  
 S60 : This material and its container must be disposed of as hazardous waste.  
 S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

##### Labelling Regulation EC 1272/2008 (CLP)

##### Hazard pictograms



##### Signal words

: Danger

##### Hazard statements

: H302 : Harmful if swallowed.  
 H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H317 : May cause an allergic skin reaction.  
 H410 : Very toxic to aquatic life with long lasting effects.

##### Precautionary statements

##### • Prevention

: P285: In case of inadequate ventilation wear respiratory protection.  
 P280: Wear protective gloves, protective clothing, eye protection, face protection.  
 P261: Avoid breathing dust, fume, gas, mist, vapours, spray.  
 P273: Avoid release to the environment.  
 P264: Wash thoroughly after handling.  
 P270: Do not eat, drink or smoke when using this product.  
 P272: Contaminated work clothing should not be allowed out of the workplace.

##### • Response

: P302+P352: IF ON SKIN : Wash with plenty of soap and water.  
 P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.  
 P391: Collect spillage.  
 P304+P341: IF INHALED : If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.  
 P333+P313: If skin irritation or rash occurs : Get medical advice.

## MATERIAL SAFETY DATA SHEET (MSDS)

### COBALT (II) CHLORIDE LR (HEXAHYDRATE)

#### 2. Hazards identification -DSD (continued)

- P342+P311: If experiencing respiratory symptoms : Call a POISON CENTER or doctor.
- P363: Wash contaminated clothing before reuse.
- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

- Substance / Preparation** : COBALT (II) CHLORIDE EXTRA PURE (HEXAHYDRATE)  
 CAS No :7791-13-1  
 Substance.

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

##### 4.1. Description of first aid measures

- Inhalation** : If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms :
- Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation or rash occurs : Specific treatment (see on this label). Get medical advice.
- Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- Ingestion** : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

##### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Swallowing a small quantity of this material will result in serious health hazard. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

##### 4.3. Indication of any immediate medical attention and special treatment needed

- General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

## MATERIAL SAFETY DATA SHEET (MSDS)

### COBALT (II) CHLORIDE LR (HEXAHYDRATE)

#### 5. Fire-fighting measures

##### 5.1. Extinguishing media

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media** : Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

##### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

##### 5.3. Advice for fire-fighters

**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.

**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

**For emergency responders** : Equip cleanup crew with proper protection.  
Ventilate area.

**For non-emergency personnel** : Evacuate unnecessary personnel.

##### 6.2. Environmental precautions

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.  
Avoid release to the environment.

##### 6.3. Methods and material for containment and cleaning up

**Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust.  
Store away from other materials.

##### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

##### 7.1. Precautions for safe handling

## MATERIAL SAFETY DATA SHEET (MSDS)

### COBALT (II) CHLORIDE LR (HEXAHYDRATE)

#### 7. Handling and storage (continued)

- Handling** : Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid breathing dust, fume, gas, mist, vapours, spray.
- Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage** : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
- Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

- Specific end use(s)** : None.

#### 8. Exposure controls/personal protection

##### 8.1. Exposure controls

- Personal protection** : Avoid all unnecessary exposure.
- **Respiratory protection** : In case of inadequate ventilation wear respiratory protection.
  - **Hand protection** : Wear protective gloves.
  - **Eye protection** : Chemical goggles or safety glasses.
  - **Others** : When using, do not eat, drink or smoke.

##### 8.2. Control parameters

- Occupational Exposure Limits** : No data available.

#### 9. Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

- Physical state at 20 °C** : Solid.
- Colour** : Red crystals
- Odour** : Odorless
- Odour threshold** : No data available.
- pH value** : Not applicable.
- Melting point [°C]** : 860C
- Decomposition point [°C]** : N/A

## MATERIAL SAFETY DATA SHEET (MSDS)

### COBALT (II) CHLORIDE LR (HEXAHYDRATE)

#### 9. Physical and chemical properties (continued)

Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 1100C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm <sup>3</sup> ]	: 1,92
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 76.7 g/100 cc water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 4,6
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

#### 9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

#### 10. Stability and reactivity

##### 10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

##### 10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

##### 10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

##### 10.4. Conditions to avoid

## MATERIAL SAFETY DATA SHEET (MSDS)

### COBALT (II) CHLORIDE LR (HEXAHYDRATE)

#### 10. Stability and reactivity (continued)

**Conditions to avoid** : Direct sunlight. Extremely high or low temperatures.

##### 10.5. Incompatible materials

**Materials to avoid** : Strong acids. Strong bases.

##### 10.6. Hazardous decomposition products

**Hazardous decomposition products** : Fumes. Carbon monoxide. Carbon dioxide.

#### 11. Toxicological information

##### 11.1. Information on toxicological effects

###### **Acute toxicity**

- **Inhalation** : Based on available data, the classification criteria are not met.
- **Dermal** : Based on available data, the classification criteria are not met.
- **Ingestion** : Harmful if swallowed.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Based on available data, the classification criteria are not met.

**Sensitization** : May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Based on available data, the classification criteria are not met.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure** : Based on available data, the classification criteria are not met.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

#### 12. Ecological information

##### 12.1. Toxicity

**Toxicity information** : Very toxic to aquatic life with long lasting effects.

##### 12.2. Persistence - degradability

**Persistence - degradability** : May cause long-term adverse effects in the environment.

##### 12.3. Bioaccumulative potential



## MATERIAL SAFETY DATA SHEET (MSDS)

### COBALT (II) CHLORIDE LR (HEXAHYDRATE)

#### 12. Ecological information (continued)

Bioaccumulative potential : Not established.

##### 12.4. Mobility in soil

Mobility in soil : Not established.

##### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment :** The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

##### 12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

#### 13. Disposal considerations

##### 13.1. Waste treatment methods

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 14. Transport information

##### 14.1. Land transport (ADR-RID)

**Proper shipping name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
**UN N°** : 3077  
**H.I. nr** : 90  
**ADR - Class** : 9  
**Labelling - Transport** : 9 : Miscellaneous dangerous substances and articles.



**ADR - Classification code** : M7  
 M7  
 M7  
**ADR - Group** : III  
**ADR - Packing instructions** : P002 R001 LP002



## MATERIAL SAFETY DATA SHEET (MSDS)

### COBALT (II) CHLORIDE LR (HEXAHYDRATE)

#### 14. Transport information (continued)

ADR - Limited Quantity : 5 KG  
 ADR - Tunnel code : E : Passage forbidden through tunnels of category E.



#### 14.2. Sea transport (IMDG) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 UN N° : 3077  
 IMO-IMDG - Class or division : 9 : Miscellaneous dangerous substances and articles.  
 IMO-IMDG - Packing group : III  
 IMO-IMDG - Packing instructions : P002 LP02  
 IMO-IMDG - Limited quantities : 5 kg  
 IMO-IMDG - Marine pollution : Yes  
 EMS-Nr : F-A S-F

#### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 UN N° : 3077  
 IATA - Class or division : 9 : Miscellaneous dangerous substances and articles.  
 IATA - Packing group : III  
 IATA - Passenger and Cargo Aircraft : ALLOWED  
   - Passenger and Cargo - Packing instruction : 956  
   - Passenger and Cargo - Maximum Quantity/Packing : 400 kg  
 IATA - Cargo only : ALLOWED  
   - Cargo only - Packing instruction : 956  
   - Cargo only - Maximum Quantity/Packing : 400 kg  
 IATA - Limited Quantities : 30 kg G  
 ERG-Nr : 9L

#### 15. Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the : Ensure all national/local regulations are observed.

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**COBALT (II) CHLORIDE LR (HEXAHYDRATE)**

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**