

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### COPPER METAL POWDER LR ELECTROLYTIC

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : COPPER METAL POWDER LR ELECTROLYTIC

Product code : C0075600500

Identification of the product : COPPER (METAL) POWDER ELECTROLYTIC 99.5%  
 CAS No :7440-50-8

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM  
 Chaitanya Tower, 2nd Floor, Office # 206,  
 Siddharth Nagar, S.V. Road,  
 Goregaon (West), Mumbai - 400062,  
 Maharashtra, India.  
 Contact: +91 22 28725393 / 94 / 95  
 Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : F; R11  
 N; R50

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Physical hazards : Flammable solids - Category 1 - Danger (CLP : Flam. Sol. 1) H228

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400

##### 2.2. Label elements

##### Labelling EC 67/548 or EC 1999/45

## MATERIAL SAFETY DATA SHEET (MSDS)

### COPPER METAL POWDER LR ELECTROLYTIC

#### 2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s)

: F : Highly flammable

R Phrase(s)

: R11 : Highly flammable.

R50 : Very toxic to aquatic organisms.

S Phrase(s)

: S16 : Keep away from sources of ignition - No smoking.

#### Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Danger

Hazard statements

: H228 : Flammable solid.

H400 : Very toxic to aquatic life.

Precautionary statements

##### • Prevention

: P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical, ventilating, lighting, ..., equipment.

P210: Keep away from heat, sparks, open flames or hot surfaces. - No smoking.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P273: Avoid release to the environment.

##### • Response

: P391: Collect spillage.

P370+P378: In case of fire: Use for extinction.

##### • Disposal considerations

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

Substance / Preparation

: COPPER (METAL) POWDER ELECTROLYTIC 99.5%

CAS No :7440-50-8

Substance.

Contains no other components or impurities which will influence the classification of the product.

## MATERIAL SAFETY DATA SHEET (MSDS)

### COPPER METAL POWDER LR ELECTROLYTIC

#### 4. First aid measures

##### 4.1. Description of first aid measures

Inhalation	: Assure fresh air breathing. Allow the victim to rest.
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

##### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use	: Not expected to present a significant hazard under anticipated conditions of normal use. Not expected to present a significant hazard under anticipated conditions of normal use.
--------------------------	--

##### 4.3. Indication of any immediate medical attention and special treatment needed

General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
---------------------	---

#### 5. Fire-fighting measures

##### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

##### 5.2. Special hazards arising from the substance or mixture

Flammable class	: Flammable solid.
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.

##### 5.3. Advice for fire-fighters

Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

## MATERIAL SAFETY DATA SHEET (MSDS)

### COPPER METAL POWDER LR ELECTROLYTIC

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

<b>For emergency responders</b>	: Equip cleanup crew with proper protection. Ventilate area.
<b>Technical measures</b>	: Use special care to avoid static electric charges.
<b>Special precautions</b>	: Remove ignition sources. No naked lights. No smoking.
<b>For non-emergency personnel</b>	: Evacuate unnecessary personnel.

##### 6.2. Environmental precautions

<b>Environmental precautions</b>	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.
----------------------------------	---

##### 6.3. Methods and material for containment and cleaning up

<b>Clean up methods</b>	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.
-------------------------	---

##### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

##### 7.1. Precautions for safe handling

<b>Handling</b>	: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Handle empty containers with care because residual vapours are flammable.
<b>Technical protective measures</b>	: Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting, ..., equipment.
<b>Special precautions</b>	: No naked lights. No smoking.

##### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage</b>	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use. Keep in fireproof place. Ground/bond container and receiving equipment.
<b>Storage - away from</b>	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

##### 7.3. Specific end use(s)

## MATERIAL SAFETY DATA SHEET (MSDS)

### COPPER METAL POWDER LR ELECTROLYTIC

#### 7. Handling and storage (continued)

Specific end use(s) : None.

#### 8. Exposure controls/personal protection

##### 8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

- Respiratory protection : Wear approved mask.
- Hand protection : Wear protective gloves.
- Eye protection : Chemical goggles or safety glasses.
- Others : When using, do not eat, drink or smoke.

##### 8.2. Control parameters

Occupational Exposure Limits : No data available.

#### 9. Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : Reddish brown powder

Odour : N/A

Odour threshold : No data available.

pH value : Not applicable.

Melting point [°C] : 10830C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A  
Flammable solid.

Flash point [°C] : N/A

Boiling point [°C] : 25950C

Initial boiling point [°C] : N/A

Final boiling point [°C] : N/A

Evaporation rate : N/A

Vapour pressure [20°C] : N/A

Vapour pressure mm/Hg : N/A

Vapour density : N/A

## MATERIAL SAFETY DATA SHEET (MSDS)

### COPPER METAL POWDER LR ELECTROLYTIC

#### 9. Physical and chemical properties (continued)

Density [g/cm <sup>3</sup> ]	: 8,94
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

#### 9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

#### 10. Stability and reactivity

##### 10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

##### 10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

##### 10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

##### 10.4. Conditions to avoid

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.
---------------------	--

##### 10.5. Incompatible materials

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

##### 10.6. Hazardous decomposition products

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.
----------------------------------	---

## MATERIAL SAFETY DATA SHEET (MSDS)

### COPPER METAL POWDER LR ELECTROLYTIC

#### 11. Toxicological information

##### 11.1. Information on toxicological effects

###### Acute toxicity

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

#### 12. Ecological information

##### 12.1. Toxicity

Toxicity information : Very toxic to aquatic life.

##### 12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

##### 12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

##### 12.4. Mobility in soil

Mobility in soil : Not established.

##### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

##### 12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

## MATERIAL SAFETY DATA SHEET (MSDS)

### COPPER METAL POWDER LR ELECTROLYTIC

#### 13. Disposal considerations

##### 13.1. Waste treatment methods

<b>General</b>	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
<b>Special precautions</b>	: Handle empty containers with care because residual vapours are flammable.

#### 14. Transport information

##### 14.1. Land transport (ADR-RID)

<b>Proper shipping name</b>	: METAL POWDER, FLAMMABLE, N.O.S.
<b>UN N°</b>	: 3089
<b>H.I. nr</b>	: 40
<b>ADR - Class</b>	: 4.1
<b>Labelling - Transport</b>	: 4.1 : Flammable solids, self-reactive substances and desensitized explosives.



<b>ADR - Classification code</b>	: F3
<b>ADR - Group</b>	: II
<b>ADR - Packing instructions</b>	: P002
<b>ADR - Limited Quantity</b>	: 1 KG
<b>ADR - Tunnel code</b>	



: E : Passage forbidden through tunnels of category E.

##### 14.2. Sea transport (IMDG) [English only]

<b>Proper shipping name</b>	: METAL POWDER, FLAMMABLE, N.O.S.
<b>UN N°</b>	: 3089
<b>IMO-IMDG - Class or division</b>	: 4.1 : Flammable solids, self-reactive substances and desensitized explosives.
<b>IMO-IMDG - Packing group</b>	: II
<b>IMO-IMDG - Packing instructions</b>	: P002
<b>IMO-IMDG - Limited quantities</b>	: 1 kg
<b>IMO-IMDG - Marine pollution</b>	: Yes



## MATERIAL SAFETY DATA SHEET (MSDS)

### COPPER METAL POWDER LR ELECTROLYTIC

#### 14. Transport information (continued)

EMS-Nr : F-G S-G

##### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : METAL POWDER, FLAMMABLE, N.O.S.  
 UN N° : 3089  
 IATA - Class or division : 4.1 : Flammable solids, self-reactive substances and desensitized explosives.  
 IATA - Packing group : II  
 IATA - Passenger and Cargo Aircraft : ALLOWED  
   - Passenger and Cargo - Packing : 445  
 instruction  
   - Passenger and Cargo - Maximum : 15 kg  
 Quantity/Packing  
 IATA - Cargo only : ALLOWED  
   - Cargo only - Packing instruction : 448  
   - Cargo only - Maximum Quantity/ : 50 kg  
 Packing  
 IATA - Limited Quantities : 5 kg  
 ERG-Nr : 3L

#### 15. Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed.  
 regulations/legislation specific for the  
 substance or mixture  
 REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.  
 REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

##### 15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

#### 16. Other information

Revision : Revision - See : \*  
 Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.  
   vPvB: very persistent and very bioaccumulative  
 Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF  
 THE COUNCIL of 16 December 2008 on classification, labelling and packaging of  
 substances and mixtures, amending and repealing Directives 67/548/EEC and  
 1999/45/EC, and amending Regulation (EC) No 1907/2006

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**COPPER METAL POWDER LR ELECTROLYTIC**

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**