

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (II) BROMIDE LR (CUPRIC BROMIDE)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : COPPER (II) BROMIDE LR (CUPRIC BROMIDE)

Product code : C0076105000

Identification of the product : Copper(II) bromide
 CAS No : 7789-45-9
 EC No : 232-167-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xn; R22
 C; R34

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -
 Category 3 - Warning (CLP : STOT SE 3) H335
 Skin corrosion - Category 1B - Danger (CLP : Skin Corr. 1B) H314
 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319
 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302
 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP :
 Aquatic Acute 1) H400
 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP :
 Aquatic Chronic 1) H410

2.2. Label elements

MATERIAL SAFETY DATA SHEET (MSDS)
COPPER (II) BROMIDE LR (CUPRIC BROMIDE)
2. Hazards identification -DSD (continued)
Labelling EC 67/548 or EC 1999/45
Symbol(s)

Symbol(s)

: C : Corrosive

R Phrase(s)

: R22 : Harmful if swallowed.

R34 : Causes burns.

S Phrase(s)


: S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection.

S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).

Contains

: Copper(II) bromide

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Danger

Hazard statements

: H314 : Causes severe skin burns and eye damage.

H302 : Harmful if swallowed.

H319 : Causes serious eye irritation.

H315 : Causes skin irritation.

H335 : May cause respiratory irritation.

H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements
• Prevention

: P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response

: P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.

P332+P313: If skin irritation occurs : Get medical advice.

P391: Collect spillage.

P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (II) BROMIDE LR (CUPRIC BROMIDE)

2. Hazards identification -DSD (continued)

- **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.
P405: Store locked up.
- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Contains** : Copper(II) bromide

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Copper(II) bromide
 CAS No : 7789-45-9
 EC No : 232-167-2
 Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Copper(II) bromide	100	7789-45-9	232-167-2	----	----	Xn; R22 C; R34 ----- Skin Corr. 1B _ H314 Acute Tox. 4 (oral) _ H302

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.
- Skin contact** : Specific treatment (see on this label). If skin irritation occurs : Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing.
- Eye contact** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice. Immediately call a POISON CENTER or doctor.
- Ingestion** : Do NOT induce vomiting. Rinse mouth. Call a POISON CENTER or doctor if you feel unwell. Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Swallowing a small quantity of this material will result in serious health hazard.
 Causes severe skin burns and eye damage.
 Causes serious eye irritation.
 Causes skin irritation. May cause respiratory irritation.

MATERIAL SAFETY DATA SHEET (MSDS)
COPPER (II) BROMIDE LR (CUPRIC BROMIDE)
4. First aid measures (continued)
4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures
5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.
Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.
 Thermal decomposition generates : Corrosive vapours.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.
 Ventilate area.
For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
 Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.
 Store away from other materials.

6.4. Reference to other sections

MATERIAL SAFETY DATA SHEET (MSDS)
COPPER (II) BROMIDE LR (CUPRIC BROMIDE)
6. Accidental release measures (continued)

See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

Handling	: Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust, fume, gas, mist, vapours, spray. Wash contaminated clothing before reuse. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.
Special precautions	: Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.
Storage regulation	: Comply with applicable regulations.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s)	: None.
----------------------------	---------

8. Exposure controls/personal protection
8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.
• Respiratory protection	: Wear approved mask.
• Hand protection	: Wear protective gloves.
• Skin protection	: Wear suitable protective clothing.
• Eye protection	: Chemical goggles or face shield.
• Others	: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits	: No data available.
-------------------------------------	----------------------

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

MATERIAL SAFETY DATA SHEET (MSDS)
COPPER (II) BROMIDE LR (CUPRIC BROMIDE)
9. Physical and chemical properties (continued)

Physical state at 20 °C	: Solid.
Colour	: Black
Odour	: Characteristic odour
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 498 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 900 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: 4,77
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Soluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity
10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

MATERIAL SAFETY DATA SHEET (MSDS)
COPPER (II) BROMIDE LR (CUPRIC BROMIDE)
10. Stability and reactivity (continued)

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.
Thermal decomposition generates : Corrosive vapours.

11. Toxicological information
11.1. Information on toxicological effects
Acute toxicity

- **Inhalation** : Based on available data, the classification criteria are not met.
- **Dermal** : Based on available data, the classification criteria are not met.
- **Ingestion** : Harmful if swallowed.

Corrosion : Causes severe skin burns and eye damage.

Irritation : Causes serious eye irritation.
Causes skin irritation.
May cause respiratory irritation.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information : Very toxic to aquatic life with long lasting effects.

MATERIAL SAFETY DATA SHEET (MSDS)
COPPER (II) BROMIDE LR (CUPRIC BROMIDE)
12. Ecological information (continued)
12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations
13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information
14.1. Land transport (ADR-RID)

Proper shipping name : CORROSIVE SOLID, N.O.S.
UN N° : 1759
H.I. nr : 80
ADR - Class : 8
Labelling - Transport : 8 : Corrosive substance.



ADR - Classification code : C10
 C10

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)
COPPER (II) BROMIDE LR (CUPRIC BROMIDE)
14. Transport information (continued)

ADR - Group : III
 ADR - Packing instructions : P002 R001 LP002
 ADR - Limited Quantity : 5 KG
 ADR - Tunnel code : E : Passage forbidden through tunnels of category E.


14.2. Sea transport (IMDG) [English only]

Proper shipping name : CORROSIVE SOLID, N.O.S.
 UN N° : 1759
 IMO-IMDG - Class or division : 8 : Corrosive substance.
 IMO-IMDG - Packing group : III
 IMO-IMDG - Packing instructions : P002 LP02
 IMO-IMDG - Limited quantities : 5 kg
 IMO-IMDG - Marine pollution : No
 EMS-Nr : F-A S-B

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : CORROSIVE SOLID, N.O.S.
 UN N° : 1759
 IATA - Class or division : 8 : Corrosive substance.
 IATA - Packing group : III
 IATA - Passenger and Cargo Aircraft : ALLOWED
 - Passenger and Cargo - Packing : 860
 instruction
 - Passenger and Cargo - Maximum : 25 kg
 Quantity/Packing
 IATA - Cargo only : ALLOWED
 - Cargo only - Packing instruction : 864
 - Cargo only - Maximum Quantity/ : 100 kg
 Packing
 IATA - Limited Quantities : 5 kg
 ERG-Nr : 8L

15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

MATERIAL SAFETY DATA SHEET (MSDS)
COPPER (II) BROMIDE LR (CUPRIC BROMIDE)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document