

MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (I) IODIDE LR (CUPROUS IODIDE)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : COPPER (I) IODIDE LR (CUPROUS IODIDE)

Product code : C0076700500

Identification of the product : CUPROUS IODIDE EXTRA PURE 99%

CAS No: 7681-65-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM
Chaitanya Tower 2nd Flo

Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062, Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xn; R22

Xi; R36/37/38 N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -

Category 3 - Warning (CLP: STOT SE 3) H335

Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

Skill littlation - Category 2 - Warning (CEL : Skill Con. 2) 11313

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP

: Aquatic Acute 1) H400

Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (

CLP : Aquatic Chronic 1) H410

2.2. Label elements



MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (I) IODIDE LR (CUPROUS IODIDE)

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)





Symbol(s) : Xn : Harmful

N: Dangerous for the environment

R Phrase(s) : R22 : Harmful if swallowed.

R36/37/38: Irritating to eyes, respiratory system and skin.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

S Phrase(s) : S22 : Do not breathe dust.

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S61: Avoid release to the environment. Refer to special instructions/Safety data

sheets.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms





Signal words : Warning

Hazard statements : H302 : Harmful if swallowed.

H319: Causes serious eye irritation.

H315: Causes skin irritation.

H335: May cause respiratory irritation.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

• Prevention : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment. P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response : P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel

unwell.

P332+P313: If skin irritation occurs: Get medical advice.

P391: Collect spillage.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing.

P363: Wash contaminated clothing before reuse.



MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (I) IODIDE LR (CUPROUS IODIDE)

2. Hazards identification -DSD (continued)

Storage : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P405: Store locked up.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : CUPROUS IODIDE EXTRA PURE 99%

CAS No: 7681-65-4

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep

at rest in a position comfortable for breathing.

Skin contact : Get medical advice. If skin irritation occurs : Wash with plenty of soap and water.

Wash contaminated clothing before reuse. Specific treatment (see on this label).

Eye contact : Get medical advice. Remove contact lenses, if present and easy to do. Continue

rinsing. Rinse cautiously with water for several minutes. If eye irritation persists:

Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting. Call a

POISON CENTER or doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Swallowing a small quantity of this material will result in serious health hazard.

Causes serious eye irritation.

Causes skin irritation. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media



MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (I) IODIDE LR (CUPROUS IODIDE)

5. Fire-fighting measures (continued)

Suitable extinguishing media

: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media

: Do not use a heavy water stream.

Surrounding fires

: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Do not eat, drink or smoke when using this product. Use only outdoors or in a well-

ventilated area. Wash thoroughly after handling. Wash thoroughly after handling.

Technical protective measures: Provide good ventilation in process area to prevent formation of vapour.



MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (I) IODIDE LR (CUPROUS IODIDE)

7. Handling and storage (continued)

Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

Respiratory protection
 Hand protection
 Wear approved mask.
 Wear protective gloves.

Skin protection
 Eye protection
 Others
 Wear suitable protective clothing.
 Chemical goggles or safety glasses.
 When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : Creamish crystalline

Odour : Odorless

Odour threshold: No data available.pH value: Not applicable.

Melting point [°C] : 605 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A

Flash point [°C] : N/A



MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (I) IODIDE LR (CUPROUS IODIDE)

9. Physical and chemical properties (continued)

Boiling point [°C] : 1290 °C Initial boiling point [°C] : N/A : N/A Final boiling point [°C] : N/A **Evaporation rate** Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : N/A Vapour density : N/A Density [g/cm3] : 5,62 Relative density, gas (air=1) : N/A : N/A Relative density, liquid (water=1)

Solubility in water [% weight] : Insoluble in water

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.



MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (I) IODIDE LR (CUPROUS IODIDE)

10. Stability and reactivity (continued)

10.6. Hazardous decomposition products

Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Inhalation : Based on available data, the classification criteria are not met.
 Dermal : Based on available data, the classification criteria are not met.

• Ingestion : Harmful if swallowed.

Corrosion: Based on available data, the classification criteria are not met.

Irritation : Causes serious eye irritation.

Causes skin irritation.

May cause respiratory irritation.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment



MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (I) IODIDE LR (CUPROUS IODIDE)

12. Ecological information (continued)

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

UN N° : 3077 H.I. nr : 90 ADR - Class : 9

Labelling - Transport : 9 : Miscellaneous dangerous substances and articles.



ADR - Classification code : M7
ADR - Group : III

ADR - Packing instructions : P002 R001 LP002

ADR - Limited Quantity : 5 KG

ADR - Tunnel code



: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.



MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (I) IODIDE LR (CUPROUS IODIDE)

14. Transport information (continued)

UN N° : 3077

IMO-IMDG - Class or division : 9 : Miscellaneous dangerous substances and articles.

IMO-IMDG - Packing group : |||

IMO- IMDG - Packing instructions: P002 LP02IMO-IMDG - Limited quantities: 5 kgIMO-IMDG - Marine pollution: YesEMS-Nr: F-A S-F

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

UN N° : 3077

IATA - Class or division : 9 : Miscellaneous dangerous substances and articles.

IATA - Packing group : III

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 956

instruction

- Passenger and Cargo - Maximum : 400 kg

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 956 - Cargo only - Maximum Quantity/ : 400 kg

Packing

IATA - Limited Quantites : 30 kg G ERG-Nr : 9L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental

regulations/legislation specific for the

: Ensure all national/local regulations are observed.

substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions. **REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.



MATERIAL SAFETY DATA SHEET (MSDS)

COPPER (I) IODIDE LR (CUPROUS IODIDE)

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document