

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### COPPER (II) OXIDE BLACK LR (CUPRIC OXIDE BLACK)

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : COPPER (II) OXIDE BLACK LR (CUPRIC OXIDE BLACK)

Product code : C0077005000

Identification of the product : CUPRIC OXIDE POWDER EXTRA PURE 97%  
 CAS No :1317-38-0

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM  
 Chaitanya Tower, 2nd Floor, Office # 206,  
 Siddharth Nagar, S.V. Road,  
 Goregaon (West), Mumbai - 400062,  
 Maharashtra, India.  
 Contact: +91 22 28725393 / 94 / 95  
 Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : Xn; R22  
 N; R50-53

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400  
 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP : Aquatic Chronic 1) H410

##### 2.2. Label elements

##### Labelling EC 67/548 or EC 1999/45

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### COPPER (II) OXIDE BLACK LR (CUPRIC OXIDE BLACK)

#### 2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s)

: Xn : Harmful

R Phrase(s)

: R22 : Harmful if swallowed.

R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S Phrase(s)

: S60 : This material and its container must be disposed of as hazardous waste.

S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

#### Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Warning

Hazard statements

: H302 : Harmful if swallowed.

H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements

• Prevention

: P273: Avoid release to the environment.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response

: P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.

P391: Collect spillage.

• Disposal considerations

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

Substance / Preparation

: CUPRIC OXIDE POWDER EXTRA PURE 97%

CAS No :1317-38-0

Substance.

Contains no other components or impurities which will influence the classification of the product.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**COPPER (II) OXIDE BLACK LR (CUPRIC OXIDE BLACK)**
**4. First aid measures**
**4.1. Description of first aid measures**

Inhalation	: Assure fresh air breathing. Allow the victim to rest.
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms relating to use	: Swallowing a small quantity of this material will result in serious health hazard.
--------------------------	--

**4.3. Indication of any immediate medical attention and special treatment needed**

General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
---------------------	---

**5. Fire-fighting measures**
**5.1. Extinguishing media**

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
-------------------------------	---

**5.3. Advice for fire-fighters**

Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**6. Accidental release measures**
**6.1. Personal precautions, protective equipment and emergency procedures**

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
--------------------------	--

**MATERIAL SAFETY DATA SHEET (MSDS)**
**COPPER (II) OXIDE BLACK LR (CUPRIC OXIDE BLACK)**
**6. Accidental release measures (continued)**

For non-emergency personnel : Evacuate unnecessary personnel.

**6.2. Environmental precautions**

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.  
Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.  
Store away from other materials.

**6.4. Reference to other sections**

See section 8. Exposure controls/personal protection

**7. Handling and storage**
**7.1. Precautions for safe handling**

Handling : Wash thoroughly after handling. Do not eat, drink or smoke when using this product.  
Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

**7.2. Conditions for safe storage, including any incompatibilities**

Storage : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.  
Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

**7.3. Specific end use(s)**

Specific end use(s) : None.

**8. Exposure controls/personal protection**
**8.1. Exposure controls**

Personal protection : Avoid all unnecessary exposure.  
• Respiratory protection : Wear approved mask.  
• Hand protection : Wear protective gloves.  
• Eye protection : Chemical goggles or safety glasses.  
• Others : When using, do not eat, drink or smoke.

**8.2. Control parameters**

**MATERIAL SAFETY DATA SHEET (MSDS)**
**COPPER (II) OXIDE BLACK LR (CUPRIC OXIDE BLACK)**
**8. Exposure controls/personal protection (continued)**

Occupational Exposure Limits : No data available.

**9. Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state at 20 °C	: Solid.
Colour	: Black
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: No data available.
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm <sup>3</sup> ]	: 6,32
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

**9.2. Other information**

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**COPPER (II) OXIDE BLACK LR (CUPRIC OXIDE BLACK)**
**10. Stability and reactivity**
**10.1. Reactivity**

Reactivity : Not established.

**10.2. Chemical stability**

Chemical stability : Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

Hazardous reactions : Not established.

**10.4. Conditions to avoid**

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

**10.5. Incompatible materials**

Materials to avoid : Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

**11. Toxicological information**
**11.1. Information on toxicological effects**
**Acute toxicity**

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Harmful if swallowed.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**COPPER (II) OXIDE BLACK LR (CUPRIC OXIDE BLACK)**
**12. Ecological information**
**12.1. Toxicity**

**Toxicity information** : Very toxic to aquatic life with long lasting effects.

**12.2. Persistence - degradability**

**Persistence - degradability** : May cause long-term adverse effects in the environment.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** : Not established.

**12.4. Mobility in soil**

**Mobility in soil** : Not established.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**12.6. Other adverse effects**

**Environmental precautions** : Avoid release to the environment.

**13. Disposal considerations**
**13.1. Waste treatment methods**

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**14. Transport information**
**14.1. Land transport (ADR-RID)**

**Proper shipping name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
**UN N°** : 3077  
**H.I. nr** : 90  
**ADR - Class** : 9  
**Labelling - Transport** : 9 : Miscellaneous dangerous substances and articles.



**MATERIAL SAFETY DATA SHEET (MSDS)**
**COPPER (II) OXIDE BLACK LR (CUPRIC OXIDE BLACK)**
**14. Transport information (continued)**


ADR - Classification code	: M7 M7
ADR - Group	: III
ADR - Packing instructions	: P002 R001 LP002
ADR - Limited Quantity	: 5 KG
ADR - Tunnel code	: E : Passage forbidden through tunnels of category E.


**14.2. Sea transport (IMDG) [English only]**

Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
UN N°	: 3077
IMO-IMDG - Class or division	: 9 : Miscellaneous dangerous substances and articles.
IMO-IMDG - Packing group	: III
IMO- IMDG - Packing instructions	: P002 LP02
IMO-IMDG - Limited quantities	: 5 kg
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-A S-F

**14.3. Air transport (ICAO-IATA) [English only]**

Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
UN N°	: 3077
IATA - Class or division	: 9 : Miscellaneous dangerous substances and articles.
IATA - Packing group	: III
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 956
- Passenger and Cargo - Maximum Quantity/Packing	: 400 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 956
- Cargo only - Maximum Quantity/ Packing	: 400 kg
IATA - Limited Quantities	: 30 kg G



**MATERIAL SAFETY DATA SHEET (MSDS)**

**COPPER (II) OXIDE BLACK LR (CUPRIC OXIDE BLACK)**

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**