

# MATERIAL SAFETY DATA SHEET (MSDS)

# **COPPER (II) OXIDE WIRE AR**

## 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : COPPER (II) OXIDE WIRE AR

**Product code** : C0077600100

Identification of the product : COPPER OXIDE WIRE AR

CAS No :1317-38-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use** : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM

Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

**Phone no.** : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

## 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

#### Classification EC 67/548 or EC 1999/45

Classification : Xn; R22

N: R50-53

### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP

: Aquatic Acute 1) H400

Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (

CLP: Aquatic Chronic 1) H410

## 2.2. Label elements

### Labelling EC 67/548 or EC 1999/45



# MATERIAL SAFETY DATA SHEET (MSDS)

# **COPPER (II) OXIDE WIRE AR**

### 2. Hazards identification -DSD (continued)

Symbol(s)





Symbol(s) : Xn : Harmful

N : Dangerous for the environment

R Phrase(s) : R22 : Harmful if swallowed.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

**S Phrase(s)** : S60 : This material and its container must be disposed of as hazardous waste.

S61: Avoid release to the environment. Refer to special instructions/Safety data

sheets.

## Labelling Regulation EC 1272/2008 (CLP)

**Hazard pictograms** 





Signal words : Warning

Hazard statements : H302 : Harmful if swallowed.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

• **Prevention** : P273: Avoid release to the environment.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response : P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel

unwell.

P391: Collect spillage.

• Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

## 3. Composition/information on ingredients

Substance / Preparation : COPPER OXIDE WIRE AR

CAS No:1317-38-0

Substance.

Contains no other components or impurities which will influence the classification of the product.



# MATERIAL SAFETY DATA SHEET (MSDS)

# **COPPER (II) OXIDE WIRE AR**

#### 4. First aid measures

#### 4.1. Description of first aid measures

**Inhalation** : Assure fresh air breathing. Allow the victim to rest.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse.

**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Call a POISON

CENTER or doctor if you feel unwell. Rinse mouth.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms relating to use** : Swallowing a small quantity of this material will result in serious health hazard.

### 4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

### 5. Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media**: Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

## 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures



# MATERIAL SAFETY DATA SHEET (MSDS)

# **COPPER (II) OXIDE WIRE AR**

### 6. Accidental release measures (continued)

**For emergency responders** : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

### 7.1. Precautions for safe handling

**Handling** : Do not eat, drink or smoke when using this product. Wash thoroughly after

handling.

**Technical protective measures**: Provide good ventilation in process area to prevent formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container

closed when not in use.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

#### 8. Exposure controls/personal protection

#### 8.1. Exposure controls

**Personal protection** : Avoid all unnecessary exposure.

• Respiratory protection : Wear approved mask.



# MATERIAL SAFETY DATA SHEET (MSDS)

# **COPPER (II) OXIDE WIRE AR**

## 8. Exposure controls/personal protection (continued)

• Hand protection : Wear protective gloves.

Eye protectionOthers: Chemical goggles or safety glasses.: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

### 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.
Colour : Black
Odour : N/A

Odour threshold : No data available.

pH value : Not applicable.

: 1201 °C Melting point [°C] : N/A **Decomposition point [°C]** : N/A Critical temperature [°C] : N/A Auto-ignition temperature [°C] : N/A Flammability (solid, gas) : N/A Flash point [°C] : 2000 °C **Boiling point [°C]** : N/A Initial boiling point [°C] Final boiling point [°C] : N/A **Evaporation rate** : N/A Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : N/A Vapour density : N/A

Solubility in water [% weight] : Insoluble in water

: 6,3

: N/A

: N/A

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A

### 9.2. Other information

Density [g/cm3]

Relative density, gas (air=1)

Relative density, liquid (water=1)



# MATERIAL SAFETY DATA SHEET (MSDS)

# **COPPER (II) OXIDE WIRE AR**

## 9. Physical and chemical properties (continued)

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

### 10. Stability and reactivity

10.1. Reactivity

**Reactivity** : Not established.

10.2. Chemical stability

**Chemical stability** : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

**Hazardous reactions** : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

**Hazardous decomposition products**: Fumes. Carbon monoxide. Carbon dioxide.

### 11. Toxicological information

#### 11.1. Information on toxicological effects

**Acute toxicity** 

Inhalation : Based on available data, the classification criteria are not met.
 Dermal : Based on available data, the classification criteria are not met.

• Ingestion : Harmful if swallowed.

Corrosion: Based on available data, the classification criteria are not met.Irritation: Based on available data, the classification criteria are not met.Sensitization: Based on available data, the classification criteria are not met.



# MATERIAL SAFETY DATA SHEET (MSDS)

# **COPPER (II) OXIDE WIRE AR**

### 11. Toxicological information (continued)

Mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Toxic for reproduction: Based on available data, the classification criteria are not met.STOT-single exposure: Based on available data, the classification criteria are not met.STOT-repeated exposure: Based on available data, the classification criteria are not met.Aspiration hazard: Based on available data, the classification criteria are not met.

## 12. Ecological information

#### 12.1. Toxicity

**Toxicity information**: Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

**Persistence - degradability** : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

### 13. Disposal considerations

#### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



# MATERIAL SAFETY DATA SHEET (MSDS)

# **COPPER (II) OXIDE WIRE AR**

### 14. Transport information

### 14.1. Land transport (ADR-RID)

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

UN N° : 3077 H.I. nr : 90 **ADR - Class** : 9

**Labelling - Transport** : 9: Miscellaneous dangerous substances and articles.



**ADR - Classification code** : M7 ADR - Group : 111

: P002 R001 LP002 **ADR - Packing instructions** 

: 5 KG **ADR - Limited Quantity** 

**ADR** - Tunnel code



: E : Passage forbidden through tunnels of category E.

### 14.2. Sea transport (IMDG) [English only]

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Proper shipping name

: 3077 UN N°

**IMO-IMDG - Class or division** : 9 : Miscellaneous dangerous substances and articles.

: III **IMO-IMDG - Packing group** 

: P002 LP02 **IMO- IMDG - Packing instructions IMO-IMDG - Limited quantities** : 5 kg **IMO-IMDG - Marine pollution** : Yes **EMS-Nr** : F-A S-F

## 14.3. Air transport (ICAO-IATA) [English only]

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Proper shipping name

UN N° : 3077

IATA - Class or division : 9 : Miscellaneous dangerous substances and articles.

IATA - Packing group : 111

IATA - Passenger and Cargo Aircraft : ALLOWED : 956

- Passenger and Cargo - Packing

instruction



# MATERIAL SAFETY DATA SHEET (MSDS)

## **COPPER (II) OXIDE WIRE AR**

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

## **DISCLAIMER:**

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**