

MATERIAL SAFETY DATA SHEET (MSDS) DIBUTYL TIN OXIDE (FOR SYNTHESIS)

1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u> Trade name	: DIBUTYL TIN OXIDE (FOR SYNTHESIS)	
Product code Identification of the product	: D0083600250 : DIBUTYLTIN OXIDE 98% CAS No :818-08-9	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the safety data sheet		
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com	
<u>1.4. Emergency telephone number</u>		
<u>HH. Emergency telephone number</u>		

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification	: T; R25 Xn; R22 Xi; R36/38 N; R51-53
Hazard Class and Category Code(s), I	Regulation (EC) No 1272/2008 (CLP)
Health hazards	: Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315
Environmental hazards	: Hazardous to the aquatic environment - Chronic hazard - Category 2 (CLP : Aquatic Chronic 2) H411
2.2. Label elements	

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) DIBUTYL TIN OXIDE (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s) R Phrase(s) S Phrase(s)	 : T : Toxic : R22 : Harmful if swallowed. R36/38 : Irritating to eyes and skin. R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. : S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). 	
Labelling Regulation EC 1272/2008 (C		
Hazard pictograms		
Signal words	: Warning	
Hazard statements	 H302 : Harmful if swallowed. H319 : Causes serious eye irritation. H315 : Causes skin irritation. H411 : Toxic to aquatic life with long lasting effects. 	
Precautionary statements		
Prevention	 P280: Wear protective gloves, protective clothing, eye protection, face protection. P273: Avoid release to the environment. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product. 	
• Response	 P302+P352: IF ON SKIN : Wash with plenty of soap and water. P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell. P332+P313: If skin irritation occurs : Get medical advice. P391: Collect spillage. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P363: Wash contaminated clothing before reuse. 	
 Disposal considerations 	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
2.3. Other hazards		



MATERIAL SAFETY DATA SHEET (MSDS)

DIBUTYL TIN OXIDE (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)

Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation

: DIBUTYLTIN OXIDE 98% CAS No :818-08-9 Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation	: Assure fresh air breathing. Allow the victim to rest.	
Skin contact	: Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation occurs : Get medical advice. Specific treatment (see on this label).	
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.	
Ingestion	: Obtain emergency medical attention. Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms relating to use	: Swallowing a small quantity of this material will result in serious health hazard. Causes serious eye irritation. Causes skin irritation.	
4.3. Indication of any immediate medical attention and special treatment needed		
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture



MATERIAL SAFETY DATA SHEET (MSDS) DIBUTYL TIN OXIDE (FOR SYNTHESIS)

5. Fire-fighting measures (continue	ed)
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.	
6.4. Reference to other sections		

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling	: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wash thoroughly after handling.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.	



MATERIAL SAFETY DATA SHEET (MSDS)

DIBUTYL TIN OXIDE (FOR SYNTHESIS)

7. Handling and storage (continued)		
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.	
<u>7.3. Specific end use(s)</u>		
Specific end use(s)	: None.	
8. Exposure controls/personal protection		
8.1. Exposure controls		
Personal protection	: Avoid all unnecessary exposure.	
 Respiratory protection 	: Wear approved mask.	
 Hand protection 	: Wear protective gloves.	
 Skin protection 	: Wear suitable protective clothing.	
 Eye protection 	: Chemical goggles or safety glasses.	
• Others	: When using, do not eat, drink or smoke.	
8.2. Control parameters		
Occupational Exposure Limits	: No data available.	

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour: White powderOdour: N/AOdour threshold: No data available.pH value: Not applicable.Melting point [°C]: >= 300 °CDecomposition point [°C]: N/ACritical temperature [°C]: N/A
Odour threshold: No data available.pH value: Not applicable.Melting point [°C]: >= 300 °CDecomposition point [°C]: N/A
pH value : Not applicable. Melting point [°C] : >= 300 °C Decomposition point [°C] : N/A
Melting point [°C]: >= 300 °CDecomposition point [°C]: N/A
Decomposition point [°C] : N/A
Critical temperature [°C] · N/A
Auto-ignition temperature [°C] : 279 °C
Flammability (solid, gas) : N/A
Flash point [°C] : N/A
Boiling point [°C] : N/A
Initial boiling point [°C] : N/A
Final boiling point [°C] : N/A
Evaporation rate : N/A



MATERIAL SAFETY DATA SHEET (MSDS) DIBUTYL TIN OXIDE (FOR SYNTHESIS)

9. Physical and chemical properties (continued)

Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 1,6
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: N/A
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reaction	ons
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition products	



MATERIAL SAFETY DATA SHEET (MSDS) DIBUTYL TIN OXIDE (FOR SYNTHESIS)

10. Stability and reactivity (continued)

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
Ingestion	: Harmful if swallowed.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation. Causes skin irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Toxic to aquatic life with long lasting effects.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5 Results of PBT and vPvB assessment	

12.5. Results of PBT and vPvB assessment



MATERIAL SAFETY DATA SHEET (MSDS) DIBUTYL TIN OXIDE (FOR SYNTHESIS)

12. Ecological information (continued)

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General

: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name: ORGANOTIN COMPOUND, SOLID, N.O.S.UN N°: 3146H.I. nr: 60ADR - Class: 6.1Labelling - Transport: 6.1 : Toxic substances.

ADR - Classification code	: T3
ADR - Group	: 11
ADR - Packing instructions	: P002
ADR - Limited Quantity	: 500 G
ADR - Tunnel code	

: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]



MATERIAL SAFETY DATA SHEET (MSDS) DIBUTYL TIN OXIDE (FOR SYNTHESIS)

14. Transport information (continued)

Proper shipping name	: ORGANOTIN COMPOUND, SOLID, N.O.S.
UN N°	: 3146
IMO-IMDG - Class or division	: 6.1 : Toxic substances.
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P002
IMO-IMDG - Limited quantities	: 500 g
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name UN N°	: ORGANOTIN COMPOUND, SOLID, N.O.S. : 3146
IATA - Class or division	: 6.1 : Toxic substances.
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 669
- Passenger and Cargo - Maximum Quantity/Packing	: 25 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 676
- Cargo only - Maximum Quantity/ Packing	: 100 kg
IATA - Limited Quantites	: 1 kg
ERG-Nr	: 6L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. ne	
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.	
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.	
15.2. Chemical Safety Assessment		
Chemical Safety Assessment	: It has not been carried out.	



MATERIAL SAFETY DATA SHEET (MSDS)

DIBUTYL TIN OXIDE (FOR SYNTHESIS)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED