

# MATERIAL SAFETY DATA SHEET (MSDS)

# EOSINE YELLOW (WATER SOLUBLE) (FOR MICROSCOPY) (C. I. NO. 45380)

### 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Trade name	: EOSINE YELLOW (WATER SOLUBLE) (FOR MICROSCOPY) (C. I. NO. 45380)			
Product code	: E0090900025			
Identification of the product	: EOSINE YELLOW C.I.No.45380 CAS No :17372-87-1			
1.2. Relevant identified uses of the	substance or mixture and uses advised against			
Use	: Industrial. For professional use only.			
1.3. Details of the supplier of the sa	1.3. Details of the supplier of the safety data sheet			
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com			
1.4. Emergency telephone number				
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]			

### 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45	

Classification : Xi; R36

## Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards

: Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

2.2. Label elements

## Labelling EC 67/548 or EC 1999/45

Symbol(s)





# MATERIAL SAFETY DATA SHEET (MSDS)

# EOSINE YELLOW (WATER SOLUBLE) (FOR MICROSCOPY) (C. I. NO. 45380)

2. Hazards identification -DSD (continued)		
Symbol(s) R Phrase(s) S Phrase(s)	<ul> <li>: Xi : Irritant</li> <li>: R36 : Irritating to eyes.</li> <li>: S22 : Do not breathe dust.</li> <li>S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> </ul>	
Labelling Regulation EC 1272/2	<u>008 (CLP)</u>	
Hazard pictograms		
Signal words	: Warning	
Hazard statements	: H319 : Causes serious eye irritation.	
Precautionary statements		
Prevention	: P280: Wear protective gloves, protective clothing, eye protection, face protection. P264: Wash thoroughly after handling.	
Response	: P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	

3. Composition/information on ingredients		
Substance / Preparation	: EOSINE YELLOW C.I.No.45380 CAS No :17372-87-1 Substance.	
Contains no other components or impurities which will influence the classification of the product.		

#### 4. First aid measures

4.1. Description of first aid	d measures
Inhalation	: Assure fresh air breathing. Allow the victim to rest.
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye contact	: If eye irritation persists : Get medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

#### **OM SHREE GANESHYA NAMAH**



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

# EOSINE YELLOW (WATER SOLUBLE) (FOR MICROSCOPY) (C. I. NO. 45380)

#### 4. First aid measures (continued)

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

#### 5. Fire-fighting measures

5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.
5.2. Special hazards arising from the	e substance or mixture
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.		
For non-emergency personnel	: Evacuate unnecessary personnel.		
6.2. Environmental precautions			
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.		

#### 6.3. Methods and material for containment and cleaning up



## MATERIAL SAFETY DATA SHEET (MSDS)

# EOSINE YELLOW (WATER SOLUBLE) (FOR MICROSCOPY) (C. I. NO. 45380)

6. Accidental release measures (continued)		
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.	
6.4. Reference to other sections		
See section 8. Exposure controls/perso	onal protection	
7. Handling and storage		
7.1. Precautions for safe handling		
Handling	: Wash thoroughly after handling.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	
7.2. Conditions for safe storage, incl	uding any incompatibilities	
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.	
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.	
7.3. Specific end use(s)		
Specific end use(s)	: None.	
8. Exposure controls/personal prote	ection	
8.1. Exposure controls		
Personal protection <ul> <li>Respiratory protection</li> </ul>	: Avoid all unnecessary exposure. : Wear approved mask.	
Hand protection	: Wear protective gloves.	
• Eye protection	: Chemical goggles or safety glasses.	
• Others	: When using, do not eat, drink or smoke.	
8.2. Control parameters		
Occupational Exposure Limits	: No data available.	
9. Physical and chemical properties	3	

9.1. Information on basic physical and chemical properties



## MATERIAL SAFETY DATA SHEET (MSDS)

# EOSINE YELLOW (WATER SOLUBLE) (FOR MICROSCOPY) (C. I. NO. 45380)

### 9. Physical and chemical properties (continued)

Physical state at 20 °C	: Solid.
Colour	: Brownish red
Odour	: N/A
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: No data available.
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 1.018 g/cm3
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: N/A
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Evaluation and antion	- NI/A
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

### 10. Stability and reactivity

1	0	.1	Re	ac	tiv	<u>vity</u>	

Reactivity

: Not established.



## MATERIAL SAFETY DATA SHEET (MSDS)

EOSINE YELLOW (WATER SOLUBLE) (FOR MICROSCOPY) (C. I. NO. 45380)

10. Sta	bility and	reactivity	(continued)
---------	------------	------------	-------------

10.2. Chemical stability			
Chemical stability	: Stable under recommended storage conditions.		
10.3. Possibility of hazardous reactions			
Hazardous reactions	: Not established.		
10.4. Conditions to avoid			
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.		
10.5. Incompatible materials			
Materials to avoid	: Strong acids. Strong bases.		
10.6. Hazardous decomposition products			
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.		

### 11. Toxicological information

#### 11.1. Information on toxicological effects

Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

### 12. Ecological information

12.1. Toxicity



# MATERIAL SAFETY DATA SHEET (MSDS)

# EOSINE YELLOW (WATER SOLUBLE) (FOR MICROSCOPY) (C. I. NO. 45380)

12. Ecological information (continued)	
Toxicity information	: Not established.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB assessme	ent : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13. Disposal considerations <u>13.1. Waste treatment methods</u>	
· ·	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
<u>13.1. Waste treatment methods</u>	
<u>13.1. Waste treatment methods</u> General	
<u>13.1. Waste treatment methods</u> General 14. Transport information	
13.1. Waste treatment methods         General         14. Transport information         14.1. Land transport (ADR-RID)	local/national regulations.
13.1. Waste treatment methods         General         14. Transport information         14.1. Land transport (ADR-RID)         General information	local/national regulations.
13.1. Waste treatment methods         General         14. Transport information         14.1. Land transport (ADR-RID)         General information         14.2. Sea transport (IMDG) [English	Iocal/national regulations.
13.1. Waste treatment methods         General         14. Transport information         14.1. Land transport (ADR-RID)         General information         14.2. Sea transport (IMDG) [English         General information	Iocal/national regulations.



# MATERIAL SAFETY DATA SHEET (MSDS)

EOSINE YELLOW (WATER SOLUBLE) (FOR MICROSCOPY) (C. I. NO. 45380)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

# DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document