

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ESCHKA'S MIXTURE AR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name	: ESCHKA'S MIXTURE AR
Dreduct code	. 50002001000
Product code	: E0092001000
Identification of the product	: ESCHKA`S MIXTURE AR
	Cas No:8007-09-8
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against
Use	: Industrial. For professional use only.
1.3. Details of the supplier of the safe	ety data sheet
Company identification	SUVCHEM
Company identification	Chaitanya Tower, 2nd Floor, Office # 206,
	Siddharth Nagar, S.V. Road,
	Goregaon (West), Mumbai - 400062,
	Maharashtra, India.
	Contact: +91 22 28725393 / 94 / 95
1.4. Emorgonov tolonhono numbor	Email ID: info@suvchem.com/care@suvchem.com
<u>1.4. Emergency telephone number</u>	
Dhana na	
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45				
Classification	: Xi; R36			
Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)				
Health hazards	: Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319			
2.2. Label elements				
Labelling EC 67/548 or EC 1999/45				
Symbol(s)				



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ESCHKA'S MIXTURE AR

2. Hazards identification -DSD (continued)				
Symbol(s) R Phrase(s) S Phrase(s)	 : Xi : Irritant : R36 : Irritating to eyes. : S22 : Do not breathe dust. S26 : In case of contact with eyes, rinse immediately with plenty of water and semedical advice. 			
Labelling Regulation EC 1272/20	1 <u>08 (CLP)</u>			
Hazard pictograms				
Signal words	: Warning			
Hazard statements	: H319 : Causes serious eye irritation.			
Precautionary statements				
Prevention	: P280: Wear protective gloves, protective clothing, eye protection, face protection. P264: Wash thoroughly after handling.			
• Response	: P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.			
2.3. Other hazards				
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.			

3. Composition/information on ingredients			
Substance / Preparation	: ESCHKA`S MIXTURE AR Substance.		
Contains no other components or impurities which will influence the classification of the product.			

4. First aid measures

4.1. Description of first aid measures

Inhalation Skin contact	: Assure fresh air breathing. Allow the victim to rest. : Remove affected clothing and wash all exposed skin area with mild soap and
	water, followed by warm water rinse.
Eye contact	: If eye irritation persists : Get medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

ESCHKA'S MIXTURE AR

4. First aid measures (continued)

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media				
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.			
5.2. Special hazards arising from the substance or mixture				
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.			
5.3. Advice for fire-fighters				
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.			
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.			

6. Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.			
For non-emergency personnel	: Evacuate unnecessary personnel.			
6.2. Environmental precautions				
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.			

6.3. Methods and material for containment and cleaning up



MATERIAL SAFETY DATA SHEET (MSDS)

ESCHKA'S MIXTURE AR

6. Accidental release measures (co	ntinued)			
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.			
6.4. Reference to other sections				
See section 8. Exposure controls/personal protection				
7. Handling and storage				
7.1. Precautions for safe handling				
Handling Technical protective measures	: Wash thoroughly after handling. : Provide good ventilation in process area to prevent formation of vapour.			
7.2. Conditions for safe storage, inc	luding any incompatibilities			
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.			
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.			
7.3. Specific end use(s)				
Specific end use(s)	: None.			
8. Exposure controls/personal prot	ection			
8.1. Exposure controls				
Personal protection • Respiratory protection • Hand protection • Eye protection • Others	: Avoid all unnecessary exposure. : Wear approved mask. : Wear protective gloves. : Chemical goggles or safety glasses. : When using, do not eat, drink or smoke.			
8.2. Control parameters				
Occupational Exposure Limits	: No data available.			
9. Physical and chemical properties				

9.1. Information on basic physical and chemical properties



MATERIAL SAFETY DATA SHEET (MSDS)

ESCHKA'S MIXTURE AR

9. Physical and chemical properties (continued)

Physical state at 20 °C	: Solid.
Colour	: White powder
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 261 - 263°C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 1,299
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
	· NI/A
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

1	0.	1	R	ea	ct	iv	ity	/

Reactivity

: Not established.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) ESCHKA'S MIXTURE AR

10. Stability and reactivity (continued)

10.2. Chemical stability				
Chemical stability	: Stable under recommended storage conditions.			
10.3. Possibility of hazardous reactions				
Hazardous reactions	: Not established.			
10.4. Conditions to avoid				
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.			
10.5. Incompatible materials				
Materials to avoid	: Strong acids. Strong bases.			
10.6. Hazardous decomposition products				
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.			

11. Toxicological information

11.1. Information on toxicological effects

Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity



MATERIAL SAFETY DATA SHEET (MSDS)

ESCHKA'S MIXTURE AR

12. Ecological information (continued)	
Toxicity information	: Not established.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB assessmer	nt : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13. Disposal considerations	
13. Disposal considerations <u>13.1. Waste treatment methods</u>	
	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
13.1. Waste treatment methods	
<u>13.1. Waste treatment methods</u> General	
<u>13.1. Waste treatment methods</u> General 14. Transport information	
13.1. Waste treatment methods General 14. Transport information 14.1. Land transport (ADR-RID)	local/national regulations.
13.1. Waste treatment methodsGeneral14. Transport information14.1. Land transport (ADR-RID)General information	local/national regulations.
13.1. Waste treatment methods General 14. Transport information 14.1. Land transport (ADR-RID) General information 14.2. Sea transport (IMDG) [English compared to the second to th	local/national regulations. : Not regulated. mly] : Not regulated.
13.1. Waste treatment methods General 14. Transport information 14.1. Land transport (ADR-RID) General information 14.2. Sea transport (IMDG) [English constrained General information	local/national regulations. : Not regulated. mly] : Not regulated.



MATERIAL SAFETY DATA SHEET (MSDS)

ESCHKA\'S MIXTURE AR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document