

### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# FERRIC OXIDE RED LR

### 1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u> Trade name	: FERRIC OXIDE RED LR	
Product code Identification of the product	: F0097505000 : FERRIC OXIDE RED 98.5% CAS No: 1309-37-1	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the safety data sheet		
Company identification <u>1.4. Emergency telephone number</u>	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com	
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]	

### 2. Hazards identification -DSD

### 2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45		
Classification	: Xi; R36/37/38	
Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)		
Health hazards	: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation - Category 3 - Warning (CLP : STOT SE 3) H335 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319	

# 2.2. Label elements

#### Labelling EC 67/548 or EC 1999/45



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

## FERRIC OXIDE RED LR

### 2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s)	: Xi : Irritant
R Phrase(s)	: R36/37/38 : Irritating to eyes, respiratory system and skin.
S Phrase(s)	: S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Labelling Regulation EC 1272/20	<u>008 (CLP)</u>
Hazard pictograms	
Signal words	: Warning
Hazard statements	<ul> <li>H302 : Harmful if swallowed.</li> <li>H319 : Causes serious eye irritation.</li> <li>H315 : Causes skin irritation.</li> <li>H335 : May cause respiratory irritation.</li> </ul>
Precautionary statements	
Prevention	<ul> <li>P280: Wear protective gloves, protective clothing, eye protection, face protection.</li> <li>P271: Use only outdoors or in a well-ventilated area.</li> <li>P261: Avoid breathing dust, fume, gas, mist, vapours, spray.</li> <li>P264: Wash thoroughly after handling.</li> <li>P270: Do not eat, drink or smoke when using this product.</li> </ul>
• Response	<ul> <li>P302+P352: IF ON SKIN : Wash with plenty of soap and water. P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.</li> <li>P332+P313: If skin irritation occurs : Get medical advice.</li> <li>P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.</li> <li>P363: Wash contaminated clothing before reuse.</li> </ul>
Storage	<ul> <li>P403+P233: Store in well-ventilated place. Keep container tightly closed.</li> <li>P405: Store locked up.</li> </ul>
<ul> <li>Disposal considerations</li> </ul>	<ul> <li>P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>
2.3. Other hazards	
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# FERRIC OXIDE RED LR

3. Composition/information on ingredients		
Substance / Preparation	: FERRIC OXIDE RED 98.5%	
Contains no other components or	Substance. impurities which will influence the classification of the product.	
4. First aid measures		
4.1. Description of first aid meas	sures	
Inhalation	: Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.	
Skin contact	: Specific treatment (see on this label). Get medical advice. If skin irritation occurs : Wash with plenty of soap and water. Wash contaminated clothing before reuse.	
Eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists : Get medical advice.	
Ingestion	: Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.	
4.2. Most important symptoms a	and effects, both acute and delayed	
Symptoms relating to use	: Swallowing a small quantity of this material will result in serious health hazard. Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.	
4.3. Indication of any immediate	medical attention and special treatment needed	
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
5. Fire-fighting measures		
5.1. Extinguishing media		

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
Surrounding fires	: Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the substance or mixture		

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

### FERRIC OXIDE RED LR

5. Fire-fighting measures (continued)		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	
6. Accidental release measures		
6.1. Personal precautions, protecti	ive equipment and emergency procedures	
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.	
6.4. Reference to other sections		
See section 8. Exposure controls/per	rsonal protection	

7.	Hand	ling	and	stora	ge

### 7.1. Precautions for safe handling

Handling	: Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	
Special precautions	: Avoid breathing dust, fume, gas, mist, vapours, spray.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.	
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.	
<u>7.3. Specific end use(s)</u>		



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

## FERRIC OXIDE RED LR

7. Handling and storage (continued)		
Specific end use(s)	: None.	
8. Exposure controls/personal prot	ection	
8.1. Exposure controls		
Personal protection	: Avoid all unnecessary exposure.	
<ul> <li>Respiratory protection</li> </ul>	: Wear approved mask.	
<ul> <li>Hand protection</li> </ul>	: Wear protective gloves.	
<ul> <li>Skin protection</li> </ul>	: Wear suitable protective clothing.	
Eye protection	: Chemical goggles or safety glasses.	
Others	: When using, do not eat, drink or smoke.	
8.2. Control parameters		
Occupational Exposure Limits	: No data available.	

### 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C Colour	: Solid. : Reddish powder
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 15650C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# FERRIC OXIDE RED LR

### 9. Physical and chemical properties (continued)

Density [g/cm3] Relative density, gas (air=1) Relative density, liquid (water=1) Solubility in water [% weight] Solubility in water Log Pow octanol / water at 20°C Solubility Viscosity at 40°C [mm2/s] 9.2. Other information	: 5,24 : N/A : N/A : Negligible (< 0.1%) : N/A : No data available. : N/A : N/A
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

### 10. Stability and reactivity

10.1. Reactivity		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.	



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

## FERRIC OXIDE RED LR

### 11. Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
Ingestion	: Harmful if swallowed.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

### 12. Ecological information

<u>12.1. Toxicity</u>		
Toxicity information	: Not established.	
<u>12.2. Persistence - degradability</u>		
Persistence - degradability	: Biodegradable.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assessment		
<b>Results of PBT and vPvB assessment</b> : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.		
12.6. Other adverse effects		



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# FERRIC OXIDE RED LR

12. Ecological information (continued)		
Environmental precautions	: Avoid release to the environment.	
13. Disposal considerations		
13.1. Waste treatment methods		
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
14. Transport information		
<u>14.1. Land transport (ADR-RID)</u>		
General information	: Not regulated.	
14.2. Sea transport (IMDG) [English only]		
General information	: Not regulated.	
14.3. Air transport (ICAO-IATA) [English only]		
General information	: Not regulated.	
15. Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. <b>e</b>	
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.	
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.	
15.2. Chemical Safety Assessment		
Chemical Safety Assessment	: It has not been carried out.	



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# FERRIC OXIDE RED LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

# DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document