

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

FERRIC SULPHATE LR

Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Trade name	: FERRIC SULPHATE LR	
	E	
Product code	: F0097805000	
Identification of the product	: FERRIC SULPHATE EXTRA PURE (MONOHYDRATE)	
	CAS No: 15244-10-7	
1.2. Relevant identified uses of the	e substance or mixture and uses advised against	
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the safety data sheet		
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Empil UD: info@uuvchem.com/core@uuvchem.com	
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com	
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]	

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification	EC 67/54	48 or EC	1999/45
----------------	----------	----------	---------

Classification	: Xn; R22
	Xi; R36/37

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -
Category 3 - Warning (CLP : STOT SE 3) H335
Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302
Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

FERRIC SULPHATE LR

Hazards identification -DSD (continued)
Symbol(s)	×
Symbol(s)	: Xn : Harmful
R Phrase(s)	: R22 : Harmful if swallowed. R36/37 : Irritating to eyes and respiratory system.
S Phrase(s)	: S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Labelling Regulation EC 1272/20	<u>008 (CLP)</u>
Hazard pictograms	
Signal words	: Warning
Hazard statements	 H302 : Harmful if swallowed. H319 : Causes serious eye irritation. H335 : May cause respiratory irritation.
Precautionary statements	
Prevention	 P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
• Response	 P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P337+P313: If eye irritation persists: Get medical advice/attention.
Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.
 Disposal considerations 	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
2.3. Other hazards	
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvE substance according to Annex XIII of Regulation REACH.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

FERRIC SULPHATE LR

3. Composition/information on ingredients		
Substance / Preparation	: FERRIC SULPHATE EXTRA PURE (MONOHYDRATE)	
Contains no other components or impur	Substance. ities which will influence the classification of the product.	
4. First aid measures		
4.1. Description of first aid measures		
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.	
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.	
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.	
Ingestion	: Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.	
4.2. Most important symptoms and ef	ffects, both acute and delayed	
Symptoms relating to use	: Swallowing a small quantity of this material will result in serious health hazard. Causes serious eye irritation. May cause respiratory irritation.	
4.3. Indication of any immediate med	ical attention and special treatment needed	
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
5. Fire-fighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media Surrounding fires	: Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the	substance or mixture	
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.	
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

FERRIC SULPHATE LR

5. Fire-fighting measures (continued) **Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. 6. Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures For emergency responders : Equip cleanup crew with proper protection. Ventilate area. For non-emergency personnel : Evacuate unnecessary personnel. 6.2. Environmental precautions **Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. 6.3. Methods and material for containment and cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. **Clean up methods** Store away from other materials. 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling Technical protective measures Special precautions	 Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust, fume, gas, mist, vapours, spray.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
Specific end use(s)	: None.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

FERRIC SULPHATE LR

8. Exposure controls/personal protection

8.1. Exposure controls

: Avoid all unnecessary exposure.
: Wear approved mask.
: Wear protective gloves.
: Chemical goggles or safety glasses.
: When using, do not eat, drink or smoke.
: No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: Greyish white crystalline
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 4800C
Decomposition point [°C]	: 4800C
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 3,097
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Soluble in water
Solubility in water	: N/A



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

FERRIC SULPHATE LR

9. Physical and chemical properties	(continued)
Log Pow octanol / water at 20°C Solubility	: No data available. : N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.
10. Stability and reactivity	
10.1. Reactivity	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reactio	ns
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition prod	ucts
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.
11. Toxicological information	
11.1. Information on toxicological effe	ects

Acute toxicity Inhalation

: Based on available data, the classification criteria are not met.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) FERRIC SULPHATE LR

. _.....

11. Toxicological information (continued)

: Based on available data, the classification criteria are not met.
: Harmful if swallowed.
: Based on available data, the classification criteria are not met.
: Causes serious eye irritation. May cause respiratory irritation.
: Based on available data, the classification criteria are not met.
: Based on available data, the classification criteria are not met.
: Based on available data, the classification criteria are not met.
: Based on available data, the classification criteria are not met.
: Based on available data, the classification criteria are not met.
: Based on available data, the classification criteria are not met.
: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB assess	sment
Results of PBT and vPvB assessment	t : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

FERRIC SULPHATE LR

13. Disposal considerations

13.1. Waste treatment methods

General

: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international regulation.

14. Transport information

<u>14.1. Land transport (ADR-RID)</u>

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental Ensure all national/local regulations are observed. regulations/legislation specific for the substance or mixture	
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.

6. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging or substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Page: 8

AN ISO 9001: 2015 CERTIFIED



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

FERRIC SULPHATE LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document