

MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : GLASS BEADS (3.5-4.5MM)

Product code : G0103000500

CAS No: N/A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM

Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T; R23/24/25-R39/23/24/25

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Category 1 - Danger (CLP :

STOT SE 1) H370

Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301 Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331 Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

2. Hazards identification -DSD (continued)

Symbol(s)

£

Symbol(s) : T : Toxic

R Phrase(s) : R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed.

R39/23/24/25: Toxic: danger of very serious irreversible effects through inhalation,

in contact with skin and if swallowed.

S Phrase(s) : S4 : Keep away from living quarters.

S24: Avoid contact with skin.

S28: After contact with skin, wash immediately with

S35: This material and its container must be disposed of in a safe way. S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S38: In case of insufficient ventilation, wear suitable respiratory equipment. S45: In case of accident or if you feel unwell, seek medical advice immediately (

show the label when possible).

S59: Refer to manufacturer/supplier for information on recovery/recycling.

Contains : Methanol - 1,2,3-Propanetriol(glycerin) - GIEMSA`S STAIN

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms





Signal words : Danger

Hazard statements : H301 : Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H370 : Causes damage to organ.

Precautionary statements

• **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area. P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response : P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.

P307+P311: IF EXPOSED : Call a POISON CENTER or doctor. P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position

comfortable for breathing.

P363: Wash contaminated clothing before reuse. P361: Remove immediately all contaminated clothing.

• Storage : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P405: Store locked up.



MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

2. Hazards identification -DSD (continued)

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international

regulation.

Contains : Methanol - 1,2,3-Propanetriol(glycerin) - GIEMSA'S STAIN

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Preparation.

Hazardous component(s) : This product is hazardous.

•	` '		•				
Substance name		Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
GIEMSA`S STAIN	:	> 0.01 < 1 %	51811-82-6				Xn; R22 Xi; R41 R52-53
							Eye Dam 1 _ H318 Acute Tox. 4 (oral) _ H302 Aquatic Chronic 3 _ H412
Methanol	:	> 50 < 75 %	67-56-1	200-659-6	603-001-00-X		F; R11 T; R23/24/25-39/23/24/25
							Flam. Liq. 2 H225 Acute Tox. 3 (skin) H311 Acute Tox. 3 (inhal) H331 Acute Tox. 3 (oral) H301 STOT SE 1 H370
1,2,3-Propanetriol(glycerin)	:	> 50 < 75 %	56-81-5	200-289-5			Not classified (DSD/DPD)
							Not classified (GHS)

4. First aid measures

4.1. Description of first aid measures

Inhalation : Immediately call a POISON CENTER or doctor. Specific treatment (see on this

label). Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse. Remove/Take off immediately all

contaminated clothing. Wash with plenty of soap and water. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Wash contaminated

clothing before reuse.

Eye contact : Obtain medical attention if pain, blinking or redness persist. Remove contact

lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for

several minutes.

Ingestion : Immediately call a POISON CENTER or doctor. Specific treatment (see on this

label). Do NOT induce vomiting. Rinse mouth.



MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

4. First aid measures (continued)

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Repeated exposure to this material can result in absorption through skin causing

significant health hazard.

Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard.

Causes damage to organ.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible). Call a POISON CENTER or doctor.

Specific treatment (see on this label).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Flammable class : Highly flammable liquid and vapour.

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

Avoid breathing dust, fume, gas, mist, vapours, spray.

Technical measures : Use special care to avoid static electric charges.



MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

6. Accidental release measures (continued)

Special precautions : Remove ignition sources. No naked lights. No smoking.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Handle empty containers with care because residual vapours are flammable. Use

only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not breathe dust, fume, gas, mist,

vapours, spray.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Proper grounding procedures to avoid static electricity should be followed. Use

explosion-proof electrical, ventilating, lighting, ..., equipment.

Special precautions : No naked lights. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep in fireproof

place. Ground/bond container and receiving equipment. Keep container tightly

closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls



MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

8. Exposure controls/personal protection (continued)

Personal protection









Personal protection : Avoid all unnecessary exposure.

• Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Where exposure through inhalation may occur from use, respiratory protection

equipment is recommended.

Hand protection : Wear protective gloves.

Eye protectionOthersChemical goggles or safety glasses.When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

Occupational Exposure Limits : Methanol : OEL (UK)-LTEL [ppm] : 200

Methanol : OEL (UK)-STEL [ppm] : 250

Methanol: ILV (EU) - 8 H - [mg/m³]: (260 Skin.) Methanol: ILV (EU) - 8 H - [ppm]: (200 Skin.) Methanol: HTP-värden - 8 H - [ppm]: 200 Methanol: HTP-värden - 15min - [ppm]: 250 Methanol: HTP-värden - 8 H - [mg/m³]: 270 Methanol: HTP-värden - 15min - [mg/m³]: 330

Methanol: NGV - [ppm]: 200
Methanol: NGV - [mg/m³]: 250
Methanol: KTV - [ppm]: 250
Methanol: KTV - [mg/m³]: 350
Methanol: VLA-ED [ppm]: 200
Methanol: VLA-ED [mg/m³]: 266
Methanol: VLA-EC [ppm]: 250
Methanol: VLA-EC [mg/m³]: 333

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Colour : Colorless

Odour : Characteristic.

Odour threshold : No data available.

pH value : No data available.

Melting point [°C] : 17.9° C

Decomposition point [°C] : N/A



MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

9. Physical and chemical properties (continued)

Critical temperature [°C] : No data available.

Auto-ignition temperature [°C] : No data available.

Flammability (solid, gas) : Flammable.

Highly flammable liquid and vapour.

Flash point [°C] : 12°C Boiling point [°C] : 64.5° C

Initial boiling point [°C] : No data available.
Final boiling point [°C] : No data available.

Evaporation rate : N/A

Vapour pressure [20°C] : No data available.
Vapour pressure mm/Hg : 97.68mm of Hg at 20°C

Vapour density : 2.37

Density [g/cm3] : 1.04

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Soluble

Solubility in water : No data available.

Log Pow octanol / water at 20°C : No data available.

Solubility : 7

Viscosity at 40°C [mm2/s] : No data available.

9.2. Other information

Explosive properties : N/A

Explosion limits - upper [%] : No data available.

Explosion limits - lower [%] : No data available.

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.



MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

10. Stability and reactivity (continued)

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

May release flammable gases.

11. Toxicological information

11.1. Information on toxicological effects

Toxicity information: The product has been not fully tested. The calculated risk has been done under the

requirements of the EU regulations.

Acute toxicity

• Inhalation : Toxic if inhaled.

• **Dermal** : Toxic in contact with skin.

• Ingestion : Toxic if swallowed.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Causes damage to organ.

Causes damage to organ.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information: The product has been not fully tested. The calculated risk has been done under the

requirements of the EU regulations.



MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

12. Ecological information (continued)

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Hazardous waste due to toxicity.

Handle empty containers with care because residual vapours are flammable.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : METHANOL

UN N° : 1230 H.I. nr : 336 ADR - Class : 3

Labelling - Transport : 3 : Flammable liquid. 6.1 : Toxic substances.



MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

14. Transport information (continued)





ADR - Classification code : FT1
ADR - Group : II
ADR - Packing instructions : P001
ADR - Limited Quantity : 1 L

ADR - Tunnel code : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and

E. Other carriage: Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG) [English only]

Proper shipping name : METHANOL

UN N° : 1230

IMO-IMDG - Class or division : 3 : Flammable liquid. (6.1 : Toxic substances.)

IMO-IMDG - Packing group : II
IMO-IMDG - Packing instructions : P001
IMO-IMDG - Limited quantities : 1 L
IMO-IMDG - Marine pollution : No
EMS-Nr : F-E S-D

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : METHANOL

UN N° : 1230

IATA - Class or division : 3 : Flammable liquid. (6.1 : Toxic substances.)

IATA - Packing group : ||

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing

instruction

- Passenger and Cargo - Maximum : 1 L

Quantity/Packing

- Cargo only - Packing instruction : 364
- Cargo only - Maximum Quantity/ : 60 L

Packing



MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

14. Transport information (continued)

IATA - Limited Quantites : 1 L ERG-Nr : 3L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental

regulations/legislation specific for the

: Ensure all national/local regulations are observed.

substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

List of relevant R phrases (heading 3): R11: Highly flammable.

R22: Harmful if swallowed.

R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R39/23/24/25: Toxic: danger of very serious irreversible effects through inhalation,

in contact with skin and if swallowed. R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

List of full text of H-statements in

section 3

: H225 : Highly flammable liquid and vapour.

H301 : Toxic if swallowed. H302 : Harmful if swallowed.

H311 : Toxic in contact with skin. H318 : Causes serious eye damage.

H331: Toxic if inhaled.

H370 : Causes damage to organ.

H412: Harmful to aquatic life with long lasting effects.

Further information : None.



MATERIAL SAFETY DATA SHEET (MSDS)

GLASS BEADS (3.5-4.5MM)

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document