

## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **HEXAMINE LR**

1. Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Trade name	: HEXAMINE LR		
Product code	: H0107505000		
Identification of the product	: methenamine; hexamethylenetetramine		
	CAS No: 100-97-0 EC No :202-905-8		
	Annex No :612-101-00-2		
1.2. Relevant identified uses of th	ne substance or mixture and uses advised against		
Use	: Industrial. For professional use only.		
1.3. Details of the supplier of the	safety data sheet		
Company identification	SUVCHEM		
	Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road,		
	Goregaon (West), Mumbai - 400062, Maharashtra, India.		
	Contact: +91 22 28725393 / 94 / 95		
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com		
Phone no.			
2. Hazards identification -DSD			
2.1. Classification of the substan	ce or mixture		
Classification EC 67/548 or EC 19	999/45		
Classification	: F; R11		
	R43		

## Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards	: Skin sensitisation - Category 1 - Warning (CLP : Skin Sens. 1) H317
Physical hazards	: Flammable solids - Category 1 - Danger (CLP : Flam. Sol. 1) H228

2.2. Label elements

#### Labelling EC 67/548 or EC 1999/45



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **HEXAMINE LR**

Hazards identification -DSD (	continued)
Symbol(s)	*
Symbol(s)	: F : Highly flammable Xn : Harmful
R Phrase(s)	: R11 : Highly flammable. R43 : May cause sensitization by skin contact.
S Phrase(s)	: S2 : Keep out of the reach of children. S24 : Avoid contact with skin. S37 : Wear suitable gloves.
Contains	: methenamine; hexamethylenetetramine
Labelling Regulation EC 1272/20	<u>008 (CLP)</u>
Hazard pictograms	
Signal words	: Danger
Hazard statements	: H228 : Flammable solid. H317 : May cause an allergic skin reaction.
Precautionary statements	
• General	<ul> <li>P102: Keep out of reach of children.</li> <li>P103: Read label before use.</li> <li>P101: If medical advice is needed, have product container or label at hand.</li> </ul>
Prevention	<ul> <li>P240: Ground/bond container and receiving equipment.</li> <li>P241: Use explosion-proof electrical, ventilating, lighting,, equipment.</li> <li>P210: Keep away from heat, sparks, open flames or hot surfaces No smoking.</li> <li>P280: Wear protective gloves, protective clothing, eye protection, face protection.</li> <li>P261: Avoid breathing dust, fume, gas, mist, vapours, spray.</li> <li>P272: Contaminated work clothing should not be allowed out of the workplace.</li> </ul>
Response	<ul> <li>P302+P352: IF ON SKIN : Wash with plenty of soap and water.</li> <li>P333+P313: If skin irritation or rash occurs : Get medical advice.</li> <li>P363: Wash contaminated clothing before reuse.</li> <li>P370+P378: In case of fire: Use for extinction.</li> </ul>
<ul> <li>Disposal considerations</li> </ul>	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Contains	: methenamine; hexamethylenetetramine
2.3. Other hazards	
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPv substance according to Annex XIII of Regulation REACH.



# MATERIAL SAFETY DATA SHEET (MSDS)

# **HEXAMINE LR**

Substance / Preparation	: met	henamine; he	examethyle	netetramine		
	Ani	No :202-905 nex No :612-1 ostance.	•			
substance name nethenamine; : nexamethylenetetramine	Contents 100 %	<b>CAS No</b> 100-97-0	<b>EC No</b> 202-905-8	Annex No 612-101-00-2	REACH Ref.	Classification F; R11 R43 Flam. Sol. 1_H228
Contains no other components	s or impurities w	hich will influe	ence the cla	assification of t	he product.	Skin Sens. 1 _ H317
	·				·	
. First aid measures						
4.1. Description of first aid m	ieasures					
Inhalation	: Ass	ure fresh air l	oreathing. A	Allow the victim	to rest.	
Skin contact	: Rer wat on	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Get medical advice. Specific treatment (see on this label). If skin irritation or rash occurs : Wash with plenty of soap and water. Wash contaminated clothing before reuse.				
Eye contact		: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.				
		: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.				
Ingestion	: Obt	ain emergeno	cy medical a	attention. Rins	e mouth. Do N	OT induce vomiting.
Ingestion 4.2. Most important sympton		Ū.			e mouth. Do N	OT induce vomiting.
-	<u>ns and effects,</u>	Ū.	ind delaye	<u>d</u>	e mouth. Do N	OT induce vomiting.
4.2. Most important symptom Symptoms relating to use	ns and effects, : May	<b>both acute a</b> / cause an all	i <mark>nd delaye</mark> ergic skin r	<u>d</u> eaction.		IOT induce vomiting.
4.2. Most important symptom Symptoms relating to use 4.3. Indication of any immed	ns and effects, : May iate medical at	both acute a / cause an all tention and s	u <mark>nd delaye</mark> ergic skin r special trea	<u>d</u> eaction. atment neede	<u>d</u>	
4.2. Most important symptom Symptoms relating to use	ns and effects, : May iate medical at : Nev	both acute a / cause an all tention and s rer give anyth	i <mark>nd delaye</mark> ergic skin r s <b>pecial trea</b> ing by mou	<u>d</u> eaction. atment neede	<u>d</u> scious person	IOT induce vomiting. . If you feel unwell, seek

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture



# MATERIAL SAFETY DATA SHEET (MSDS)

# **HEXAMINE LR**

5. Fire-fighting measures (continued)			
Flammable class	: Flammable solid.		
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.		
5.3. Advice for fire-fighters			
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.		
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.		

## 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.			
Technical measures	: Use special care to avoid static electric charges.			
Special precautions	: Remove ignition sources. No naked lights. No smoking.			
For non-emergency personnel	: Evacuate unnecessary personnel.			
6.2. Environmental precautions				
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.			
6.3. Methods and material for containment and cleaning up				
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.			
6.4. Reference to other sections				

See section 8. Exposure controls/personal protection

## 7. Handling and storage

## 7.1. Precautions for safe handling

Handling

: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Handle empty containers with care because residual vapours are flammable. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid breathing dust, fume, gas, mist, vapours, spray.



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **HEXAMINE LR**

7. Handling and storage (continued)			
Technical protective measures	Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting,, equipment.		
Special precautions	: No naked lights. No smoking.		
7.2. Conditions for safe storage, inc	cluding any incompatibilities		
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use. Keep in fireproof place. Ground/bond container and receiving equipment.		
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.		
7.3. Specific end use(s)			
Specific end use(s)	: None.		

Exposure controls/personal pro	Diection	_
8.1. Exposure controls		
Personal protection	: Avoid all unnecessary exposure.	
<ul> <li>Respiratory protection</li> </ul>	: Wear approved mask.	
Hand protection	: Wear protective gloves.	
• Eye protection	: Chemical goggles or safety glasses.	
• Others	: When using, do not eat, drink or smoke.	
8.2. Control parameters		
Occupational Exposure Limits	: No data available.	

## 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White crystalline
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 280 °C
Decomposition point [°C]	: N/A



# MATERIAL SAFETY DATA SHEET (MSDS)

# **HEXAMINE LR**

## 9. Physical and chemical properties (continued)

Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 410 °C
Flammability (solid, gas)	: Flammable solid.
	N/A
Flash point [°C]	: 250 °C
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: < 0.01 hPa at 20 °C
Vapour pressure mm/Hg	: N/A
Vapour density	: 4,9
Density [g/cm3]	: 1,33
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Soluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

## 10. Stability and reactivity

10.1. Reactivity			
Reactivity	: Not established.		
10.2. Chemical stability			
Chemical stability	: Stable under recommended storage conditions.		
10.3. Possibility of hazardous reactions			
Hazardous reactions	: Not established.		



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **HEXAMINE LR**

10. Stability and reactivity (continued)	
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition products	
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.

## 11. Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
<ul> <li>Ingestion</li> </ul>	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: May cause an allergic skin reaction.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

## 12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
12.2. Persistence - degradability	
Persistence - degradability	: Biodegradable.



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **HEXAMINE LR**

12. Ecological information (continu	ıed)	
12.3. Bioaccumulative potential		
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessme	ent : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	
13. Disposal considerations		
13.1. Waste treatment methods		
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
Special precautions	: Handle empty containers with care because residual vapours are flammable.	
14. Transport information		
<u>14.1. Land transport (ADR-RID)</u>		
Proper shipping name UN N° H.I. nr ADR - Class Labelling - Transport	<ul> <li>HEXAMTHYLNE-TÉTRAMINE</li> <li>1328</li> <li>40</li> <li>4.1</li> <li>4.1 : Flammable solids, self-reactive substances and desensitized explosives.</li> </ul>	
ADR - Classification code	: F1	



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **HEXAMINE LR**

## 14. Transport information (continued)

ADR - Group	: 111
ADR - Packing instructions	: P002 R001
ADR - Limited Quantity	: 5 KG
ADR - Tunnel code	

: E : Passage forbidden through tunnels of category E.

#### 14.2. Sea transport (IMDG) [English only]

Proper shipping name	HEXAMTHYLNE-TÉTRAMINE
UN N°	: 1328
IMO-IMDG - Class or division	: 4.1 : Flammable solids, self-reactive substances and desensitized explosives.
IMO-IMDG - Packing group	: 111
IMO- IMDG - Packing instructions	: P002
IMO-IMDG - Limited quantities	: 5 kg
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-A S-G

## 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name UN N° IATA - Class or division IATA - Packing group IATA - Passenger and Cargo Aircraft - Passenger and Cargo - Packing	HEXAMTHYLNE-TÉTRAMINE : 1328 : 4.1 : Flammable solids, self-reactive substances and desensitized explosives. : III : ALLOWED : 446
instruction - Passenger and Cargo - Maximum Quantity/Packing IATA - Cargo only	: 25 kg : ALLOWED
- Cargo only - Packing instruction - Cargo only - Maximum Quantity/ Packing IATA - Limited Quantites ERG-Nr	: 449 : 100 kg : 10 kg : 3L

## 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



# MATERIAL SAFETY DATA SHEET (MSDS)

# **HEXAMINE LR**

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

# DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED