

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

IODINE LR

| Identification of the substance | /mixture and of the company/undertaking |
|---------------------------------------|--|
| 1.1. Product identifier | |
| Trade name | : IODINE LR |
| Product code | : 10112600500 |
| Identification of the product | : lodine |
| | CAS No: 7553-56-2 EC No :231-442-4 |
| | Annex No :053-001-00-3 |
| 1.2. Relevant identified uses of the | e substance or mixture and uses advised against |
| Use | : Industrial. For professional use only. |
| 1.3. Details of the supplier of the s | safety data sheet |
| Company identification | SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Baad |
| | Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, |
| | Maharashtra, India. |
| | Contact: +91 22 28725393 / 94 / 95 |
| 1.4. Emergency telephone numbe | Email ID: info@suvchem.com/care@suvchem.com |
| Phone no. | : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours] |
| | |
| Hazards identification -DSD | |

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

| Classification | : Xn; R20/21 N; R50 |
|----------------------------------|--|
| Hazard Class and Category Code(s | <u>), Regulation (EC) No 1272/2008 (CLP)</u> |
| Health hazards | : Acute toxicity, dermal - Category 4 - Warning (CLP : Acute Tox. 4) H312 Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332 |
| Environmental hazards | : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400 |
| 2.2. Label elements | |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM


MATERIAL SAFETY DATA SHEET (MSDS)

IODINE LR

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)





MATERIAL SAFETY DATA SHEET (MSDS)

IODINE LR

| Substance / Preparation | | : lod | ine | | | | |
|-------------------------|---|----------|--|-----------|--------------|------------|---|
| | | An | No :231-442 nex No :053-0 bstance. | • | | | |
| Substance name | | Contents | CAS No | EC No | Annex No | REACH Ref. | Classification |
| odine | : | 100 % | 7553-56-2 | 231-442-4 | 053-001-00-3 | | Xn; R20/21 N; R50 |
| | | | | | | | Acute Tox. 4 (skin) _ H312 Acute Tox. 4 (inhal) _ H332 Aquatic Acute 1 H400 |

| Inhalation | : Assure fresh air breathing. Allow the victim to rest. Remove to fresh air and keep |
|------------------------------------|--|
| | rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. |
| Skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). Wash with plenty of soap and wate Wash contaminated clothing before reuse. |
| Eye contact | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. |
| Ingestion | : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting. |
| 4.2. Most important symptoms ar | nd effects, both acute and delayed |
| Symptoms relating to use | : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Danger of serious damage to health by prolonged exposure through inhalation. |
| 4.3. Indication of any immediate i | medical attention and special treatment needed |
| General information | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| Fire-fighting measures | |

Unsuitable extinguishing media : Do not use a heavy water stream.



MATERIAL SAFETY DATA SHEET (MSDS)

IODINE LR

| 5. Fire-fighting measures (continued) | | | |
|--|---|--|--|
| Surrounding fires | : Use water spray or fog for cooling exposed containers. | | |
| 5.2. Special hazards arising from the substance or mixture | | | |
| Hazardous combustion products | : Under fire conditions, hazardous fumes will be present. | | |
| 5.3. Advice for fire-fighters | | | |
| Protection against fire | : Do not enter fire area without proper protective equipment, including respiratory protection. | | |
| Special procedures | : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. | | |

6. Accidental release measures

| 6.1. Personal precautions, protective equipment and emergency procedures | | | | |
|--|---|--|--|--|
| For emergency responders | : Equip cleanup crew with proper protection. Ventilate area. | | | |
| For non-emergency personnel | : Evacuate unnecessary personnel. | | | |
| 6.2. Environmental precautions | | | | |
| Environmental precautions | : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment. | | | |
| 6.3. Methods and material for containment and cleaning up | | | | |
| Clean up methods | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. | | | |
| 6.4. Reference to other sections | | | | |

See section 8. Exposure controls/personal protection

7. Handling and storage ...

| 7.1. Precautions for safe handling | |
|------------------------------------|--|
| Handling | : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Avoid breathing dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area. |
| Technical protective measures | : Provide good ventilation in process area to prevent formation of vapour. |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

IODINE LR

7. Handling and storage (continued)

| Storage | : Keep only in the original container in a cool, well ventilated place. Keep containe closed when not in use. |
|--------------------------|--|
| Storage - away from | : Strong bases. Strong acids. Sources of ignition. Direct sunlight. |
| 7.3. Specific end use(s) | |
| Specific end use(s) | : None. |

8.1. Exposure controls

| Personal protection | : Avoid all unnecessary exposure. |
|--|---|
| Respiratory protection | : In case of insufficient ventilation, wear suitable respiratory equipment. |
| Hand protection | : Wear protective gloves. |
| Eye protection | : Chemical goggles or safety glasses. |
| Others | : When using, do not eat, drink or smoke. |
| 8.2. Control parameters | |
| Occupational Exposure Limits | : No data available. |

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state at 20 °C | : Solid. |
|--------------------------------|-------------------------|
| Colour | : Bluish-black crystals |
| Odour | : Pungent odor |
| Odour threshold | : No data available. |
| pH value | : No data available. |
| Melting point [°C] | : 113 °C |
| Decomposition point [°C] | : N/A |
| Critical temperature [°C] | : N/A |
| Auto-ignition temperature [°C] | : N/A |
| Flammability (solid, gas) | : N/A |
| Flash point [°C] | : N/A |
| Boiling point [°C] | : 184 °C |



MATERIAL SAFETY DATA SHEET (MSDS)

IODINE LR

9. Physical and chemical properties (continued)

| Initial boiling point [°C] | : N/A |
|------------------------------------|------------------------|
| Final boiling point [°C] | : N/A |
| Evaporation rate | : N/A |
| Vapour pressure [20°C] | : 0.3 mm Hg @ 200C |
| Vapour pressure mm/Hg | : 0.3 mm Hg @ 200C |
| Vapour density | : 8,8 |
| Density [g/cm3] | : 4,98 |
| Relative density, gas (air=1) | : N/A |
| Relative density, liquid (water=1) | : N/A |
| Solubility in water [% weight] | : 0.03 g/100 g water @ |
| Solubility in water | : N/A |
| Log Pow octanol / water at 20°C | : No data available. |
| Solubility | : 5,4 |
| Viscosity at 40°C [mm2/s] | : N/A |
| 9.2. Other information | |
| Explosive properties | : N/A |
| Explosion limits - upper [%] | : N/A |
| Explosion limits - lower [%] | : N/A |
| Oxidising properties | : No data available. |
| | |

10. Stability and reactivity

| <u>10.1. Reactivity</u> | | |
|--|--|--|
| Reactivity | : Not established. | |
| 10.2. Chemical stability | | |
| Chemical stability | : Stable under recommended storage conditions. | |
| 10.3. Possibility of hazardous reactions | | |
| Hazardous reactions | : Not established. | |
| 10.4. Conditions to avoid | | |
| Conditions to avoid | : Direct sunlight. Extremely high or low temperatures. | |
| 10.5. Incompatible materials | | |



MATERIAL SAFETY DATA SHEET (MSDS)

IODINE LR

10. Stability and reactivity (continued)

Materials to avoid

: Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

| Acute toxicity | |
|-------------------------------|---|
| Inhalation | : Harmful if inhaled. |
| • Dermal | : Harmful in contact with skin. |
| Ingestion | : Based on available data, the classification criteria are not met. |
| Corrosion | : Based on available data, the classification criteria are not met. |
| Irritation | : Based on available data, the classification criteria are not met. |
| Sensitization | : Based on available data, the classification criteria are not met. |
| Mutagenicity | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | : Based on available data, the classification criteria are not met. |
| Toxic for reproduction | : Based on available data, the classification criteria are not met. |
| STOT-single exposure | : Based on available data, the classification criteria are not met. |
| STOT-repeated exposure | : Based on available data, the classification criteria are not met. |
| Aspiration hazard | : Based on available data, the classification criteria are not met. |

12. Ecological information

| <u>12.1. Toxicity</u> | |
|-----------------------------------|-------------------------------|
| Toxicity information | : Very toxic to aquatic life. |
| 12.2. Persistence - degradability | |
| Persistence - degradability | : Biodegradable. |
| 12.3. Bioaccumulative potential | |
| Bioaccumulative potential | : Not established. |
| <u>12.4. Mobility in soil</u> | |
| Mobility in soil | : Not established. |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

IODINE LR

12. Ecological information (continued)

<u>12.5. Results of PBT and vPvB assessment</u>

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

- 12.6. Other adverse effects
- **Environmental precautions** : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General

 Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

| Proper shipping name | : IODINE |
|-----------------------|--|
| UN N° | : 3495 |
| H.I. nr | : 86 |
| ADR - Class | : 8 |
| Labelling - Transport | : 8 : Corrosive substance. 6.1 : Toxic substances. |



ADR - Classification code

ADR - Group

- ADR Packing instructions
- : 5 KG

: 111

CT2

: P002 R001

ADR - Tunnel code

ADR - Limited Quantity

: E : Passage forbidden through tunnels of category E.





MATERIAL SAFETY DATA SHEET (MSDS)

IODINE LR

14. Transport information (continued)

14.2. Sea transport (IMDG) [English only]

| Proper shipping name | ODINE | |
|--|--|--|
| 1 11 0 | | |
| UN N° | : 3495 | |
| IMO-IMDG - Class or division | : 8 : Corrosive substance. (6.1 : Toxic substances.) | |
| IMO-IMDG - Packing group | : 111 | |
| IMO- IMDG - Packing instructions | : P002 LP02 | |
| IMO-IMDG - Limited quantities | : 5 kg | |
| IMO-IMDG - Marine pollution | : Yes | |
| EMS-Nr | : F-A S-F | |
| 14.3. Air transport (ICAO-IATA) [English only] | | |
| Proper shipping name | : IODINE | |
| UN N° | : 3495 | |
| IATA - Class or division | : 8 : Corrosive substance. (6.1 : Toxic substances.) | |

| UN N ² | 3495 |
|--|--|
| IATA - Class or division | : 8 : Corrosive substance. (6.1 : Toxic substances.) |
| IATA - Packing group | : 111 |
| IATA - Passenger and Cargo Aircraft | : ALLOWED |
| - Passenger and Cargo - Packing instruction | : 860 |
| - Passenger and Cargo - Maximum Quantity/Packing | : 25 kg |
| IATA - Cargo only | : ALLOWED |
| - Cargo only - Packing instruction | : 864 |
| - Cargo only - Maximum Quantity/ Packing | : 100 kg |
| IATA - Limited Quantites | : 5 kg |
| ERG-Nr | : 8P |
| | |

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| Safety, health and environmental regulations/legislation specific for th substance or mixture | : Ensure all national/local regulations are observed. e |
|---|--|
| REACH Restrictions - Annex XVII | : The components of this product are not subject to restrictions. |
| REACH Authorisation - Annex XIV | : The components of this product are not subject to authorization. |
| | |

15.2. Chemical Safety Assessment

Page: 9



MATERIAL SAFETY DATA SHEET (MSDS)

IODINE LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED