

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD METAL SHOTS/GRANULARS/PELLETS

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : LEAD METAL SHOTS/GRANULARS/PELLETS

Product code : L0118300250

Identification of the product : LEAD (METAL) GRANULAR 99.5%
 CAS No: 7439-92-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xn; 48/20/22
 R33
 N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Repeated exposure - Category 2 - Warning (CLP : STOT RE 2) H373

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400
 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP : Aquatic Chronic 1) H410

2.2. Label elements

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD METAL SHOTS/GRANULARS/PELLETS

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s)

: T : Toxic
 N : Dangerous for the environment

R Phrase(s)

: R61 : May cause harm to the unborn child.
 R33 : Danger of cumulative effects.
 R40 : Limited evidence of a carcinogenic effect.
 R48/20/22 : Harmful : danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
 R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 R62 : Possible risk of impaired fertility.

S Phrase(s)

: S53 : Avoid exposure - obtain special instructions before use.
 S36/37 : Wear suitable protective clothing and gloves.
 S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
 S60 : This material and its container must be disposed of as hazardous waste.
 S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Warning

Hazard statements

: H373 : May cause damage to organs through prolonged or repeated exposure.
 H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements

• Prevention

: P260: Do not breathe dust, fume, gas, mist, vapours, spray.
 P273: Avoid release to the environment.

• Response

: P391: Collect spillage.
 P314: Get medical advice if you feel unwell.

• Disposal considerations

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD METAL SHOTS/GRANULARS/PELLETS

2. Hazards identification -DSD (continued)

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : LEAD (METAL) GRANULAR 99.5%

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest.
Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes damage to organ.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.
Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD METAL SHOTS/GRANULARS/PELLETS

5. Fire-fighting measures (continued)

- | | |
|--------------------------------|--|
| Protection against fire | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| Special procedures | : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. |

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------------------------|---|
| For emergency responders | : Equip cleanup crew with proper protection.
Ventilate area. |
| For non-emergency personnel | : Evacuate unnecessary personnel. |

6.2. Environmental precautions

- | | |
|----------------------------------|---|
| Environmental precautions | : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
Avoid release to the environment. |
|----------------------------------|---|

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|---|
| Clean up methods | : On land, sweep or shovel into suitable containers. Minimize generation of dust.
Store away from other materials. |
|-------------------------|---|

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

- | | |
|--------------------------------------|---|
| Handling | : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. |
| Technical protective measures | : Provide good ventilation in process area to prevent formation of vapour. |
| Special precautions | : Avoid breathing dust, fume, gas, mist, vapours, spray. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|----------------------------|--|
| Storage | : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use. |
| Storage - away from | : Strong bases. Strong acids. Sources of ignition. Direct sunlight. |

7.3. Specific end use(s)

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD METAL SHOTS/GRANULARS/PELLETS

7. Handling and storage (continued)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.
 • Respiratory protection : Wear approved mask.
 • Hand protection : Wear protective gloves.
 • Eye protection : Chemical goggles or safety glasses.
 • Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.
 Colour : Grey powder
 Odour : N/A
 Odour threshold : No data available.
 pH value : Not applicable.
 Melting point [°C] : 327.4 °C
 Decomposition point [°C] : N/A
 Critical temperature [°C] : N/A
 Auto-ignition temperature [°C] : N/A
 Flammability (solid, gas) : N/A
 Flash point [°C] : N/A
 Boiling point [°C] : 17400C
 Initial boiling point [°C] : N/A
 Final boiling point [°C] : N/A
 Evaporation rate : N/A
 Vapour pressure [20°C] : N/A
 Vapour pressure mm/Hg : N/A
 Vapour density : N/A
 Density [g/cm3] : 11,3

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD METAL SHOTS/GRANULARS/PELLETS

9. Physical and chemical properties (continued)

Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

10.4. Conditions to avoid

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

10.5. Incompatible materials

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.
----------------------------------	---

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD METAL SHOTS/GRANULARS/PELLETS

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

• Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
• Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD METAL SHOTS/GRANULARS/PELLETS

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
UN N° : 3077
H.I. nr : 90
ADR - Class : 9
Labelling - Transport : 9 : Miscellaneous dangerous substances and articles.



ADR - Classification code : M7
ADR - Group : III
ADR - Packing instructions : P002 R001 LP002
ADR - Limited Quantity : 5 KG
ADR - Tunnel code : E : Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
UN N° : 3077
IMO-IMDG - Class or division : 9 : Miscellaneous dangerous substances and articles.
IMO-IMDG - Packing group : III
IMO-IMDG - Packing instructions : P002 LP02
IMO-IMDG - Limited quantities : 5 kg
IMO-IMDG - Marine pollution : Yes
EMS-Nr : F-A S-F

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD METAL SHOTS/GRANULARS/PELLETS

14. Transport information (continued)

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 UN N° : 3077
 IATA - Class or division : 9 : Miscellaneous dangerous substances and articles.
 IATA - Packing group : III
 IATA - Passenger and Cargo Aircraft : ALLOWED
 - Passenger and Cargo - Packing : 956
 instruction
 - Passenger and Cargo - Maximum : 400 kg
 Quantity/Packing
 IATA - Cargo only : ALLOWED
 - Cargo only - Packing instruction : 956
 - Cargo only - Maximum Quantity/ : 400 kg
 Packing
 IATA - Limited Quantities : 30 kg G
 ERG-Nr : 9L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed.
 regulations/legislation specific for the
 substance or mixture
 REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.
 REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision : Revision - See : *
 Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.
 vPvB: very persistent and very bioaccumulative
 Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF
 THE COUNCIL of 16 December 2008 on classification, labelling and packaging of
 substances and mixtures, amending and repealing Directives 67/548/EEC and
 1999/45/EC, and amending Regulation (EC) No 1907/2006

MATERIAL SAFETY DATA SHEET (MSDS)
LEAD METAL SHOTS/GRANULARS/PELLETS

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document