

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### LEAD METAL SHOTS/GRANULARS/PELLETS

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : LEAD METAL SHOTS/GRANULARS/PELLETS

Product code : L0118300500

Identification of the product : LEAD (METAL) GRANULAR 99.5%  
CAS No: 7439-92-1

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM  
Chaitanya Tower, 2nd Floor, Office # 206,  
Siddharth Nagar, S.V. Road,  
Goregaon (West), Mumbai - 400062,  
Maharashtra, India.  
Contact: +91 22 28725393 / 94 / 95  
Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : Xn; 48/20/22  
R33  
N; R50-53

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Repeated exposure - Category 2 - Warning (CLP : STOT RE 2) H373

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400  
Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP : Aquatic Chronic 1) H410

##### 2.2. Label elements

## MATERIAL SAFETY DATA SHEET (MSDS)

### LEAD METAL SHOTS/GRANULARS/PELLETS

#### 2. Hazards identification -DSD (continued)

##### Labelling EC 67/548 or EC 1999/45

##### Symbol(s)



##### Symbol(s)

: T : Toxic  
N : Dangerous for the environment

##### R Phrase(s)

: R61 : May cause harm to the unborn child.  
R33 : Danger of cumulative effects.  
R40 : Limited evidence of a carcinogenic effect.  
R48/20/22 : Harmful : danger of serious damage to health by prolonged exposure through inhalation and if swallowed.  
R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R62 : Possible risk of impaired fertility.

##### S Phrase(s)

: S53 : Avoid exposure - obtain special instructions before use.  
S36/37 : Wear suitable protective clothing and gloves.  
S45 : In case of accident or if you feel unwell, seek medical advice immediately ( show the label when possible).  
S60 : This material and its container must be disposed of as hazardous waste.  
S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

##### Labelling Regulation EC 1272/2008 (CLP)

##### Hazard pictograms



##### Signal words

: Warning

##### Hazard statements

: H373 : May cause damage to organs through prolonged or repeated exposure.  
H410 : Very toxic to aquatic life with long lasting effects.

##### Precautionary statements

##### • Prevention

: P260: Do not breathe dust, fume, gas, mist, vapours, spray.  
P273: Avoid release to the environment.

##### • Response

: P391: Collect spillage.  
P314: Get medical advice if you feel unwell.

##### • Disposal considerations

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

##### 2.3. Other hazards

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### LEAD METAL SHOTS/GRANULARS/PELLETS

#### 2. Hazards identification -DSD (continued)

**Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

**Substance / Preparation** : LEAD (METAL) GRANULAR 99.5%

Substance.

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

##### 4.1. Description of first aid measures

**Inhalation** : Assure fresh air breathing. Allow the victim to rest.  
**Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.  
**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.  
**Ingestion** : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

##### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms relating to use** : Causes damage to organ.

##### 4.3. Indication of any immediate medical attention and special treatment needed

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

#### 5. Fire-fighting measures

##### 5.1. Extinguishing media

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
**Unsuitable extinguishing media** : Do not use a heavy water stream.  
**Surrounding fires** : Use water spray or fog for cooling exposed containers.

##### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

##### 5.3. Advice for fire-fighters

**MATERIAL SAFETY DATA SHEET (MSDS)**
**LEAD METAL SHOTS/GRANULARS/PELLETS**
**5. Fire-fighting measures (continued)**

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**6. Accidental release measures**
**6.1. Personal precautions, protective equipment and emergency procedures**

- For emergency responders** : Equip cleanup crew with proper protection. Ventilate area.
- For non-emergency personnel** : Evacuate unnecessary personnel.

**6.2. Environmental precautions**

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

- Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

**6.4. Reference to other sections**

See section 8. Exposure controls/personal protection

**7. Handling and storage**
**7.1. Precautions for safe handling**

- Handling** : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.
- Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.
- Special precautions** : Avoid breathing dust, fume, gas, mist, vapours, spray.

**7.2. Conditions for safe storage, including any incompatibilities**

- Storage** : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
- Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

**7.3. Specific end use(s)**

## MATERIAL SAFETY DATA SHEET (MSDS)

### LEAD METAL SHOTS/GRANULARS/PELLETS

#### 7. Handling and storage (continued)

Specific end use(s) : None.

#### 8. Exposure controls/personal protection

##### 8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

- Respiratory protection : Wear approved mask.
- Hand protection : Wear protective gloves.
- Eye protection : Chemical goggles or safety glasses.
- Others : When using, do not eat, drink or smoke.

##### 8.2. Control parameters

Occupational Exposure Limits : No data available.

#### 9. Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : Grey powder

Odour : N/A

Odour threshold : No data available.

pH value : Not applicable.

Melting point [°C] : 327.4 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A

Flash point [°C] : N/A

Boiling point [°C] : 17400C

Initial boiling point [°C] : N/A

Final boiling point [°C] : N/A

Evaporation rate : N/A

Vapour pressure [20°C] : N/A

Vapour pressure mm/Hg : N/A

Vapour density : N/A

Density [g/cm<sup>3</sup>] : 11,3

**MATERIAL SAFETY DATA SHEET (MSDS)**
**LEAD METAL SHOTS/GRANULARS/PELLETS**
**9. Physical and chemical properties (continued)**

Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

**9.2. Other information**

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

**10. Stability and reactivity**
**10.1. Reactivity**

Reactivity	: Not established.
------------	--------------------

**10.2. Chemical stability**

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

**10.3. Possibility of hazardous reactions**

Hazardous reactions	: Not established.
---------------------	--------------------

**10.4. Conditions to avoid**

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

**10.5. Incompatible materials**

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

**10.6. Hazardous decomposition products**

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.
----------------------------------	---

## MATERIAL SAFETY DATA SHEET (MSDS)

### LEAD METAL SHOTS/GRANULARS/PELLETS

#### 11. Toxicological information

##### 11.1. Information on toxicological effects

###### Acute toxicity

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Based on available data, the classification criteria are not met.

**Sensitization** : Based on available data, the classification criteria are not met.

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Based on available data, the classification criteria are not met.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure** : May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

#### 12. Ecological information

##### 12.1. Toxicity

**Toxicity information** : Very toxic to aquatic life with long lasting effects.

##### 12.2. Persistence - degradability

**Persistence - degradability** : May cause long-term adverse effects in the environment.

##### 12.3. Bioaccumulative potential

**Bioaccumulative potential** : Not established.

##### 12.4. Mobility in soil

**Mobility in soil** : Not established.

##### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

##### 12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### LEAD METAL SHOTS/GRANULARS/PELLETS

#### 13. Disposal considerations

##### 13.1. Waste treatment methods

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 14. Transport information

##### 14.1. Land transport (ADR-RID)

**Proper shipping name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
**UN N°** : 3077  
**H.I. nr** : 90  
**ADR - Class** : 9  
**Labelling - Transport** : 9 : Miscellaneous dangerous substances and articles.



**ADR - Classification code** : M7  
**ADR - Group** : III  
**ADR - Packing instructions** : P002 R001 LP002  
**ADR - Limited Quantity** : 5 KG  
**ADR - Tunnel code** : E : Passage forbidden through tunnels of category E.



##### 14.2. Sea transport (IMDG) [English only]

**Proper shipping name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
**UN N°** : 3077  
**IMO-IMDG - Class or division** : 9 : Miscellaneous dangerous substances and articles.  
**IMO-IMDG - Packing group** : III  
**IMO-IMDG - Packing instructions** : P002 LP02  
**IMO-IMDG - Limited quantities** : 5 kg  
**IMO-IMDG - Marine pollution** : Yes  
**EMS-Nr** : F-A S-F

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### LEAD METAL SHOTS/GRANULARS/PELLETS

#### 14. Transport information (continued)

##### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 UN N° : 3077  
 IATA - Class or division : 9 : Miscellaneous dangerous substances and articles.  
 IATA - Packing group : III  
 IATA - Passenger and Cargo Aircraft : ALLOWED  
 - Passenger and Cargo - Packing instruction : 956  
 - Passenger and Cargo - Maximum Quantity/Packing : 400 kg  
 IATA - Cargo only : ALLOWED  
 - Cargo only - Packing instruction : 956  
 - Cargo only - Maximum Quantity/Packing : 400 kg  
 IATA - Limited Quantities : 30 kg G  
 ERG-Nr : 9L

#### 15. Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture : Ensure all national/local regulations are observed.  
 REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.  
 REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

##### 15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

#### 16. Other information

Revision : Revision - See : \*  
 Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.  
 vPvB: very persistent and very bioaccumulative  
 Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**

**LEAD METAL SHOTS/GRANULARS/PELLETS**

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**