

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD ACETATE LR TRIHYDRATE CRYSTALS

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : LEAD ACETATE LR TRIHYDRATE CRYSTALS

Product code : L0118405000

Identification of the product : LEAD ACETATE PURE (TRIHYDRATE) 99%

CAS No: 6080-56-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xn; 48/22

R33 N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Repeated exposure - Category 2 - Warning (CLP :

STOT RE 2) H373

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP

: Aquatic Acute 1) H400

Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (

CLP: Aquatic Chronic 1) H410

2.2. Label elements



MATERIAL SAFETY DATA SHEET (MSDS)

LEAD ACETATE LR TRIHYDRATE CRYSTALS

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)





Symbol(s) : T : Toxic

N: Dangerous for the environment

R Phrase(s) : R61 : May cause harm to the unborn child.

R33: Danger of cumulative effects.

R48/22: Harmful: danger of serious damage to health by prolonged exposure if

swallowed.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R62 : Possible risk of impaired fertility.

S Phrase(s) : S53 : Avoid exposure - obtain special instructions before use.

S45: In case of accident or if you feel unwell, seek medical advice immediately (

show the label when possible).

S60: This material and its container must be disposed of as hazardous waste. S61: Avoid release to the environment. Refer to special instructions/Safety data

sheets.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms





Signal words : Warning

Hazard statements : H373 : May cause damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

• **Prevention** : P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment.

• Response : P391: Collect spillage.

P314: Get medical advice if you feel unwell.

• Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.



MATERIAL SAFETY DATA SHEET (MSDS)

LEAD ACETATE LR TRIHYDRATE CRYSTALS

3. Composition/information on ingredients

Substance / Preparation : LEAD ACETATE PURE (TRIHYDRATE) 99%

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes damage to organ.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.



MATERIAL SAFETY DATA SHEET (MSDS)

LEAD ACETATE LR TRIHYDRATE CRYSTALS

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Wash hands and other exposed areas with mild soap and water before eat, drink or

smoke and when leaving work.

Technical protective measures: Provide good ventilation in process area to prevent formation of vapour.

Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

closed when not in use.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls



MATERIAL SAFETY DATA SHEET (MSDS)

LEAD ACETATE LR TRIHYDRATE CRYSTALS

8. Exposure controls/personal protection (continued)

Personal protection : Avoid all unnecessary exposure.

Respiratory protectionHand protectionWear approved mask.Wear protective gloves.

Eye protectionOthers: Chemical goggles or safety glasses.: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour: White crystallineOdour: Slight acetic acid odorOdour threshold: No data available.pH value: Not applicable.

: 75 °C Melting point [°C] : N/A **Decomposition point [°C]** : N/A Critical temperature [°C] : N/A Auto-ignition temperature [°C] Flammability (solid, gas) : N/A : N/A Flash point [°C] **Boiling point [°C]** : N/A Initial boiling point [°C] : N/A Final boiling point [°C] : N/A **Evaporation rate** : N/A Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : N/A Vapour density : N/A Density [g/cm3] : 2,55 : N/A Relative density, gas (air=1) Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : 60 gm in 100 gm wate

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : 5.5-6.5



MATERIAL SAFETY DATA SHEET (MSDS)

LEAD ACETATE LR TRIHYDRATE CRYSTALS

9. Physical and chemical properties (continued)

Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Inhalation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Ingestion
 Based on available data, the classification criteria are not met.



MATERIAL SAFETY DATA SHEET (MSDS)

LEAD ACETATE LR TRIHYDRATE CRYSTALS

11. Toxicological information (continued)

Corrosion: Based on available data, the classification criteria are not met.Irritation: Based on available data, the classification criteria are not met.Sensitization: Based on available data, the classification criteria are not met.Mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Toxic for reproduction: Based on available data, the classification criteria are not met.STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions: Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection



MATERIAL SAFETY DATA SHEET (MSDS)

LEAD ACETATE LR TRIHYDRATE CRYSTALS

13. Disposal considerations (continued)

point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : LEAD ACETATE

UN N° : 1616 H.I. nr : 60 ADR - Class : 6.1

Labelling - Transport : 6.1 : Toxic substances.

ADR - Classification code : T5
ADR - Group : III

ADR - Packing instructions : P002 R001 LP002

ADR - Limited Quantity : 5 KG

ADR - Tunnel code



: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : LEAD ACETATE

UN N° : 1616

IMO-IMDG - Class or division : 6.1 : Toxic substances.

IMO-IMDG - Packing group : |||

IMO- IMDG - Packing instructions: P002 LP02IMO-IMDG - Limited quantities: 5 kgIMO-IMDG - Marine pollution: YesEMS-Nr: F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : LEAD ACETATE

UN N° : 1616



MATERIAL SAFETY DATA SHEET (MSDS)

LEAD ACETATE LR TRIHYDRATE CRYSTALS

14. Transport information (continued)

IATA - Class or division : 6.1 : Toxic substances.

IATA - Packing group : 111

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing

instruction

- Passenger and Cargo - Maximum : 100 kg

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 677 - Cargo only - Maximum Quantity/ : 200 kg

Packing

IATA - Limited Quantites : 10 kg **ERG-Nr** : 6L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental

regulations/legislation specific for the

substance or mixture

REACH Restrictions - Annex XVII

REACH Authorisation - Annex XIV

: Ensure all national/local regulations are observed.

: The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

: It has not been carried out. **Chemical Safety Assessment**

16. Other information

Revision : Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF Sources of key data used

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.



MATERIAL SAFETY DATA SHEET (MSDS)

LEAD ACETATE LR TRIHYDRATE CRYSTALS

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document