

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD CHROMATE LR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : LEAD CHROMATE LR

Product code : L0118700500

Identification of the product : Lead chromate
 CAS No: 7758-97-6
 EC No :231-846-0
 Annex No :082-004-00-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Carc. Cat. 2; R45
 Repr. Cat. 1; R61-62
 R33
 N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Carcinogenicity - Category 1B - Danger (CLP : Carc. 1B) H350
 Reproductive toxicity - Unborn Child - Category 1A - Danger (CLP : Repr. 1A) H360
 Reproductive toxicity - Fertility - Category 2 - Warning (CLP : Repr. 2) H361

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400
 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (

MATERIAL SAFETY DATA SHEET (MSDS)
LEAD CHROMATE LR
2. Hazards identification -DSD (continued)

CLP : Aquatic Chronic 1) H410

2.2. Label elements
Labelling EC 67/548 or EC 1999/45
Symbol(s)

Symbol(s)

 : T : Toxic
 : N : Dangerous for the environment

R Phrase(s)

 : R45 : May cause cancer.
 : R61 : May cause harm to the unborn child.
 : R33 : Danger of cumulative effects.
 : R62 : Possible risk of impaired fertility.
 : R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S Phrase(s)

 : S53 : Avoid exposure - obtain special instructions before use.
 : S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
 : S60 : This material and its container must be disposed of as hazardous waste.
 : S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Contains

: Lead chromate

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Danger

Hazard statements

 : H350 : May cause cancer.
 : H361f : Suspected of damaging fertility.
 : H360D : May damage the unborn child.
 : H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements
• General

: P201: Obtain special instructions before use.

• Prevention

 : P281: Use personal protective equipment as required.
 : P273: Avoid release to the environment.

• Response

 : P308+P313: If exposed or concerned : get medical advice.
 : P391: Collect spillage.

• Storage

: P405: Store locked up.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD CHROMATE LR

2. Hazards identification -DSD (continued)

- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Special labelling** : Restricted to professional users. (Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008)
- Contains** : Lead chromate
- 2.3. Other hazards**
- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Lead chromate

EC No :231-846-0
 Annex No :082-004-00-2
 Substance.

| Substance name | Contents | CAS No | EC No | Annex No | REACH Ref. | Classification |
|----------------|----------|-----------|-----------|--------------|------------|--|
| Lead chromate | 100 % | 7758-97-6 | 231-846-0 | 082-004-00-2 | ---- | Carc. Cat. 2; R45 Repr. Cat. 1; R61 Repr. Cat. 3; R62 R33 N; R50-53 ----- Carc. 1B _ H350 Repr. 1A _ H360D Repr. 2 _ H361f Aquatic Acute 1 _ H400 Aquatic Chronic 1 _ H410 |

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Assure fresh air breathing. Allow the victim to rest.
- Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- Ingestion** : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : May cause cancer. May damage the unborn child.
 Suspected of damaging fertility.

4.3. Indication of any immediate medical attention and special treatment needed

MATERIAL SAFETY DATA SHEET (MSDS)
LEAD CHROMATE LR
4. First aid measures (continued)

General information : Never give anything by mouth to an unconscious person.
 If exposed or concerned : get medical advice.

5. Fire-fighting measures
5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.
Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.
 Ventilate area.
For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
 Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.
 Store away from other materials.

6.4. Reference to other sections

MATERIAL SAFETY DATA SHEET (MSDS)
LEAD CHROMATE LR
6. Accidental release measures (continued)

See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

Handling : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Obtain special instructions before use.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection
8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

- **Respiratory protection** : Wear approved mask.
- **Hand protection** : Wear protective gloves.
- **Eye protection** : Chemical goggles or safety glasses.
- **Others** : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : White powder

Odour : Odorless

MATERIAL SAFETY DATA SHEET (MSDS)
LEAD CHROMATE LR
9. Physical and chemical properties (continued)

| | |
|--|----------------------|
| Odour threshold | : No data available. |
| pH value | : Not applicable. |
| Melting point [°C] | : 8440C |
| Decomposition point [°C] | : N/A |
| Critical temperature [°C] | : N/A |
| Auto-ignition temperature [°C] | : N/A |
| Flammability (solid, gas) | : N/A |
| Flash point [°C] | : N/A |
| Boiling point [°C] | : N/A |
| Initial boiling point [°C] | : N/A |
| Final boiling point [°C] | : N/A |
| Evaporation rate | : N/A |
| Vapour pressure [20°C] | : N/A |
| Vapour pressure mm/Hg | : N/A |
| Vapour density | : N/A |
| Density [g/cm ³] | : 6,3 |
| Relative density, gas (air=1) | : N/A |
| Relative density, liquid (water=1) | : N/A |
| Solubility in water [% weight] | : Negligible |
| Solubility in water | : N/A |
| Log Pow octanol / water at 20°C | : No data available. |
| Solubility | : N/A |
| Viscosity at 40°C [mm ² /s] | : N/A |

9.2. Other information

| | |
|------------------------------|----------------------|
| Explosive properties | : N/A |
| Explosion limits - upper [%] | : N/A |
| Explosion limits - lower [%] | : N/A |
| Oxidising properties | : No data available. |

10. Stability and reactivity
10.1. Reactivity.

| | |
|------------|--------------------|
| Reactivity | : Not established. |
|------------|--------------------|

10.2. Chemical stability.

| | |
|--------------------|--|
| Chemical stability | : Stable under recommended storage conditions. |
|--------------------|--|

MATERIAL SAFETY DATA SHEET (MSDS)
LEAD CHROMATE LR
10. Stability and reactivity (continued)
10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information
11.1. Information on toxicological effects
Acute toxicity

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : May cause cancer.

Toxic for reproduction : May damage the unborn child. Suspected of damaging fertility.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information : Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

MATERIAL SAFETY DATA SHEET (MSDS)
LEAD CHROMATE LR
12. Ecological information (continued)

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations
13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information
14.1. Land transport (ADR-RID)

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
UN N° : 3077
H.I. nr : 90
ADR - Class : 9
Labelling - Transport : 9 : Miscellaneous dangerous substances and articles.



ADR - Classification code : M7

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)
LEAD CHROMATE LR
14. Transport information (continued)

ADR - Group : III
 ADR - Packing instructions : P002 R001 LP002
 ADR - Limited Quantity : 5 KG
 ADR - Tunnel code



: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 UN N° : 3077
 IMO-IMDG - Class or division : 9 : Miscellaneous dangerous substances and articles.
 IMO-IMDG - Packing group : III
 IMO-IMDG - Packing instructions : P002 LP02
 IMO-IMDG - Limited quantities : 5 kg
 IMO-IMDG - Marine pollution : Yes
 EMS-Nr : F-A S-F

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 UN N° : 3077
 IATA - Class or division : 9 : Miscellaneous dangerous substances and articles.
 IATA - Packing group : III
 IATA - Passenger and Cargo Aircraft : ALLOWED
 - Passenger and Cargo - Packing : 956
 instruction
 - Passenger and Cargo - Maximum : 400 kg
 Quantity/Packing
 IATA - Cargo only : ALLOWED
 - Cargo only - Packing instruction : 956
 - Cargo only - Maximum Quantity/ : 400 kg
 Packing
 IATA - Limited Quantities : 30 kg G
 ERG-Nr : 9L

15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

MATERIAL SAFETY DATA SHEET (MSDS)

LEAD CHROMATE LR

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document