

# CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **LEAD CHLORIDE LR**

: LEAD CHLORIDE LR		
	IESIS	
: L0119205000		
: LEAD (II) CHLORIDE (ANHYDROUS) 99%		
CAS No: 7758-95-4		
I.2. Relevant identified uses of the substance or mixture and uses advised against		
: Industrial. For professional use only.		
1.3. Details of the supplier of the safety data sheet		
SUVCHEM		
Contact: +91 22 28725393 / 94 / 95		
Email ID: info@suvchem.com/care@suvchem.	com	
: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm	) [ Office hours ]	
	<ul> <li>: L0119205000</li> <li>: LEAD (II) CHLORIDE (ANHYDROUS) 99% CAS No: 7758-95-4</li> <li>substance or mixture and uses advised against</li> <li>: Industrial. For professional use only.</li> <li>afety data sheet SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India.</li> </ul>	

# 2. Hazards identification -DSD

## 2.1. Classification of the substance or mixture

### Classification EC 67/548 or EC 1999/45

Classification	: Xn; R20/22
	R33
	N: R50-53

# Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards	: Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302 Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332
Environmental hazards	: Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning ( CLP : Aquatic Chronic 1) H410

# 2.2. Label elements



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD CHLORIDE LR

# 2. Hazards identification -DSD (continued)

## Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s)	: T : Toxic N : Dangerous for the environment	
R Phrase(s)	<ul> <li>R61 : May cause harm to the unborn child.</li> <li>R20/22 : Harmful by inhalation and if swallowed.</li> <li>R33 : Danger of cumulative effects.</li> <li>R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R62 : Possible risk of impaired fertility.</li> </ul>	
S Phrase(s)	<ul> <li>: S53 : Avoid exposure - obtain special instructions before use.</li> <li>S45 : In case of accident or if you feel unwell, seek medical advice immediately ( show the label when possible).</li> <li>S60 : This material and its container must be disposed of as hazardous waste.</li> <li>S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.</li> </ul>	
Labelling Regulation EC 1272/2008 (CLP)		
Hazard pictograms		
Signal words	: Warning	
Hazard statements	: H302 : Harmful if swallowed.	

H332 : Harmful if inhaled.

## Precautionary statements • Prevention

1 i cvciition

Response

- Disposal considerations
- P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.
   P391: Collect spillage.
   P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
- **s** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

H410 : Very toxic to aquatic life with long lasting effects.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P270: Do not eat, drink or smoke when using this product.

: P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment. P264: Wash thoroughly after handling.



# CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD CHLORIDE LR

2. Hazards identification -E 2.3. Other hazards	
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
3. Composition/information	n on ingredients

Substance / Preparation

: LEAD (II) CHLORIDE (ANHYDROUS) 99%

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

# 4.1. Description of first aid measures

Inhalation	: Assure fresh air breathing. Allow the victim to rest. Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.	
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.	
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.	
Ingestion	: Obtain emergency medical attention. Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms relating to use	: Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard.	
4.3. Indication of any immediate medical attention and special treatment needed		
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	

# 5. Fire-fighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.



# CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD CHLORIDE LR

5. Fire-fighting measures (continued)		
Surrounding fires	: Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the substance or mixture		
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.	
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	

## 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.	
6.4 Reference to other sections		

# 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

...

# 7. Handling and storage

\_ . \_

7.1. Precautions for safe handling	
Handling	: Do not eat, drink or smoke when using this product. Avoid breathing dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.



# CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD CHLORIDE LR

# 7. Handling and storage (continued)

Storage	: Keep only in the original container in a cool, well ventilated place. Keep contain closed when not in use.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
Specific end use(s)	: None.

Personal protection	: Avoid all unnecessary exposure.
<ul> <li>Respiratory protection</li> </ul>	: In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

# 9. Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White powder
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 501 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 950 °C



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD CHLORIDE LR

#### 9. Physical and chemical properties (continued) Initial boiling point [°C] : N/A Final boiling point [°C] : N/A **Evaporation rate** : N/A Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : N/A : 9,6 Vapour density : 5,85 Density [g/cm3] : N/A Relative density, gas (air=1) : N/A Relative density, liquid (water=1) Solubility in water [% weight] : 1.1 gm in 100 gm wat : N/A Solubility in water : No data available. Log Pow octanol / water at 20°C Solubility : N/A Viscosity at 40°C [mm2/s] : N/A 9.2. Other information : N/A **Explosive properties** : N/A Explosion limits - upper [%] Explosion limits - lower [%] : N/A **Oxidising properties** : No data available.

# 10. Stability and reactivity

10.1. Reactivity	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials	



# CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD CHLORIDE LR

10. Stability and reactivity (continued)

Materials to avoid

: Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

# 11. Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity	
<ul> <li>Inhalation</li> </ul>	: Harmful if inhaled.
• Dermal	: Based on available data, the classification criteria are not met.
<ul> <li>Ingestion</li> </ul>	: Harmful if swallowed.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

# 12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Very toxic to aquatic life with long lasting effects.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD CHLORIDE LR

# **12. Ecological information (continued)**

# 12.5. Results of PBT and vPvB assessment Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH. 12.6. Other adverse effects Environmental precautions : Avoid release to the environment. 13. Disposal considerations 13.1. Waste treatment methods General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

# 14. Transport information

## 14.1. Land transport (ADR-RID)

Proper shipping name	: LEAD COMPOUND, SOLUBLE, N.O.S.
UN N°	: 2291
H.I. nr	: 60
ADR - Class	: 6.1
Labelling - Transport	: 6.1 : Toxic substances.



ADR - Classification code	: T5
ADR - Group	: 111
ADR - Packing instructions	: P002 R001 LP002
ADR - Limited Quantity	: 5 KG
ADR - Tunnel code	: E : Passage forbid

E : Passage forbidden through tunnels of category E.





# CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD CHLORIDE LR

# 14. Transport information (continued)

# 14.2. Sea transport (IMDG) [English only]

Proper shipping name	: LEAD COMPOUND, SOLUBLE, N.O.S.
UN N°	: 2291
IMO-IMDG - Class or division	: 6.1 : Toxic substances.
IMO-IMDG - Packing group	: 111
IMO- IMDG - Packing instructions	: P002 LP02
IMO-IMDG - Limited quantities	: 5 kg
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-A S-A

# 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: LEAD COMPOUND, SOLUBLE, N.O.S.
UN N°	: 2291
IATA - Class or division	: 6.1 : Toxic substances.
IATA - Packing group	: 111
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 670
- Passenger and Cargo - Maximum Quantity/Packing	: 100 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 677
- Cargo only - Maximum Quantity/ Packing	: 200 kg
IATA - Limited Quantites	: 10 kg
ERG-Nr	: 6L

# 15. Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. <b>e</b>
<b>REACH Restrictions - Annex XVII</b>	: The components of this product are not subject to restrictions.
<b>REACH Authorisation - Annex XIV</b>	: The components of this product are not subject to authorization.

## 15.2. Chemical Safety Assessment

Page: 9



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD CHLORIDE LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

# DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED