

#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD SULPHATE LR

## 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name : LEAD SULPHATE LR **Product code** : L0120300500 Identification of the product : PbSO4 CAS No: 7446-14-2 EC No :231-198-9 1.2. Relevant identified uses of the substance or mixture and uses advised against : Industrial. For professional use only. Use 1.3. Details of the supplier of the safety data sheet SUVCHEM **Company identification** Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com 1.4. Emergency telephone number : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ] Phone no.

# 2. Hazards identification -DSD

## 2.1. Classification of the substance or mixture

#### Classification EC 67/548 or EC 1999/45

Classification : Xn; R20/22 R33 N; R50-53

#### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards	: Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302 Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332
Environmental hazards	: Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning ( CLP : Aquatic Chronic 1) H410

## 2.2. Label elements



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD SULPHATE LR

# 2. Hazards identification -DSD (continued)

## Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s)	: T : Toxic
	N : Dangerous for the environment
R Phrase(s)	<ul> <li>: R61 : May cause harm to the unborn child.</li> <li>R20/22 : Harmful by inhalation and if swallowed.</li> <li>R33 : Danger of cumulative effects.</li> <li>R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R62 : Possible risk of impaired fertility.</li> </ul>
S Phrase(s)	<ul> <li>: S53 : Avoid exposure - obtain special instructions before use.</li> <li>S45 : In case of accident or if you feel unwell, seek medical advice immediately ( show the label when possible).</li> <li>S60 : This material and its container must be disposed of as hazardous waste.</li> <li>S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.</li> </ul>
Contains	: PbSO4
Labelling Regulation EC 1272/2008 (	<u>CLP)</u>
Hazard pictograms	♦ ♦
Signal words	: Warning
Hazard statements	: H302 : Harmful if swallowed. H332 : Harmful if inhaled. H410 : Very toxic to aquatic life with long lasting effects.
Precautionary statements	
Prevention	<ul> <li>P271: Use only outdoors or in a well-ventilated area.</li> <li>P261: Avoid breathing dust, fume, gas, mist, vapours, spray.</li> <li>P273: Avoid release to the environment.</li> <li>P264: Wash thoroughly after handling.</li> <li>P270: Do not eat, drink or smoke when using this product.</li> </ul>
• Response	<ul> <li>P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.</li> <li>P391: Collect spillage.</li> <li>P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.</li> </ul>
Disposal considerations	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

regulation.



# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD SULPHATE LR

2. Hazards identification -DSD (continued)						
Contains	: Pb	504				
2.3. Other hazards						
Other hazards					be identified a gulation REAC	as PBT substance or vPvB H.
3. Composition/information	on ingredient	S				
Substance / Preparation	: Pb	SO4				
		No :231-198 bstance.	-9			
Substance name PbSO4 :	Contents 100 %	<b>CAS No</b> 7446-14-2	<b>EC No</b> 231-198-9	Annex No 	REACH Ref.	Classification T; R61 Xn; R62 Xn; R20/22 R33 N; R50-53
Contains no other components	s or impurities w	hich will influ	ence the cla	assification of	the product.	Acute Tox. 4 (inhal) H332 Acute Tox. 4 (oral) H302 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

## 4. First aid measures 4.1. Description of first aid measures Inhalation : Assure fresh air breathing. Allow the victim to rest. Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing. : Remove affected clothing and wash all exposed skin area with mild soap and Skin contact water, followed by warm water rinse. : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or Eye contact redness persist. Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth. Call a POISON CENTER or doctor if you feel unwell. 4.2. Most important symptoms and effects, both acute and delayed Symptoms relating to use : Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard. 4.3. Indication of any immediate medical attention and special treatment needed

 General information
 : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD SULPHATE LR

# 5. Fire-fighting measures

5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.
5.2. Special hazards arising from the	e substance or mixture
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6.	Accidental	release	measures

6.1. Personal precautions, protectiv	e equipment and emergency procedures
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
For non-emergency personnel	: Evacuate unnecessary personnel.
6.2. Environmental precautions	
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for contain	inment and cleaning up
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.
6.4. Reference to other sections	

See section 8. Exposure controls/personal protection

## 7. Handling and storage

### 7.1. Precautions for safe handling



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD SULPHATE LR

7. Handling and storage (continue	d)
. Handling and storage (continue	u)
Handling	: Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
<u>7.3. Specific end use(s)</u>	
Specific end use(s)	: None.
B. Exposure controls/personal pro	tection
8.1. Exposure controls	
Personal protection	: Avoid all unnecessary exposure.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection	: Wear protective gloves.
• Eye protection	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.
). Physical and chemical propertie	es

# 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White powder
Odour	: N/A
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 1170°C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A



# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD SULPHATE LR

# 9. Physical and chemical properties (continued)

Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 6,2
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Slightly soluble
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

## 10. Stability and reactivity

10.1. Reactivity	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
10.3. Possibility of hazardous reaction	ons
Hazardous reactions	: Not established.
10.4. Conditions to avoid	



# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD SULPHATE LR

10. Stability and reactivity (continued)		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition produ	ucts	
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.	
11. Toxicological information		
11.1. Information on toxicological effe	ects	
Acute toxicity		
Inhalation	: Harmful if inhaled.	
• Dermal	: Based on available data, the classification criteria are not met.	
Ingestion	: Harmful if swallowed.	
Corrosion	: Based on available data, the classification criteria are not met.	
Irritation	: Based on available data, the classification criteria are not met.	
Sensitization	: Based on available data, the classification criteria are not met.	
Mutagenicity	: Based on available data, the classification criteria are not met.	
Carcinogenicity	: Based on available data, the classification criteria are not met.	
Toxic for reproduction	: Based on available data, the classification criteria are not met.	
STOT-single exposure	: Based on available data, the classification criteria are not met.	
STOT-repeated exposure	: Based on available data, the classification criteria are not met.	
Aspiration hazard	: Based on available data, the classification criteria are not met.	
12. Ecological information		

<u>12.1. Toxicity</u>	
Toxicity information	: Very toxic to aquatic life with long lasting effects.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.



## CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD SULPHATE LR

12. Ecological information (continued)		
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	
13. Disposal considerations		
13.1. Waste treatment methods		
General	<ul> <li>Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.</li> <li>Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>	

# 14. Transport information

14.1. Land transport (ADR-RID)	
Proper shipping name UN N° H.I. nr ADR - Class Labelling - Transport	<ul> <li>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.</li> <li>3077</li> <li>90</li> <li>9</li> <li>9 : Miscellaneous dangerous substances and articles.</li> </ul>
ADR - Classification code ADR - Group ADR - Packing instructions ADR - Limited Quantity	: M7 : III : P002 R001 LP002 : 5 KG



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD SULPHATE LR

## **14. Transport information (continued)**

ADR - Tunnel code



: E : Passage forbidden through tunnels of category E.

### 14.2. Sea transport (IMDG) [English only]

Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
UN N°	: 3077
IMO-IMDG - Class or division	: 9 : Miscellaneous dangerous substances and articles.
IMO-IMDG - Packing group	: 111
IMO- IMDG - Packing instructions	: P002 LP02
IMO-IMDG - Limited quantities	: 5 kg
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-A S-F

#### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name UN N°	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. : 3077
IATA - Class or division	: 9 : Miscellaneous dangerous substances and articles.
IATA - Packing group	: 111
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 956
- Passenger and Cargo - Maximum Quantity/Packing	: 400 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 956
- Cargo only - Maximum Quantity/ Packing	: 400 kg
IATA - Limited Quantites	: 30 kg G
ERG-Nr	: 9L

## 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed. regulations/legislation specific for the substance or mixture



# MATERIAL SAFETY DATA SHEET (MSDS)

# LEAD SULPHATE LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

# DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED