

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### LEISHMAN'S STAIN (FOR MICROSCOPY) (EOSIN METHYLENE BLUE COMPOUND)

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : LEISHMAN'S STAIN (FOR MICROSCOPY) (EOSIN METHYLENE BLUE COMPOUND)  
 Product code : L0121000025  
 Identification of the product : LEISHMAN'S STAIN FOR MICROSCOPY  
 CAS No: 12627-53-1

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM  
 Chaitanya Tower, 2nd Floor, Office # 206,  
 Siddharth Nagar, S.V. Road,  
 Goregaon (West), Mumbai - 400062,  
 Maharashtra, India.  
 Contact: +91 22 28725393 / 94 / 95  
 Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : Xi; R36

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

##### 2.2. Label elements

##### Labelling EC 67/548 or EC 1999/45

Symbol(s)



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### LEISHMAN'S STAIN (FOR MICROSCOPY) (EOSIN METHYLENE BLUE COMPOUND)

#### 2. Hazards identification -DSD (continued)

Symbol(s) : Xi : Irritant  
 R Phrase(s) : R36 : Irritating to eyes.  
 S Phrase(s) : S22 : Do not breathe dust.  
 S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### Labelling Regulation EC 1272/2008 (CLP)

##### Hazard pictograms



Signal words : Warning  
 Hazard statements : H319 : Causes serious eye irritation.  
 Precautionary statements  
 • Prevention : P280: Wear protective gloves, protective clothing, eye protection, face protection.  
 P264: Wash thoroughly after handling.  
 • Response : P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.  
 Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313: If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

Substance / Preparation : LEISHMAN'S STAIN FOR MICROSCOPY

Substance.

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

##### 4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest.  
 Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.  
 Eye contact : If eye irritation persists : Get medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.  
 Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**LEISHMAN'S STAIN (FOR MICROSCOPY) (EOSIN METHYLENE BLUE COMPOUND)**
**4. First aid measures (continued)**
**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms relating to use : Causes serious eye irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**5. Fire-fighting measures**
**5.1. Extinguishing media**

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

**5.3. Advice for fire-fighters**

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**6. Accidental release measures**
**6.1. Personal precautions, protective equipment and emergency procedures**

For emergency responders : Equip cleanup crew with proper protection.  
Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

**6.2. Environmental precautions**

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

**6.3. Methods and material for containment and cleaning up**

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### LEISHMAN'S STAIN (FOR MICROSCOPY) (EOSIN METHYLENE BLUE COMPOUND)

#### 6. Accidental release measures (continued)

**Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

##### 7.1. Precautions for safe handling

**Handling** : Wash thoroughly after handling.  
**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

##### 7.2. Conditions for safe storage, including any incompatibilities

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.  
**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

##### 7.3. Specific end use(s)

**Specific end use(s)** : None.

#### 8. Exposure controls/personal protection

##### 8.1. Exposure controls

**Personal protection** : Avoid all unnecessary exposure.  
 • **Respiratory protection** : Wear approved mask.  
 • **Hand protection** : Wear protective gloves.  
 • **Eye protection** : Chemical goggles or safety glasses.  
 • **Others** : When using, do not eat, drink or smoke.

##### 8.2. Control parameters

**Occupational Exposure Limits** : No data available.

#### 9. Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

**MATERIAL SAFETY DATA SHEET (MSDS)**
**LEISHMAN'S STAIN (FOR MICROSCOPY) (EOSIN METHYLENE BLUE COMPOUND)**
**9. Physical and chemical properties (continued)**

Physical state at 20 °C	: Solid.
Colour	: Dark green powder
Odour	: N/A
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: No data available.
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm <sup>3</sup> ]	: N/A
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: N/A
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

**9.2. Other information**

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

**10. Stability and reactivity**
**10.1. Reactivity.**

Reactivity	: Not established.
------------	--------------------

**MATERIAL SAFETY DATA SHEET (MSDS)**
**LEISHMAN'S STAIN (FOR MICROSCOPY) (EOSIN METHYLENE BLUE COMPOUND)**
**10. Stability and reactivity (continued)**
**10.2. Chemical stability**

**Chemical stability** : Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

**Hazardous reactions** : Not established.

**10.4. Conditions to avoid**

**Conditions to avoid** : Direct sunlight. Extremely high or low temperatures.

**10.5. Incompatible materials**

**Materials to avoid** : Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

**Hazardous decomposition products** : Fumes. Carbon monoxide. Carbon dioxide.

**11. Toxicological information**
**11.1. Information on toxicological effects**
**Acute toxicity**

- **Inhalation** : Based on available data, the classification criteria are not met.
- **Dermal** : Based on available data, the classification criteria are not met.
- **Ingestion** : Based on available data, the classification criteria are not met.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Causes serious eye irritation.

**Sensitization** : Based on available data, the classification criteria are not met.

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Based on available data, the classification criteria are not met.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure** : Based on available data, the classification criteria are not met.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

**12. Ecological information**
**12.1. Toxicity**

**MATERIAL SAFETY DATA SHEET (MSDS)**
**LEISHMAN'S STAIN (FOR MICROSCOPY) (EOSIN METHYLENE BLUE COMPOUND)**
**12. Ecological information (continued)**

**Toxicity information** : Not established.

**12.2. Persistence - degradability**

**Persistence - degradability** : Biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** : Not established.

**12.4. Mobility in soil**

**Mobility in soil** : Not established.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**12.6. Other adverse effects**

**Environmental precautions** : Avoid release to the environment.

**13. Disposal considerations**
**13.1. Waste treatment methods**

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

**14. Transport information**
**14.1. Land transport (ADR-RID)**

**General information** : Not regulated.

**14.2. Sea transport (IMDG) [English only]**

**General information** : Not regulated.

**14.3. Air transport (ICAO-IATA) [English only]**

**General information** : Not regulated.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**

**LEISHMAN'S STAIN (FOR MICROSCOPY) (EOSIN METHYLENE BLUE COMPOUND)**

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**