

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE AR

: LITHIUM HYDROXIDE AR		
: L0122500500		
: LITHIUM HYDROXIDE (MONOHYDRATE) AR 99.5% CAS No: 1310-66-3		
1.2. Relevant identified uses of the substance or mixture and uses advised against		
: Industrial. For professional use only.		
1.3. Details of the supplier of the safety data sheet		
SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com		
1.4. Emergency telephone number		
: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]		

2. Hazards identification -DSD

	2.1. Classification of the substance or mixture	
--	---	--

Classification EC 67/548 or EC 1999/45		
Classification	: Xn; R22 C; R35	
Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)		
Health hazards	: Skin corrosion - Category 1A - Danger (CLP : Skin Corr. 1A) H314 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302	
2.2. Label elements		
Labelling EC 67/548 or EC 1999/45		



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE AR

Symbol(s) : F : Highly flammable Symbol(s) R Phrase(s) : R22 : Harmful if swallowed. R35 : Causes severe burns. S Phrase(s) : S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). Labelling Regulation EC 1272/2008 (CLP) Hazard pictograms : Danger Signal words

2. Hazards identification -DSD (continued)

: H314 : Causes severe skin burns and eye damage. **Hazard statements** H302 : Harmful if swallowed. **Precautionary statements** Prevention : P280: Wear protective gloves, protective clothing, eye protection, face protection. P260: Do not breathe dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product. Response : P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse. : P405: Store locked up. Storage : P501: Dispose of this material and its container to hazardous or special waste Disposal considerations collection point, in accordance with local, regional, national and/or international regulation. 2.3. Other hazards Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE AR

3. Composition/information on ingredients		
Substance / Preparation	: LITHIUM HYDROXIDE (MONOHYDRATE) AR 99.5%	
Contains no other components or imput	Substance. rities which will influence the classification of the product.	
4. First aid measures		
4.1. Description of first aid measures		
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.	
Skin contact	: Immediately call a POISON CENTER or doctor. Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing.	
Eye contact	: Immediately call a POISON CENTER or doctor. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.	
Ingestion	: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms relating to use	: Causes severe skin burns and eye damage. Swallowing a small quantity of this material will result in serious health hazard.	
4.3. Indication of any immediate medical attention and special treatment needed		
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
5. Fire-fighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
Surrounding fires	: Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the substance or mixture		
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present. Thermal decomposition generates : Corrosive vapours.	
5.3. Advice for fire-fighters		



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE AR

5. Fire-fighting measures (continued)		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	
6. Accidental release measures		
6.1. Personal precautions, protecti	ive equipment and emergency procedures	
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.	
6.4. Reference to other sections		
See section 8. Exposure controls/per	rsonal protection	

7. Handling and storage

7.1. Precautions for safe handling

Handling	: Do not eat, drink or smoke when using this product. Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Avoid contact during pregnancy or while nursing.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
Storage regulation	: Comply with applicable regulations.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE AR

Specific end use(s)	: None.
Specific end use(s)	. None.
8. Exposure controls/personal pro	otection
8.1. Exposure controls	
Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	: Wear approved mask.
 Hand protection 	: Wear protective gloves.
 Skin protection 	: Wear suitable protective clothing.
 Eye protection 	: Chemical goggles or face shield.
Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White crystalline
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: No data available.
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 100 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE AR

9. Physical and chemical properties (continued)

Density [g/cm3]	: 1,51
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 42 g/l at 20 °C
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 14
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactio	<u>ns</u>	
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.	

Page: 6

AN ISO 9001: 2015 CERTIFIED



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

11. Toxicological information

11.1. Information on toxicological effects

Acute	toxicity
-------	----------

Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
Ingestion	: Harmful if swallowed.
Corrosion	: Causes severe skin burns and eye damage.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
<u>12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE AR

13. Disposal considerations

13.1. Waste treatment methods

General

: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name UN N°	: LITHIUM HYDROXIDE : 2680
H.I. nr	: 80
ADR - Class	: 8
Labelling - Transport	: 8 : Corrosive substance.
	Ŷ
ADR - Classification code	: C6

ADR - Group	
ADR - Packing instructions	
ADR - Limited Quantity	
ADR - Tunnel code	

: II : P002 : 1 KG

: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name	: LITHIUM HYDROXIDE
UN N°	: 2680
IMO-IMDG - Class or division	: 8 : Corrosive substance.
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P002
IMO-IMDG - Limited quantities	: 1 kg
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-A S-B



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE AR

14. Transport information (continued)

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: LITHIUM HYDROXIDE
UN N°	: 2680
IATA - Class or division	: 8 : Corrosive substance.
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 859
- Passenger and Cargo - Maximum Quantity/Packing	: 15 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 863
- Cargo only - Maximum Quantity/ Packing	: 50 kg
IATA - Limited Quantites	: 5 kg
ERG-Nr	: 8L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental Ensure all national/local regulations are observed. regulations/legislation specific for the substance or mixture	
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.

16. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE AR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED