

MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE LR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : LITHIUM HYDROXIDE LR

Product code : L0123505000

Identification of the product : LITHIUM HYDROXIDE (MONOHYDRATE) 99%

CAS No: 1310-66-3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

SUVCHEM

Company identification Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xn; R22

C: R35

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Skin corrosion - Category 1A - Danger (CLP : Skin Corr. 1A) H314

Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE LR

2. Hazards identification -DSD (continued)

Symbol(s)

===

Symbol(s) : C : Corrosive

R Phrase(s) : R22 : Harmful if swallowed.

R35: Causes severe burns.

S Phrase(s) : S26 : In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S45: In case of accident or if you feel unwell, seek medical advice immediately (

show the label when possible).

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms





Signal words : Danger

Hazard statements : H314 : Causes severe skin burns and eye damage.

H302 : Harmful if swallowed.

Precautionary statements

• **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response : P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing.

P303+P361+P353: IF ON SKIN (or hair): Remove immediately all contaminated

clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

• Storage : P405: Store locked up.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.



MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE LR

3. Composition/information on ingredients

Substance / Preparation : LITHIUM HYDROXIDE (MONOHYDRATE) 99%

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor.

Skin contact : Immediately call a POISON CENTER or doctor. Wash with plenty of soap and

water. Remove/Take off immediately all contaminated clothing.

Eye contact: Immediately call a POISON CENTER or doctor. Remove contact lenses, if present

and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.

Ingestion : Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce

vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes severe skin burns and eye damage.

Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

General information: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

Thermal decomposition generates : Corrosive vapours.

5.3. Advice for fire-fighters



MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE LR

5. Fire-fighting measures (continued)

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Do not eat, drink or smoke when using this product. Do not breathe dust, fume,

gas, mist, vapours, spray. Wash thoroughly after handling. Avoid contact during

pregnancy or while nursing.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

closed when not in use.

Storage regulation : Comply with applicable regulations.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)



MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE LR

7. Handling and storage (continued)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

8.2. Control parameters

Personal protection : Avoid all unnecessary exposure.

Respiratory protectionHand protectionWear approved mask.Wear protective gloves.

Skin protection
 Eye protection
 Others
 Wear suitable protective clothing.
 Chemical goggles or face shield.
 When using, do not eat, drink or smoke.

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : White crystalline

Odour : Odorless

Odour threshold : No data available.
pH value : Not applicable.
Melting point [°C] : No data available.

: N/A Decomposition point [°C] : N/A Critical temperature [°C] Auto-ignition temperature [°C] : N/A Flammability (solid, gas) : N/A Flash point [°C] : N/A Boiling point [°C] : 100 °C Initial boiling point [°C] : N/A Final boiling point [°C] : N/A **Evaporation rate** : N/A Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : N/A Vapour density : N/A



MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE LR

9. Physical and chemical properties (continued)

Density [g/cm3] : 1,51
Relative density, gas (air=1) : N/A
Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : 42 g/l at 20 °C

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : 14 Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

Thermal decomposition generates: Corrosive vapours.



MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE LR

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Inhalation
 Based on available data, the classification criteria are not met.
 Dermal
 Based on available data, the classification criteria are not met.

• Ingestion : Harmful if swallowed.

Corrosion : Causes severe skin burns and eye damage.

Irritation : Based on available data, the classification criteria are not met. Sensitization : Based on available data, the classification criteria are not met. Mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. **Toxic for reproduction** : Based on available data, the classification criteria are not met. STOT-single exposure : Based on available data, the classification criteria are not met. STOT-repeated exposure : Based on available data, the classification criteria are not met. **Aspiration hazard**

12. Ecological information

12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.



MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE LR

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : LITHIUM HYDROXIDE

UN N° : 2680 H.I. nr : 80 ADR - Class : 8

Labelling - Transport : 8 : Corrosive substance.



ADR - Classification code : C6
ADR - Group : II
ADR - Packing instructions : P002
ADR - Limited Quantity : 1 KG

ADR - Tunnel code



: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : LITHIUM HYDROXIDE

UN N° : 2680

IMO-IMDG - Class or division : 8 : Corrosive substance.

IMO-IMDG - Packing group : II
IMO- IMDG - Packing instructions : P002
IMO-IMDG - Limited quantities : 1 kg
IMO-IMDG - Marine pollution : No
EMS-Nr : F-A S-B



MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE LR

14. Transport information (continued)

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : LITHIUM HYDROXIDE

UN N° : 2680

IATA - Class or division : 8 : Corrosive substance.

IATA - Packing group

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing

instruction

- Passenger and Cargo - Maximum : 15 kg

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 863 : 50 kg

- Cargo only - Maximum Quantity/

Packing

IATA - Limited Quantites : 5 kg **ERG-Nr** : 8L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental

regulations/legislation specific for the

substance or mixture

: The components of this product are not subject to restrictions. **REACH Restrictions - Annex XVII** : The components of this product are not subject to authorization. **REACH Authorisation - Annex XIV**

15.2. Chemical Safety Assessment

: It has not been carried out. **Chemical Safety Assessment**

16. Other information

: Revision - See : * Revision

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

: Ensure all national/local regulations are observed.

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF Sources of key data used

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006



MATERIAL SAFETY DATA SHEET (MSDS)

LITHIUM HYDROXIDE LR

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document