

MATERIAL SAFETY DATA SHEET (MSDS)

LITMUS GRANULARS (pH INDICATOR) (PH 5.0-8.0 RED TO BLUE)

1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u>		
Trade name	: LITMUS GRANULARS (pH INDICATOR) (PH 5.0-8.0 RED TO BLUE)	
Product code	: L0124200500 CAS No: 1393-92-6	
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against	
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the safety data sheet		
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com	
1.4. Emergency telephone number		
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]	

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Not classified.

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Not classified.

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Not classified.	
Symbol(s)	: None.
R Phrase(s)	: None.
S Phrase(s)	: None.
Contains	: Water - LITMUS INDICATOR EXTRA PURE - Acetic acid



MATERIAL SAFETY DATA SHEET (MSDS)

LITMUS GRANULARS (pH INDICATOR) (PH 5.0-8.0 RED TO BLUE)

: Water - LITMUS INDICATOR EXTRA PURE - Acetic acid

2. Hazards identification -DSD (continued)

Labelling Regulation EC 1272/2008 (CLP)

Not classified.

Contains

2.3. Other hazards

Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/inf	formation	on ingredient	s				
Substance / Prep	aration	: Pre	paration.				
Hazardous comp	onent(s)	: This product is not hazardous but contains hazardous components.			omponents.		
Substance name		Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
LITMUS INDICATOR EXT	RA PURE:	> 5 < 10 %	1393-92-6				Not classified (DSD/DPD)
							Not classified (GHS)
Acetic acid	:	> 0.01 < 1 %	64-19-7	200-580-7	607-002-00-6		R10 C; R35
							Skin Corr. 1A+ H314 Eye Dam 1 _ H318 Flam. Liq. 3 _ H226 Acute Tox. 4 (inhal) _ H332
Water	:	> 75 < 99 %	7732-18-5	231-791-2			Not classified (DSD/DPD)
							Not classified (GHS)

4. First aid measures

4.1. Description of first aid measures	
Inhalation	: Assure fresh air breathing. Allow the victim to rest.
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
Ingestion	: Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms relating to use	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate med	ical attention and special treatment needed
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Page: 2

AN ISO 9001: 2015 CERTIFIED

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LITMUS GRANULARS (pH INDICATOR) (PH 5.0-8.0 RED TO BLUE)

5. Fire-fighting measures

5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.
5.2. Special hazards arising from the	e substance or mixture
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental	release	measures	
---------------	---------	----------	--

6.1. Personal precautions, protective	e equipment and emergency procedures
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
For non-emergency personnel	: Evacuate unnecessary personnel.
6.2. Environmental precautions	
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for contai	nment and cleaning up
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LITMUS GRANULARS (pH INDICATOR) (PH 5.0-8.0 RED TO BLUE)

7. Handling and storage (continued)	
Handling	: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, inclu	uding any incompatibilities
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
<u>7.3. Specific end use(s)</u>	
Specific end use(s)	: None.
. ()	

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.	
 Respiratory protection 	: Wear approved mask.	
 Hand protection 	: Wear protective gloves.	
Eye protection	: Chemical goggles or safety glasses.	
Others	: When using, do not eat, drink or smoke.	
8.2. Control parameters		
Occupational Exposure Limits	: No data available.	

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Colorless
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: No data available.
Decomposition point [°C]	: N/A
Critical temperature [°C]	: No data available.
Auto-ignition temperature [°C]	: No data available.



MATERIAL SAFETY DATA SHEET (MSDS) LITMUS GRANULARS (pH INDICATOR) (PH 5.0-8.0 RED TO BLUE)

9. Physical and chemical properties (continued)

Flammability (solid, gas)	: N/A
Flash point [°C]	: No data available.
Boiling point [°C]	: N/A
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: N/A
Vapour pressure [20°C]	: No data available.
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: N/A
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Soluble in water
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: No data available.
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.

10. Stability and reactivity

Oxidising properties

<u>10.1. Reactivity</u>		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		

: No data available.



MATERIAL SAFETY DATA SHEET (MSDS)

LITMUS GRANULARS (pH INDICATOR) (PH 5.0-8.0 RED TO BLUE)

10. Stability and reactivity (continue	d)	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition prod	ucts	
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.	
11. Toxicological information		
11.1. Information on toxicological effe	<u>ects</u>	
Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.	
Acute toxicity		
• Inhalation	: Based on available data, the classification criteria are not met.	
• Dermal	: Based on available data, the classification criteria are not met.	
 Ingestion 	: Based on available data, the classification criteria are not met.	
Corrosion	: Based on available data, the classification criteria are not met.	
Irritation	: Based on available data, the classification criteria are not met.	
Sensitization	: Based on available data, the classification criteria are not met.	
Mutagenicity	: Based on available data, the classification criteria are not met.	
Carcinogenicity	: Based on available data, the classification criteria are not met.	
Toxic for reproduction	: Based on available data, the classification criteria are not met.	
STOT-single exposure	: Based on available data, the classification criteria are not met.	
STOT-repeated exposure	: Based on available data, the classification criteria are not met.	
Aspiration hazard	: Based on available data, the classification criteria are not met.	
12. Ecological information		
<u>12.1. Toxicity</u>		
Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.	
<u>12.2. Persistence - degradability</u>		
Persistence - degradability	: Biodegradable.	
12.3. Bioaccumulative potential		



MATERIAL SAFETY DATA SHEET (MSDS)

LITMUS GRANULARS (pH INDICATOR) (PH 5.0-8.0 RED TO BLUE)

12. Ecological information (continued)		
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.		
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	
13. Disposal considerations		
13.1. Waste treatment methods		
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.	
14. Transport information		
14.1. Land transport (ADR-RID)		
General information	: Not regulated.	
14.2. Sea transport (IMDG) [English only]		
General information	: Not regulated.	
14.3. Air transport (ICAO-IATA) [English only]		
General information	: Not regulated.	
15. Regulatory information		

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed. regulations/legislation specific for the substance or mixture



MATERIAL SAFETY DATA SHEET (MSDS)

LITMUS GRANULARS (pH INDICATOR) (PH 5.0-8.0 RED TO BLUE)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document