

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MAGNESON II AR (REAGENT FOR MAGNESIUM)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : MAGNESON II AR (REAGENT FOR MAGNESIUM)

Product code : M0128000025

Identification of the product : MAGNESON II AR
 CAS No: 5290-62-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xi; R36/37/38

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -
 Category 3 - Warning (CLP : STOT SE 3) H335
 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315
 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

MATERIAL SAFETY DATA SHEET (MSDS)

MAGNESON II AR (REAGENT FOR MAGNESIUM)

2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s)

: Xi : Irritant

R Phrase(s)

: R36/37/38 : Irritating to eyes, respiratory system and skin.

S Phrase(s)

: S22 : Do not breathe dust.

S24/25 : Avoid contact with skin and eyes.

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36 : Wear suitable protective clothing.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Warning

Hazard statements

: H319 : Causes serious eye irritation.

H315 : Causes skin irritation.

H335 : May cause respiratory irritation.

Precautionary statements

• **Prevention**

: P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

• **Response**

: P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P332+P313: If skin irritation occurs : Get medical advice.

P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

P363: Wash contaminated clothing before reuse.

• **Storage**

: P403+P233: Store in well-ventilated place. Keep container tightly closed.

P405: Store locked up.

• **Disposal considerations**

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MAGNESON II AR (REAGENT FOR MAGNESIUM)

3. Composition/information on ingredients

Substance / Preparation : MAGNESON II AR

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.

Skin contact : Wash with plenty of soap and water. If skin irritation occurs : Specific treatment (see on this label). Get medical advice. Wash contaminated clothing before reuse.

Eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.

Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes serious eye irritation.
 Causes skin irritation. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.

MATERIAL SAFETY DATA SHEET (MSDS)

MAGNESON II AR (REAGENT FOR MAGNESIUM)

5. Fire-fighting measures (continued)

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.
Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.
Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Wash thoroughly after handling.
Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

MATERIAL SAFETY DATA SHEET (MSDS)

MAGNESON II AR (REAGENT FOR MAGNESIUM)

8. Exposure controls/personal protection

8.1. Exposure controls

| | |
|--------------------------|-------------------------------------------|
| Personal protection | : Avoid all unnecessary exposure. |
| • Respiratory protection | : Wear approved mask. |
| • Hand protection | : Wear protective gloves. |
| • Skin protection | : Wear suitable protective clothing. |
| • Eye protection | : Chemical goggles or safety glasses. |
| • Others | : When using, do not eat, drink or smoke. |

8.2. Control parameters

| | |
|------------------------------|----------------------|
| Occupational Exposure Limits | : No data available. |
|------------------------------|----------------------|

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|------------------------------------|----------------------|
| Physical state at 20 °C | : Solid. |
| Colour | : Red powder |
| Odour | : Odorless |
| Odour threshold | : No data available. |
| pH value | : Not applicable. |
| Melting point [°C] | : 270 °C |
| Decomposition point [°C] | : N/A |
| Critical temperature [°C] | : N/A |
| Auto-ignition temperature [°C] | : N/A |
| Flammability (solid, gas) | : N/A |
| Flash point [°C] | : N/A |
| Boiling point [°C] | : N/A |
| Initial boiling point [°C] | : N/A |
| Final boiling point [°C] | : N/A |
| Evaporation rate | : N/A |
| Vapour pressure [20°C] | : N/A |
| Vapour pressure mm/Hg | : N/A |
| Vapour density | : N/A |
| Density [g/cm ³] | : N/A |
| Relative density, gas (air=1) | : N/A |
| Relative density, liquid (water=1) | : N/A |
| Solubility in water [% weight] | : Insoluble in water |

MATERIAL SAFETY DATA SHEET (MSDS)

MAGNESON II AR (REAGENT FOR MAGNESIUM)

9. Physical and chemical properties (continued)

| | |
|----------------------------------------|----------------------|
| Solubility in water | : N/A |
| Log Pow octanol / water at 20°C | : No data available. |
| Solubility | : N/A |
| Viscosity at 40°C [mm ² /s] | : N/A |

9.2. Other information

| | |
|------------------------------|----------------------|
| Explosive properties | : N/A |
| Explosion limits - upper [%] | : N/A |
| Explosion limits - lower [%] | : N/A |
| Oxidising properties | : No data available. |

10. Stability and reactivity

10.1. Reactivity

| | |
|------------|--------------------|
| Reactivity | : Not established. |
|------------|--------------------|

10.2. Chemical stability

| | |
|--------------------|------------------------------------------------|
| Chemical stability | : Stable under recommended storage conditions. |
|--------------------|------------------------------------------------|

10.3. Possibility of hazardous reactions

| | |
|---------------------|--------------------|
| Hazardous reactions | : Not established. |
|---------------------|--------------------|

10.4. Conditions to avoid

| | |
|---------------------|--------------------------------------------------------|
| Conditions to avoid | : Direct sunlight. Extremely high or low temperatures. |
|---------------------|--------------------------------------------------------|

10.5. Incompatible materials

| | |
|--------------------|-------------------------------|
| Materials to avoid | : Strong acids. Strong bases. |
|--------------------|-------------------------------|

10.6. Hazardous decomposition products

| | |
|----------------------------------|-------------------------------------------|
| Hazardous decomposition products | : Fumes. Carbon monoxide. Carbon dioxide. |
|----------------------------------|-------------------------------------------|

11. Toxicological information

11.1. Information on toxicological effects

| | |
|----------------|--|
| Acute toxicity | |
|----------------|--|

MATERIAL SAFETY DATA SHEET (MSDS)

MAGNESON II AR (REAGENT FOR MAGNESIUM)

11. Toxicological information (continued)

| | |
|------------------------|--------------------------------------------------------------------------------------------------|
| • Inhalation | : Based on available data, the classification criteria are not met. |
| • Dermal | : Based on available data, the classification criteria are not met. |
| • Ingestion | : Based on available data, the classification criteria are not met. |
| Corrosion | : Based on available data, the classification criteria are not met. |
| Irritation | : Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation. |
| Sensitization | : Based on available data, the classification criteria are not met. |
| Mutagenicity | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | : Based on available data, the classification criteria are not met. |
| Toxic for reproduction | : Based on available data, the classification criteria are not met. |
| STOT-single exposure | : Based on available data, the classification criteria are not met. |
| STOT-repeated exposure | : Based on available data, the classification criteria are not met. |
| Aspiration hazard | : Based on available data, the classification criteria are not met. |

12. Ecological information

12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

MATERIAL SAFETY DATA SHEET (MSDS)

MAGNESON II AR (REAGENT FOR MAGNESIUM)

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

14. Transport information

14.1. Land transport (ADR-RID)

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture : Ensure all national/local regulations are observed.

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision : Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.
vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

MATERIAL SAFETY DATA SHEET (MSDS)
MAGNESON II AR (REAGENT FOR MAGNESIUM)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document