

### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

## **MALEIC ACID (FOR SYNTHESIS)**

### 1. Identification of the substance/mixture and of the company/undertaking

Frade name	: MALEIC ACID (FOR SYNTHESIS)
Product code	: M0128405000
Identification of the product	: maleic acid
	CAS No: 110-16-7 FC No :203-742-5
	Annex No :607-095-00-3
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
Use	: Industrial. For professional use only.
1.3. Details of the supplier of the s	safety data sheet
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road,
	Goregaon (West), Mumbai - 400062,
	Maharashtra, India. Contact: +91 22 28725393 / 94 / 95
	Email ID: info@suvchem.com/care@suvchem.com
1.4. Emergency telephone numbe	
Phone no.	:+ 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]
Hazards identification -DSD	

## 2.1. Classification of the substance or mixture

### Classification EC 67/548 or EC 1999/45

Classification	: Xn; R22
	Xi; R36/37/38

### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -<br/>Category 3 - Warning (CLP : STOT SE 3) H335<br/>Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315<br/>Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302<br/>Skin sensitisation - Category 1 - Warning (CLP : Skin Sens. 1) H317<br/>Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

2.2. Label elements

#### Labelling EC 67/548 or EC 1999/45



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS) MALEIC ACID (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)

### Symbol(s) Symbol(s) : Xn : Harmful R Phrase(s) : R22 : Harmful if swallowed. R36/37/38 : Irritating to eyes, respiratory system and skin. S Phrase(s) : S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 : After contact with skin, wash immediately with S37 : Wear suitable gloves. : maleic acid Contains Labelling Regulation EC 1272/2008 (CLP) Hazard pictograms Signal words : Warning Hazard statements : H302 : Harmful if swallowed. H319 : Causes serious eve irritation. H315 : Causes skin irritation. H317 : May cause an allergic skin reaction. H335 : May cause respiratory irritation. **Precautionary statements** : P102: Keep out of reach of children. General P103: Read label before use. P101: If medical advice is needed, have product container or label at hand. Prevention : P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P272: Contaminated work clothing should not be allowed out of the workplace. : P302+P352: IF ON SKIN : Wash with plenty of soap and water. Response P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P333+P313: If skin irritation or rash occurs : Get medical advice. P363: Wash contaminated clothing before reuse. : P403+P233: Store in well-ventilated place. Keep container tightly closed. Storage P405: Store locked up. Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international



# MATERIAL SAFETY DATA SHEET (MSDS) MALEIC ACID (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)		
Contains	regulation. : maleic acid	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
3. Composition/information	i on ingredients	

Substance / Preparation	: maleic acid					
	An	No :203-742 nex No :607-0 bstance.	-			
Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
maleic acid	> 99 %	110-16-7	203-742-5	607-095-00-3		Xn; R22 Xi; R36/37/38

Contains no other components or impurities which will influence the classification of the product.

4.1. Description of first aid mean	50165
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Call POISON CENTER or doctor if you feel unwell.
Skin contact	: If skin irritation or rash occurs : Wash contaminated clothing before reuse. Wash with plenty of soap and water. Specific treatment (see on this label). Get medica advice.
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting. Ca POISON CENTER or doctor if you feel unwell.
4.2. Most important symptoms a	and effects, both acute and delayed
Symptoms relating to use	: Swallowing a small quantity of this material will result in serious health hazard. Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation.
4.3. Indication of any immediate	e medical attention and special treatment needed
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seel



## MATERIAL SAFETY DATA SHEET (MSDS) MALEIC ACID (FOR SYNTHESIS)

### 5. Fire-fighting measures

<u>5.1. Extinguishing media</u>			
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.		
5.2. Special hazards arising from the substance or mixture			
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.		
5.3. Advice for fire-fighters			
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.		
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.		

6. Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
For emergency responders	For emergency responders : Equip cleanup crew with proper protection. Ventilate area.		
For non-emergency personnel	: Evacuate unnecessary personnel.		
6.2. Environmental precautions			
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.		
6.3. Methods and material for containment and cleaning up			
Clean up methods: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.			
6.4. Reference to other sections			
See section 8. Exposure controls/personal protection			
7. Handling and storage			
7.1. Precautions for safe handling			

Handling

: Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wash contaminated clothing before reuse. Avoid breathing dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area. Wash thoroughly after



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) MALEIC ACID (FOR SYNTHESIS)

7. Handling and storage (continued)			
Technical protective measures Special precautions	handling. Wash thoroughly after handling. : Provide good ventilation in process area to prevent formation of vapour. : Avoid breathing dust, fume, gas, mist, vapours, spray.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.		
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.		
7.3. Specific end use(s)			
Specific end use(s)	: None.		
8. Exposure controls/personal protection			

### 8.1. Exposure controls

Personal protection • Respiratory protection • Hand protection • Skin protection • Eye protection • Others	<ul> <li>Avoid all unnecessary exposure.</li> <li>Wear approved mask.</li> <li>Wear protective gloves.</li> <li>Wear suitable protective clothing.</li> <li>Chemical goggles or safety glasses.</li> <li>When using do not out drink or smoke</li> </ul>
Others <u>8.2. Control parameters</u> Occupational Exposure Limits	: When using, do not eat, drink or smoke. : No data available.

### 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White crystalline
Odour	: Faint, acidulous odor
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 137 - 140 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A



# MATERIAL SAFETY DATA SHEET (MSDS) MALEIC ACID (FOR SYNTHESIS)

## 9. Physical and chemical properties (continued)

Flammability (solid, gas)	: N/A
Flash point [°C]	: 127 °C
Boiling point [°C]	: 160 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 1,58
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 788 g/l at 20 °C
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: <7
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: 2,70%
Oxidising properties	: No data available.

## 10. Stability and reactivity

10.1. Reactivity			
Reactivity	: Not established.		
10.2. Chemical stability			
Chemical stability	: Stable under recommended storage conditions.		
10.3. Possibility of hazardous reactions			
Hazardous reactions	: Not established.		
10.4. Conditions to avoid			
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.		
10.5. Incompatible materials			



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS) MALEIC ACID (FOR SYNTHESIS)

### 10. Stability and reactivity (continued)

Materials to avoid

: Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

### 11. Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	
<ul> <li>Inhalation</li> </ul>	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
<ul> <li>Ingestion</li> </ul>	: Harmful if swallowed.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	<ul> <li>Causes serious eye irritation.</li> <li>Causes skin irritation.</li> <li>May cause respiratory irritation.</li> </ul>
Sensitization	: May cause an allergic skin reaction.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

### 12. Ecological information

<u>12.1. Toxicity</u>		
Toxicity information	: Not established.	
<u>12.2. Persistence - degradability</u>		
Persistence - degradability	: Biodegradable.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) **MALEIC ACID (FOR SYNTHESIS)**

### 12. Ecological information (continued)

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

### 13. Disposal considerations

### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 14. Transport information

## 14.1. Land transport (ADR-RID)

Proper shipping name	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
UN N°	: 3261
H.I. nr	: 80
ADR - Class	: 8
Labelling - Transport	: 8 : Corrosive substance.

ADR - Classification code	: C4 C4
ADR - Group	: 111
ADR - Packing instructions	: P002 R001 LP002
ADR - Limited Quantity	: 5 KG
ADR - Tunnel code	: E : Passage forbidden through tunnels of category E.

#### 14.2. Sea transport (IMDG) [English only]



# MATERIAL SAFETY DATA SHEET (MSDS) MALEIC ACID (FOR SYNTHESIS)

## 14. Transport information (continued)

Proper shipping name	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
UN N°	: 3261
IMO-IMDG - Class or division	: 8 : Corrosive substance.
IMO-IMDG - Packing group	: III
IMO- IMDG - Packing instructions	: P002 LP02
IMO-IMDG - Limited quantities	: 5 kg
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-A S-B

### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
UN N°	: 3261
IATA - Class or division	: 8 : Corrosive substance.
IATA - Packing group	: 111
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 860
- Passenger and Cargo - Maximum	: 25 kg
Quantity/Packing	
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 864
- Cargo only - Maximum Quantity/	: 100 kg
Packing	
IATA - Limited Quantites	: 5 kg
ERG-Nr	: 8L

### 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. In the second
<b>REACH Restrictions - Annex XVII</b>	: The components of this product are not subject to restrictions.
<b>REACH</b> Authorisation - Annex XIV	: The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	

Chemical Safety Assessment : It has not been carried out.



## MATERIAL SAFETY DATA SHEET (MSDS)

## **MALEIC ACID (FOR SYNTHESIS)**

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

## DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED