

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL LR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier					
Trade name	: MERCURY METAL LR				
Product code	: M0132900500				
Identification of the product	: mercury				
	CAS No: 7439-97-6 EC No :231-106-7				
	Annex No :080-001-00-0				
Chemical formula	: Hg				
1.2 Relevant identified uses of the s	1.2. Relevant identified uses of the substance or mixture and uses advised against				
1.2. Relevant lacitatica ases of the s	abstance of mixture and ases davised against				
Use	: Industrial. For professional use only.				
1.3. Details of the supplier of the safety data sheet					
	SUVCHEM				
Company identification	Chaitanya Tower, 2nd Floor, Office # 206,				
	Siddharth Nagar, S.V. Road,				
	Goregaon (West), Mumbai - 400062,				
	Maharashtra, India.				
	Contact: +91 22 28725393 / 94 / 95				
	Email ID: info@suvchem.com/care@suvchem.com				
<u>1.4. Emergency telephone number</u>					
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]				
	· · · · · · · · · · · · · · · · · · ·				

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Repr. Cat. 2; R61 T+; R26 T; R48/23 N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards

: Reproductive toxicity - Unborn Child - Category 1B - Danger (CLP : Repr. 1B) H360 Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP : STOT RE 1) H372 Acute toxicity, Inhalation - Category 2 - Danger (CLP : Acute Tox. 2) H330



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL LR

2. Hazards identification -DSD (co	2. Hazards identification -DSD (continued)			
Environmental hazards	: Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP : Aquatic Chronic 1) H410			
2.2. Label elements				
Labelling EC 67/548 or EC 1999/45				
Symbol(s)				
Symbol(s)	: T+ : Very toxic N : Dangerous for the environment			
R Phrase(s)	 R61 : May cause harm to the unborn child. R26 : Very toxic by inhalation. R48/23 : Toxic : danger of serious damage to health by prolonged exposure through inhalation. R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. 			
S Phrase(s)	 S53 : Avoid exposure - obtain special instructions before use. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). S60 : This material and its container must be disposed of as hazardous waste. S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets. 			
Contains	: mercury			
Labelling Regulation EC 1272/2008	<u>3 (CLP)</u>			
Hazard pictograms				
Signal words	: Danger			
Hazard statements	 H360D: May damage the unborn child. H330 : Fatal if inhaled. H372 : Causes damage to organs through prolonged or repeated exposure. H410 : Very toxic to aquatic life with long lasting effects. 			
Precautionary statements				
• General	: P201: Obtain special instructions before use.			
Prevention	: P284: Wear respiratory protection. P271: Use only outdoors or in a well-ventilated area. P260: Do not breathe dust, fume, gas, mist, vapours, spray. P273: Avoid release to the environment.			



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL LR

2. Hazards identification -DSD (continued)			
	P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.		
• Response	 P308+P313: If exposed or concerned : get medical advice. P391: Collect spillage. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P314: Get medical advice if you feel unwell. 		
Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.		
 Disposal considerations 	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.		
Special labelling	: Restricted to professional users. (Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008)		
Contains	: mercury		
2.3. Other hazards			
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.		

3. Composition/information on ingredients							
Substance / Prepara	ation	: mercury					
		An	No :231-106 nex No :080-0 bstance.	-			
Substance name		Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
mercury	:	100 %	7439-97-6	231-106-7	080-001-00-0		Repr. Cat. 2; R61 T+; R26 T; R48/23 N; R50-53
							Acute Tox. 2 (inhal) _ H360D Acute Tox. 2 (inhal) _ H330 STOT RE 1 _ H372 Aquatic Acute 1 _ H400 Aquatic Chronic T _ H410

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation

: Assure fresh air breathing. Allow the victim to rest. Specific treatment is urgent (see on this label). Immediately call a POISON CENTER or doctor. Remove to fresh air and keep at rest in a position comfortable for breathing.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL LR

4. First aid measures (continued)				
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.			
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.			
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.			
4.2. Most important symptoms and e	ffects, both acute and delayed			
Symptoms relating to use	: May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Fatal if inhaled.			
4.3. Indication of any immediate medical attention and special treatment needed				
General information	: Never give anything by mouth to an unconscious person. If exposed or concerned : get medical advice.			
E. Eine California and an and a				
5. Fire-fighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.			
Unsuitable extinguishing media	: Do not use a heavy water stream.			
Surrounding fires	: Use water spray or fog for cooling exposed containers.			
5.2. Special hazards arising from the substance or mixture				
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.			
5.3. Advice for fire-fighters				
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.			
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.			

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
For non-emergency personnel	: Evacuate unnecessary personnel.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL LR

6. Accidental release measures (continued)

6.2. Environmental precautions

Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters
	sewers or public waters.
	Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling	: Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not breathe dust, fume, gas, mist, vapours, spray.		
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.		
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.		
7.3. Specific end use(s)			
Specific end use(s)	: None.		

8. Exposure controls/personal protection

8.1. Exposure controls	
Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	: Wear respiratory protection.
 Hand protection 	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL LR

8. Exposure controls/personal protection (continued)

Others

: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: Silvery white
Odour	: Odorless
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: `-38.87 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 356.6 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: 4
Vapour pressure [20°C]	: < 0.01 hPa at 20 °C
Vapour pressure mm/Hg	: N/A
Vapour density	: 6,93
Density [g/cm3]	: 13,55
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
0.0. Other information	
9.2. Other information	
Explosive properties	: N/A



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL LR

9. Physical and chemical properties	(continued)		
Explosion limits - upper [%] Explosion limits - lower [%] Oxidising properties	: N/A : N/A : No data available.		
10. Stability and reactivity			
<u>10.1. Reactivity</u>			
Reactivity	: Not established.		
10.2. Chemical stability			
Chemical stability	: Stable under recommended storage conditions.		
10.3. Possibility of hazardous reactions			
Hazardous reactions	: Not established.		
10.4. Conditions to avoid			
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.		
10.5. Incompatible materials			
Materials to avoid	: Strong acids. Strong bases.		
10.6. Hazardous decomposition products			
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.		
11. Toxicological information			
11.1. Information on toxicological effects			

Acute toxicity	
Inhalation	: Fatal if inhaled.
• Dermal	: Based on available data, the classification criteria are not met.
Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL LR

11. Toxicological information (continued)		
Carcinogenicity Toxic for reproduction STOT-single exposure STOT-repeated exposure Aspiration hazard	 Based on available data, the classification criteria are not met. May damage the unborn child. Based on available data, the classification criteria are not met. Causes damage to organs through prolonged or repeated exposure. Based on available data, the classification criteria are not met. 	
12. Ecological information		
<u>12.1. Toxicity</u>		
Toxicity information	: Very toxic to aquatic life with long lasting effects.	
<u> 12.2. Persistence - degradability</u>		
Persistence - degradability	: May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessme	ent : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	
13. Disposal considerations		
13.1. Waste treatment methods		
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
Special precautions	: Hazardous waste due to toxicity.	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL LR

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name
UN N°
H.I. nr
ADR - Class
Labelling - Transport

- : MERCURY : 2809 : 80 : 8 : 8 : Corrosive substance.
- ADR Classification code ADR - Group ADR - Packing instructions ADR - Limited Quantity ADR - Tunnel code
- : C9
- : III : P800
- . Po
 - : 5 KG
 - : E : Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG) [English only]

Proper shipping name	: MERCURY
UN N°	: 2809
IMO-IMDG - Class or division	: 8 : Corrosive substance.
IMO-IMDG - Packing group	: 111
IMO-IMDG - Marine pollution	: Yes

14.3. Air transport (ICAO-IATA) [English only]

UN N° : 2809 IATA - Class or division : 8 : Corrosive substance.
LATA Class or division : 8 : Corrosive substance
IATA - Class or division : 8 : Corrosive substance.
IATA - Packing group
IATA - Passenger and Cargo Aircraft :ALLOWED
- Passenger and Cargo - Packing ¹⁸⁶⁸
- Passenger and Cargo - Maximum 1 35 kg Quantity/Packing



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL LR

14. Transport information (continued)	
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 868
- Cargo only - Maximum Quantity/ Packing	: 35 kg
ERG-Nr	: 8L
5. Regulatory information	
15.1 Safety health and environment	al regulations/legislation specific for the substance or mixture
15.1. Salety, fleath and environment	a regulations/regislation specific for the substance of mixture
Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. he
REACH Restrictions - Annex XVII	: Annex XVII With the exception of those listed below: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.
16. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic.
	vPvB: very persistent and very bioaccumulative

Abbreviations and deronyms	vPvB: very persistent and very bioaccumulative
Sources of key data used	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading 3)	 R26 : Very toxic by inhalation. R48/23 : Toxic : danger of serious damage to health by prolonged exposure through inhalation. R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R61 : May cause harm to the unborn child.
List of full text of H-statements in section 3	 H330 : Fatal if inhaled. H360U : May damage the unborn child. H372 : Causes damage to organs through prolonged or repeated exposure. H400 : Very toxic to aquatic life. H410 : Very toxic to aquatic life with long lasting effects.
Further information	: None.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document