

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL AR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : MERCURY METAL AR

Product code : M0133000500

Identification of the product : mercury
 CAS No: 7439-97-6
 EC No :231-106-7
 Annex No :080-001-00-0

Chemical formula : Hg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Repr. Cat. 2; R61
 T+; R26
 T; R48/23
 N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Reproductive toxicity - Unborn Child - Category 1B - Danger (CLP : Repr. 1B) H360
 Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP : STOT RE 1) H372
 Acute toxicity, Inhalation - Category 2 - Danger (CLP : Acute Tox. 2) H330

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURY METAL AR
2. Hazards identification -DSD (continued)

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400
 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP : Aquatic Chronic 1) H410

2.2. Label elements
Labelling EC 67/548 or EC 1999/45
Symbol(s)

Symbol(s)

T+ : Very toxic
 N : Dangerous for the environment

R Phrase(s)

R61 : May cause harm to the unborn child.
 R26 : Very toxic by inhalation.
 R48/23 : Toxic : danger of serious damage to health by prolonged exposure through inhalation.
 R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S Phrase(s)

S53 : Avoid exposure - obtain special instructions before use.
 S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
 S60 : This material and its container must be disposed of as hazardous waste.
 S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Contains

: mercury

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Danger

Hazard statements

H360D: May damage the unborn child.
 H330 : Fatal if inhaled.
 H372 : Causes damage to organs through prolonged or repeated exposure.
 H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements
• General

: P201: Obtain special instructions before use.

• Prevention

: P284: Wear respiratory protection.
 P271: Use only outdoors or in a well-ventilated area.
 P260: Do not breathe dust, fume, gas, mist, vapours, spray.
 P273: Avoid release to the environment.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL AR

2. Hazards identification -DSD (continued)

- Response** : P264: Wash thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 : P308+P313: If exposed or concerned : get medical advice.
 P391: Collect spillage.
 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
 P314: Get medical advice if you feel unwell.
- Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.
 P405: Store locked up.
- Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Special labelling** : Restricted to professional users. (Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008)
- Contains** : mercury

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : mercury

EC No :231-106-7
 Annex No :080-001-00-0
 Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
mercury	100 %	7439-97-6	231-106-7	080-001-00-0	----	Repr. Cat. 2; R61 T+; R26 T; R48/23 N; R50-53 ----- Repr. 1B _ H360D Acute Tox. 2 (inhal) _ H330 STOT RE 1 _ H372 Aquatic Acute 1 _ H400 Aquatic Chronic 1 _ H410

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Assure fresh air breathing. Allow the victim to rest. Specific treatment is urgent (see on this label). Immediately call a POISON CENTER or doctor. Remove to fresh air and keep at rest in a position comfortable for breathing.

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURY METAL AR
4. First aid measures (continued)

Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use	: May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Fatal if inhaled.
---------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

General information	: Never give anything by mouth to an unconscious person. If exposed or concerned : get medical advice.
----------------------------	--

5. Fire-fighting measures
5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
--------------------------------------	---

5.3. Advice for fire-fighters

Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
For non-emergency personnel	: Evacuate unnecessary personnel.

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURY METAL AR
6. Accidental release measures (continued)
6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

Handling : Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not breathe dust, fume, gas, mist, vapours, spray.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection
8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

- **Respiratory protection** : Wear respiratory protection.
- **Hand protection** : Wear protective gloves.
- **Eye protection** : Chemical goggles or safety glasses.

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURY METAL AR
8. Exposure controls/personal protection (continued)

• Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: Silvery white
Odour	: Odorless
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: -38.87 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 356.6 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: 4
Vapour pressure [20°C]	: < 0.01 hPa at 20 °C
Vapour pressure mm/Hg	: N/A
Vapour density	: 6,93
Density [g/cm3]	: 13,55
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A

9.2. Other information

Explosive properties : N/A

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURY METAL AR
9. Physical and chemical properties (continued)

Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity
10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

10.4. Conditions to avoid

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

10.5. Incompatible materials

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.
----------------------------------	---

11. Toxicological information
11.1. Information on toxicological effects
Acute toxicity

• Inhalation	: Fatal if inhaled.
• Dermal	: Based on available data, the classification criteria are not met.
• Ingestion	: Based on available data, the classification criteria are not met.

Corrosion

: Based on available data, the classification criteria are not met.

Irritation

: Based on available data, the classification criteria are not met.

Sensitization

: Based on available data, the classification criteria are not met.

Mutagenicity

: Based on available data, the classification criteria are not met.

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURY METAL AR
11. Toxicological information (continued)

Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: May damage the unborn child.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information	: Very toxic to aquatic life with long lasting effects.
-----------------------------	---

12.2. Persistence - degradability

Persistence - degradability	: May cause long-term adverse effects in the environment.
------------------------------------	---

12.3. Bioaccumulative potential

Bioaccumulative potential	: Not established.
----------------------------------	--------------------

12.4. Mobility in soil

Mobility in soil	: Not established.
-------------------------	--------------------

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
---	---

12.6. Other adverse effects

Environmental precautions	: Avoid release to the environment.
----------------------------------	-------------------------------------

13. Disposal considerations
13.1. Waste treatment methods

General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Special precautions	: Hazardous waste due to toxicity.

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURY METAL AR
14. Transport information
14.1. Land transport (ADR-RID)

Proper shipping name : MERCURY
 UN N° : 2809
 H.I. nr : 80
 ADR - Class : 8
 Labelling - Transport : 8 : Corrosive substance.



ADR - Classification code : C9
 ADR - Group : III
 ADR - Packing instructions : P800
 ADR - Limited Quantity : 5 KG
 ADR - Tunnel code : E : Passage forbidden through tunnels of category E.


14.2. Sea transport (IMDG) [English only]

Proper shipping name : MERCURY
 UN N° : 2809
 IMO-IMDG - Class or division : 8 : Corrosive substance.
 IMO-IMDG - Packing group : III
 IMO-IMDG - Marine pollution : Yes

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : MERCURY
 UN N° : 2809
 IATA - Class or division : 8 : Corrosive substance.
 IATA - Packing group : III
 IATA - Passenger and Cargo Aircraft : ALLOWED
 - Passenger and Cargo - Packing instruction : 868
 - Passenger and Cargo - Maximum Quantity/Packing : 35 kg

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURY METAL AR
14. Transport information (continued)

IATA - Cargo only : ALLOWED
 - Cargo only - Packing instruction : 868
 - Cargo only - Maximum Quantity/ : 35 kg
 Packing
 ERG-Nr : 8L

15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed.
 regulations/legislation specific for the substance or mixture
 REACH Restrictions - Annex XVII : Annex XVII
 With the exception of those listed below:
 The components of this product are not subject to restrictions.
 REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision : Revision - See : *
 Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.
 vPvB: very persistent and very bioaccumulative
 Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
 List of relevant R phrases (heading 3) : R26 : Very toxic by inhalation.
 R48/23 : Toxic : danger of serious damage to health by prolonged exposure through inhalation.
 R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 R61 : May cause harm to the unborn child.
 List of full text of H-statements in section 3 : H330 : Fatal if inhaled.
 H360U : May damage the unborn child.
 H372 : Causes damage to organs through prolonged or repeated exposure.
 H400 : Very toxic to aquatic life.
 H410 : Very toxic to aquatic life with long lasting effects.
 Further information : None.

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURY METAL AR

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document