

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURIC AMMONIUM CHLORIDE LR (AMMONIATED MERCURY)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : MERCURIC AMMONIUM CHLORIDE LR (AMMONIATED MERCURY)
 Product code : M0133200500
 Identification of the product : MERCURY AMMONIATED
 CAS No: 10124-48-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T+; R26/27/28
 R33
 N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, dermal - Category 1 - Danger (CLP : Acute Tox. 1) H310
 Acute toxicity, Oral - Category 1 - Danger (CLP : Acute Tox. 1) H300
 Acute toxicity, Inhalation - Category 2 - Danger (CLP : Acute Tox. 2) H330
 Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400
 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (CLP : Aquatic Chronic 1) H410

2.2. Label elements

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURIC AMMONIUM CHLORIDE LR (AMMONIATED MERCURY)
2. Hazards identification -DSD (continued)
Labelling EC 67/548 or EC 1999/45
Symbol(s)

Symbol(s)

: T+ : Very toxic
 N : Dangerous for the environment

R Phrase(s)

: R26/27/28 : Very toxic by inhalation, in contact with skin and if swallowed.
 R33 : Danger of cumulative effects.
 R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S Phrase(s)

: S13 : Keep away from food, drink and animal feedingstuffs.
 S28 : After contact with skin, wash immediately with
 S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
 S60 : This material and its container must be disposed of as hazardous waste.
 S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Danger

Hazard statements

: H300 : Fatal if swallowed.
 H310 : Fatal in contact with skin.
 H330 : Fatal if inhaled.
 H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements
• Prevention

: P284: Wear respiratory protection.
 P280: Wear protective gloves, protective clothing, eye protection, face protection.
 P271: Use only outdoors or in a well-ventilated area.
 P260: Do not breathe dust, fume, gas, mist, vapours, spray.
 P273: Avoid release to the environment.
 P264: Wash thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.

• Response

: P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.
 P391: Collect spillage.
 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
 P302+P350: IF ON SKIN : Gently wash with plenty of soap and water.
 P363: Wash contaminated clothing before reuse.
 P361: Remove immediately all contaminated clothing.

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURIC AMMONIUM CHLORIDE LR (AMMONIATED MERCURY)
2. Hazards identification -DSD (continued)

- **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.
P405: Store locked up.
- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : MERCURY AMMONIATED

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures
4.1. Description of first aid measures

- Inhalation** : Assure fresh air breathing. Allow the victim to rest. Specific treatment is urgent (see on this label). Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.
- Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.
- Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- Ingestion** : Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor. Specific treatment (see on this label).

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Fatal if swallowed.
Fatal in contact with skin.
Fatal if inhaled.

4.3. Indication of any immediate medical attention and special treatment needed

- General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURIC AMMONIUM CHLORIDE LR (AMMONIATED MERCURY)
5. Fire-fighting measures
5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
-------------------------------	---

5.3. Advice for fire-fighters

Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
For non-emergency personnel	: Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.
---------------------------	---

6.3. Methods and material for containment and cleaning up

Clean up methods	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.
------------------	---

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURIC AMMONIUM CHLORIDE LR (AMMONIATED MERCURY)
7. Handling and storage (continued)

- Handling** : Do not breathe dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
- Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

- Storage** : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.
- Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

- Specific end use(s)** : None.

8. Exposure controls/personal protection
8.1. Exposure controls

- Personal protection** : Avoid all unnecessary exposure.
- **Respiratory protection** : Wear respiratory protection.
 - **Hand protection** : Wear protective gloves.
 - **Eye protection** : Chemical goggles or safety glasses.
 - **Others** : When using, do not eat, drink or smoke.

8.2. Control parameters

- Occupational Exposure Limits** : No data available.

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

- Physical state at 20 °C** : Solid.
- Colour** : White powder
- Odour** : Odorless
- Odour threshold** : No data available.
- pH value** : Not applicable.
- Melting point [°C]** : No data available.
- Decomposition point [°C]** : N/A
- Critical temperature [°C]** : N/A

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURIC AMMONIUM CHLORIDE LR (AMMONIATED MERCURY)
9. Physical and chemical properties (continued)

Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: 5,4
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity
10.1. Reactivity.

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

10.4. Conditions to avoid

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURIC AMMONIUM CHLORIDE LR (AMMONIATED MERCURY)
10. Stability and reactivity (continued)

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information
11.1. Information on toxicological effects
Acute toxicity

- Inhalation : Fatal if inhaled.
- Dermal : Fatal in contact with skin.
- Ingestion : Fatal if swallowed.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information : Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURIC AMMONIUM CHLORIDE LR (AMMONIATED MERCURY)
12. Ecological information (continued)
12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations
13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Hazardous waste due to toxicity.

14. Transport information
14.1. Land transport (ADR-RID)

Proper shipping name : MERCURY AMMONIUM CHLORIDE
 UN N° : 1630
 H.I. nr : 60
 ADR - Class : 6.1
 Labelling - Transport : 6.1 : Toxic substances.



ADR - Classification code : T5
 ADR - Group : II
 ADR - Packing instructions : P002
 ADR - Limited Quantity : 500 G

MATERIAL SAFETY DATA SHEET (MSDS)
MERCURIC AMMONIUM CHLORIDE LR (AMMONIATED MERCURY)
14. Transport information (continued)

ADR - Tunnel code : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.


14.2. Sea transport (IMDG) [English only]

Proper shipping name : MERCURY AMMONIUM CHLORIDE
UN N° : 1630
IMO-IMDG - Class or division : 6.1 : Toxic substances.
IMO-IMDG - Packing group : II
IMO-IMDG - Packing instructions : P002
IMO-IMDG - Limited quantities : 500 g
IMO-IMDG - Marine pollution : Yes
EMS-Nr : F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : MERCURY AMMONIUM CHLORIDE
UN N° : 1630
IATA - Class or division : 6.1 : Toxic substances.
IATA - Packing group : II
IATA - Passenger and Cargo Aircraft : ALLOWED
- Passenger and Cargo - Packing instruction : 669
- Passenger and Cargo - Maximum Quantity/Packing : 25 kg
IATA - Cargo only : ALLOWED
- Cargo only - Packing instruction : 676
- Cargo only - Maximum Quantity/Packing : 100 kg
IATA - Limited Quantities : 1 kg
ERG-Nr : 6L

15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture : Ensure all national/local regulations are observed.

MATERIAL SAFETY DATA SHEET (MSDS)

MERCURIC AMMONIUM CHLORIDE LR (AMMONIATED MERCURY)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document