

MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDENUM TRIOXIDE AR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : MOLYBDENUM TRIOXIDE AR

Product code : M0139200500
Identification of the product : Molybdenum trioxide

CAS No: 1313-27-5 EC No :215-204-7 Annex No :042-001-00-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Carc. Cat. 3; R40

Xi; R36/37

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Carcinogenicity - Category 2 - Warning (CLP : Carc. 2) H351

Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -

Category 3 - Warning (CLP: STOT SE 3) H335

Eye irritation - Category 2A - Warning (CLP: Eye Irrit. 2) H319

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDENUM TRIOXIDE AR

2. Hazards identification -DSD (continued)

Symbol(s)

×

Symbol(s) : Xn : Harmful

R Phrase(s) : R36/37 : Irritating to eyes and respiratory system.

R40 : Limited evidence of a carcinogenic effect.

S Phrase(s) : S2 : Keep out of the reach of children.

S22: Do not breathe dust.

S36/37: Wear suitable protective clothing and gloves.

Contains : Molybdenum trioxide

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words : Warning

Hazard statements : H351 : Suspected of causing cancer.

H319 : Causes serious eye irritation. H335 : May cause respiratory irritation.

Precautionary statements

• **General** : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

P201: Obtain special instructions before use.

Prevention : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

• **Response** : P308+P313: If exposed or concerned : get medical advice.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position

comfortable for breathing.

P337+P313: If eye irritation persists: Get medical advice/attention.

• Storage : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P405: Store locked up.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

Contains : Molybdenum trioxide

2.3. Other hazards



MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDENUM TRIOXIDE AR

2. Hazards identification -DSD (continued)

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Molybdenum trioxide

EC No :215-204-7 Annex No :042-001-00-9

Substance.

 Substance name
 Contents
 CAS No
 EC No
 Annex No
 REACH Ref.
 Classification

 Molybdenum trioxide
 :
 100 %
 1313-27-5
 215-204-7
 042-001-00-9
 --- Carc. Cat. 3; R40 Xi; R36/37

Carc. 2 _ H351 Eye irrit 2 _ H319 STOT SE 3 _ H335

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor if you feel unwell.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice. If eye irritation persists:

Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Suspected of causing cancer.

Causes serious eye irritation. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.



MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDENUM TRIOXIDE AR

5. Fire-fighting measures (continued)

Unsuitable extinguishing media

: Do not use a heavy water stream.

Surrounding fires

: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

: Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire

: Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures

: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders

: Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel

: Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions

: Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Obtain special instructions before use.

Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

Technical protective measures

: Provide good ventilation in process area to prevent formation of vapour.



MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDENUM TRIOXIDE AR

7. Handling and storage (continued)

Special precautions: Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

Respiratory protectionHand protectionWear approved mask.Wear protective gloves.

Eye protectionOthers: Chemical goggles or safety glasses.: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : Pale yellow to green

Odour : Odorless

Odour threshold : No data available. pH value : No data available.

Melting point [°C] : 795 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : N/A

Flash point [°C] : N/A



MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDENUM TRIOXIDE AR

9. Physical and chemical properties (continued)

Boiling point [°C] : 11500C Initial boiling point [°C] : N/A Final boiling point [°C] : N/A **Evaporation rate** : N/A Vapour pressure [20°C] : N/A : N/A Vapour pressure mm/Hg : N/A Vapour density : 4,692 Density [g/cm3] : N/A Relative density, gas (air=1) : N/A Relative density, liquid (water=1)

Solubility in water [% weight] : 0.107 g/100 g water

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials



MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDENUM TRIOXIDE AR

10. Stability and reactivity (continued)

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Inhalation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Ingestion
 Based on available data, the classification criteria are not met.
 Corrosion
 Based on available data, the classification criteria are not met.

Irritation : Causes serious eye irritation.

May cause respiratory irritation.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Suspected of causing cancer.

Toxic for reproduction: Based on available data, the classification criteria are not met.STOT-single exposure: Based on available data, the classification criteria are not met.STOT-repeated exposure: Based on available data, the classification criteria are not met.Aspiration hazard: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil



MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDENUM TRIOXIDE AR

12. Ecological information (continued)

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : TOXIC SOLID, INORGANIC, N.O.S.

UN N° : 3288 H.I. nr : 60 ADR - Class : 6.1

Labelling - Transport : 6.1 : Toxic substances.

ADR - Classification code : T5
ADR - Group : III

ADR - Packing instructions : P002 R001 LP002

ADR - Limited Quantity : 5 KG

ADR - Tunnel code





MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDENUM TRIOXIDE AR

14. Transport information (continued)

: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : TOXIC SOLID, INORGANIC, N.O.S.

UN N° : 3288

IMO-IMDG - Class or division : 6.1 : Toxic substances.

IMO-IMDG - Packing group : |||

IMO- IMDG - Packing instructions : P002 LP02

IMO-IMDG - Limited quantities: 5 kgIMO-IMDG - Marine pollution: NoEMS-Nr: F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : TOXIC SOLID, INORGANIC, N.O.S.

UN N° : 3288

IATA - Class or division : 6.1 : Toxic substances.

IATA - Packing group : |||

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 670

instruction

- Passenger and Cargo - Maximum : 100 kg

Quantity/Packing

IATA - Cargo only : ALLOWED

- Cargo only - Packing instruction : 677 - Cargo only - Maximum Quantity/ : 200 kg

Packing

IATA - Limited Quantites : 10 kg ERG-Nr : 6L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental: Ensure all national/local regulations are observed.

regulations/legislation specific for the substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.

REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment



MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDENUM TRIOXIDE AR

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document