

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDIC ACID LR

1. Identification of the substance/mixture and of the company/undertaking

| <u>1.1. Product identifier</u> Trade name | : MOLYBDIC ACID LR |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product code Identification of the product | : M0139300100 : MOLYBDIC ACID 85% EXTRA PURE 85% CAS No: 7782-91-4 |
| 1.2. Relevant identified uses of the s | ubstance or mixture and uses advised against |
| Use | : Industrial. For professional use only. |
| 1.3. Details of the supplier of the safe | ety data sheet |
| Company identification | SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com |
| 1.4. Emergency telephone number | |
| Phone no. | : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours] |

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

| Classification EC 67/548 or | EC 1999/45 |
|-----------------------------|------------------------------|
| Classification | : Xn; 48/20/22 Xi; R36/37 |

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -
Category 3 - Warning (CLP : STOT SE 3) H335
Specific Target Organ Toxicity - Repeated exposure - Category 2 - Warning (CLP :
STOT RE 2) H373
Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDIC ACID LR

| Hazards identification -DSD (| continued) |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Symbol(s) | ×× |
| Symbol(s) | : Xn : Harmful Xi : Irritant |
| R Phrase(s) | R36/37 : Irritating to eyes and respiratory system. R48/20/22 : Harmful : danger of serious damage to health by prolonged exposure through inhalation and if swallowed. |
| S Phrase(s) | : S22 : Do not breathe dust. S25 : Avoid contact with eyes. |
| Labelling Regulation EC 1272/20 | <u>08 (CLP)</u> |
| Hazard pictograms | |
| Signal words | : Warning |
| Hazard statements | H319 : Causes serious eye irritation. H335 : May cause respiratory irritation. H373 : May cause damage to organs through prolonged or repeated exposure. |
| Precautionary statements | |
| Prevention | P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P260: Do not breathe dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling. |
| • Response | P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P314: Get medical advice if you feel unwell. P337+P313: If eye irritation persists: Get medical advice/attention. |
| Storage | : P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up. |
| Disposal considerations | : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
| 2.3. Other hazards | |
| Other hazards | : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH. |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDIC ACID LR

| 3. Composition/information on ingre | edients |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Substance / Preparation | : MOLYBDIC ACID 85% EXTRA PURE 85% |
| Contains no other components or impur | Substance. ities which will influence the classification of the product. |
| 4. First aid measures | |
| 4.1. Description of first aid measures | |
| Inhalation | : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. |
| Skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. |
| Eye contact | : Get medical advice. If eye irritation persists : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. |
| Ingestion | : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth. |
| 4.2. Most important symptoms and ef | ffects, both acute and delayed |
| Symptoms relating to use | : Causes damage to organ. Causes serious eye irritation. May cause respiratory irritation. |
| 4.3. Indication of any immediate med | ical attention and special treatment needed |
| General information | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| 5. Fire-fighting measures | |
| 5.1. Extinguishing media | |
| Suitable extinguishing media Unsuitable extinguishing media Surrounding fires | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers. |
| 5.2. Special hazards arising from the | substance or mixture |
| Hazardous combustion products | : Under fire conditions, hazardous fumes will be present. |
| 5.3. Advice for fire-fighters | |
| Protection against fire | : Do not enter fire area without proper protective equipment, including respiratory protection. |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDIC ACID LR

5. Fire-fighting measures (continued) **Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. 6. Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures For emergency responders : Equip cleanup crew with proper protection. Ventilate area. For non-emergency personnel : Evacuate unnecessary personnel. 6.2. Environmental precautions **Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. 6.3. Methods and material for containment and cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. **Clean up methods**

Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

| Handling | : Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. |
|---------------------------------------|--------------------------------------------------------------------------------------------------------|
| Technical protective measures | : Provide good ventilation in process area to prevent formation of vapour. |
| Special precautions | : Avoid breathing dust, fume, gas, mist, vapours, spray. |
| 7.2. Conditions for safe storage, inc | cluding any incompatibilities |
| Storage | : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed. |
| Storage - away from | : Strong bases. Strong acids. Sources of ignition. Direct sunlight. |
| <u>7.3. Specific end use(s)</u> | |
| Specific end use(s) | : None. |
| | |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDIC ACID LR

8.1. Exposure controls Personal protection : Avoid all unnecessary exposure. • Respiratory protection : Wear approved mask. • Hand protection : Wear protective gloves. • Eye protection : Chemical goggles or safety glasses. • Others : When using, do not eat, drink or smoke. 8.2. Control parameters : No data available.

9. Physical and chemical properties

8. Exposure controls/personal protection

9.1. Information on basic physical and chemical properties

| Physical state at 20 °C Colour Odour Odour threshold pH value Melting point [°C] Decomposition point [°C] Critical temperature [°C] Auto-ignition temperature [°C] Flammability (solid, gas) Flash point [°C] Boiling point [°C] Initial boiling point [°C] Final boiling point [°C] Evaporation rate Vapour pressure [20°C] Vapour pressure mm/Hg Vapour density | Solid. White powder Odorless No data available. Not applicable. 70°C N/A |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | N/A 3,1 N/A N/A Slightly soluble in N/A |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDIC ACID LR

| 9. Physical and chemical properties | 9. Physical and chemical properties (continued) | | |
|-----------------------------------------|--------------------------------------------------------|--|--|
| Log Pow octanol / water at 20°C | : No data available. | | |
| Solubility | : N/A | | |
| Viscosity at 40°C [mm2/s] | : N/A | | |
| 9.2. Other information | | | |
| Explosive properties | : N/A | | |
| Explosion limits - upper [%] | : N/A | | |
| Explosion limits - lower [%] | : N/A | | |
| Oxidising properties | : No data available. | | |
| 10. Stability and reactivity | | | |
| 10.1. Reactivity | | | |
| Reactivity | : Not established. | | |
| 10.2. Chemical stability | | | |
| Chemical stability | : Stable under recommended storage conditions. | | |
| 10.3. Possibility of hazardous reactio | ns | | |
| Hazardous reactions | : Not established. | | |
| 10.4. Conditions to avoid | | | |
| Conditions to avoid | : Direct sunlight. Extremely high or low temperatures. | | |
| 10.5. Incompatible materials | | | |
| Materials to avoid | : Strong acids. Strong bases. | | |
| 10.6. Hazardous decomposition prod | ucts | | |
| Hazardous decomposition products | : Fumes. Carbon monoxide. Carbon dioxide. | | |
| | | | |
| 11. Toxicological information | | | |
| 11.1. Information on toxicological effe | ects | | |

Acute toxicity Inhalation

: Based on available data, the classification criteria are not met.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDIC ACID LR

11. Toxicological information (continued)

| • Dermal • Ingestion | Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Corrosion | : Based on available data, the classification criteria are not met. |
| Irritation | : Causes serious eye irritation. May cause respiratory irritation. |
| Sensitization | : Based on available data, the classification criteria are not met. |
| Mutagenicity | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | : Based on available data, the classification criteria are not met. |
| Toxic for reproduction | : Based on available data, the classification criteria are not met. |
| STOT-single exposure | : Based on available data, the classification criteria are not met. |
| STOT-repeated exposure Aspiration hazard | May cause damage to organs through prolonged or repeated exposure.Based on available data, the classification criteria are not met. |

12. Ecological information

| <u>12.1. Toxicity</u> | |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity information | : Not established. |
| <u> 12.2. Persistence - degradability</u> | |
| Persistence - degradability | : Biodegradable. |
| 12.3. Bioaccumulative potential | |
| Bioaccumulative potential | : Not established. |
| <u>12.4. Mobility in soil</u> | |
| Mobility in soil | : Not established. |
| 12.5. Results of PBT and vPvB assess | sment |
| Results of PBT and vPvB assessment | t : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH. |
| 12.6. Other adverse effects | |
| Environmental precautions | : Avoid release to the environment. |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDIC ACID LR

13. Disposal considerations

13.1. Waste treatment methods

General

: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international regulation.

14. Transport information

| 14.1. Land | transport | <u>(ADR-RID)</u> | |
|------------|-----------|------------------|--|
| | | | |

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| Safety, health and environmental regulations/legislation specific for th substance or mixture | : Ensure all national/local regulations are observed. ne |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| REACH Restrictions - Annex XVII | : The components of this product are not subject to restrictions. |
| REACH Authorisation - Annex XIV | : The components of this product are not subject to authorization. |
| 15.2. Chemical Safety Assessment | |
| Chemical Safety Assessment | : It has not been carried out. |

| 6. Other information | |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Revision | : Revision - See : * |
| Abbreviations and acronyms | : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative |
| Sources of key data used | : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 |

Page: 8

AN ISO 9001: 2015 CERTIFIED



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

MOLYBDIC ACID LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document