

MATERIAL SAFETY DATA SHEET (MSDS)

NICKEL OXIDE GREEN LR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : NICKEL OXIDE GREEN LR

Product code : N0144405000

Identification of the product : NICKEL OXIDE AREEN

CAS No: 1313-99-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM

Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T; R48/23

R43 R53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP :

STOT RE 1) H372

Skin sensitisation - Category 1 - Warning (CLP : Skin Sens. 1) H317

Environmental hazards : Hazardous to the aquatic environment - Chronic hazard - Category 4 (CLP:

Aquatic Chronic 4) H413

2.2. Label elements



MATERIAL SAFETY DATA SHEET (MSDS)

NICKEL OXIDE GREEN LR

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)

£

Symbol(s) : T : Toxic

R Phrase(s) : R49 : May cause cancer by inhalation.

R43: May cause sensitization by skin contact.

R48/23: Toxic: danger of serious damage to health by prolonged exposure

through inhalation.

R53: May cause long-term adverse effects in the aquatic environment.

S Phrase(s) : S53 : Avoid exposure - obtain special instructions before use.

S45: In case of accident or if you feel unwell, seek medical advice immediately (

show the label when possible).

S61: Avoid release to the environment. Refer to special instructions/Safety data

sheets.

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms





Signal words : Danger

Hazard statements : H317 : May cause an allergic skin reaction.

H372 : Causes damage to organs through prolonged or repeated exposure.

H413: May cause long lasting harmful effects to aquatic life.

Precautionary statements

• **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment. P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing should not be allowed out of the workplace.

• Response : P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs : Get medical advice.

P363: Wash contaminated clothing before reuse. P314: Get medical advice if you feel unwell.

• Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards



MATERIAL SAFETY DATA SHEET (MSDS)

NICKEL OXIDE GREEN LR

2. Hazards identification -DSD (continued)

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : NICKEL OXIDE AREEN

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest.

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse. Wash contaminated clothing before reuse. Wash with plenty of soap and water. If skin irritation or rash occurs: Specific

treatment (see on this label). Get medical advice.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes damage to organs through prolonged or repeated exposure.

May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture



MATERIAL SAFETY DATA SHEET (MSDS)

NICKEL OXIDE GREEN LR

5. Fire-fighting measures (continued)

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Wash thoroughly after handling. Do not breathe dust, fume, gas, mist, vapours,

spray. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the

workplace.

Technical protective measures: Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities



MATERIAL SAFETY DATA SHEET (MSDS)

NICKEL OXIDE GREEN LR

7. Handling and storage (continued)

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

closed when not in use.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

Respiratory protection : Wear approved mask.Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.
 Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : Greyish green powder

Odour : Odorless

Odour threshold : No data available.
pH value : Not applicable.
Melting point [°C] : No data available.

Decomposition point [°C] : N/A : N/A Critical temperature [°C] Auto-ignition temperature [°C] : N/A : N/A Flammability (solid, gas) : N/A Flash point [°C] **Boiling point [°C]** : N/A : N/A Initial boiling point [°C] : N/A Final boiling point [°C]



MATERIAL SAFETY DATA SHEET (MSDS)

NICKEL OXIDE GREEN LR

9. Physical and chemical properties (continued)

Evaporation rate : N/A

Vapour pressure [20°C] : N/A

Vapour pressure mm/Hg : N/A

Vapour density : N/A

Density [g/cm3] : 4,84

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Insoluble in water

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products



MATERIAL SAFETY DATA SHEET (MSDS)

NICKEL OXIDE GREEN LR

10. Stability and reactivity (continued)

Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Inhalation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Ingestion
 Based on available data, the classification criteria are not met.
 Corrosion
 Based on available data, the classification criteria are not met.
 Irritation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

Sensitization : May cause an allergic skin reaction.

Mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Toxic for reproduction: Based on available data, the classification criteria are not met.STOT-single exposure: Based on available data, the classification criteria are not met.STOT-repeated exposure: Causes damage to organs through prolonged or repeated exposure.Aspiration hazard: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : May cause long lasting harmful effects to aquatic life.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.



MATERIAL SAFETY DATA SHEET (MSDS)

NICKEL OXIDE GREEN LR

12. Ecological information (continued)

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the

: Ensure all national/local regulations are observed.

substance or mixture

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions. **REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.



MATERIAL SAFETY DATA SHEET (MSDS)

NICKEL OXIDE GREEN LR

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document