

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

PHENYL MERCURY ACETATE (FOR SYNTHESIS)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : PHENYL MERCURY ACETATE (FOR SYNTHESIS)

Product code : P0159000025
Identification of the product : Phenylmercury acetate
CAS No: 62-38-4
EC No :200-532-5
Annex No :080-011-00-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
Chaitanya Tower, 2nd Floor, Office # 206,
Siddharth Nagar, S.V. Road,
Goregaon (West), Mumbai - 400062,
Maharashtra, India.
Contact: +91 22 28725393 / 94 / 95
Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T; R25-R48/24/25
C; R34
N; R50-53

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Repeated exposure - Category 1 - Danger (CLP : STOT RE 1) H372
Serious eye damage - Category 1 - Danger (CLP : Eye Dam. 1) H318
Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301
Skin corrosion - Category 1B - Danger (CLP : Skin Corr. 1B) H314

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400
Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (

MATERIAL SAFETY DATA SHEET (MSDS)
PHENYL MERCURY ACETATE (FOR SYNTHESIS)
2. Hazards identification -DSD (continued)

CLP : Aquatic Chronic 1) H410

2.2. Label elements**Labelling EC 67/548 or EC 1999/45****Symbol(s)****Symbol(s)**

: T : Toxic
 N : Dangerous for the environment

R Phrase(s)

: R25 : Toxic if swallowed.
 R34 : Causes burns.
 R48/24/25 : Toxic : danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.
 R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S Phrase(s)

: S1/2 : Keep locked up and out of reach of children.
 S23 : Do not breathe the gas, fumes, vapours, spray.
 S24/25 : Avoid contact with skin and eyes.
 S37 : Wear suitable gloves.
 S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
 S60 : This material and its container must be disposed of as hazardous waste.
 S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Contains

: Phenylmercury acetate

Labelling Regulation EC 1272/2008 (CLP)**Hazard pictograms****Signal words**

: Danger

Hazard statements

: H314 : Causes severe skin burns and eye damage.
 H301 : Toxic if swallowed.
 H372 : Causes damage to organs through prolonged or repeated exposure.
 H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements**• General**

: P102: Keep out of reach of children.
 P103: Read label before use.
 P101: If medical advice is needed, have product container or label at hand.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

PHENYL MERCURY ACETATE (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)

- **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.
P260: Do not breathe dust, fume, gas, mist, vapours, spray.
P273: Avoid release to the environment.
P264: Wash thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
 - **Response** : P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.
P391: Collect spillage.
P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.
P363: Wash contaminated clothing before reuse.
P314: Get medical advice if you feel unwell.
 - **Storage** : P405: Store locked up.
 - **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Contains** : Phenylmercury acetate

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Phenylmercury acetate

EC No :200-532-5
Annex No :080-011-00-5
Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Phenylmercury acetate	100 %	62-38-4	200-532-5	080-011-00-5	----	T; R25-48/24/25 C; R34 N; R50-53 ----- Acute Tox. 3 (oral) _ H301 Skin Corr. 1B _ H314 Eye Dam 1 _ H318 STOT RE 1 _ H372 Aquatic Acute 1 _ H400 Aquatic Chronic 1 _ H410

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing.
Immediately call a POISON CENTER or doctor.

MATERIAL SAFETY DATA SHEET (MSDS)

PHENYL MERCURY ACETATE (FOR SYNTHESIS)

4. First aid measures (continued)

Skin contact	: Immediately call a POISON CENTER or doctor. Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing.
Eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes.
Ingestion	: Rinse mouth. Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. Specific treatment (see on this label).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use	: Swallowing a small quantity of this material will result in serious health hazard. Causes damage to organs through prolonged or repeated exposure. Causes severe skin burns and eye damage. Causes serious eye damage.
---------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
----------------------------	---

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	: Under fire conditions, hazardous fumes will be present. Thermal decomposition generates : Corrosive vapours.
--------------------------------------	--

5.3. Advice for fire-fighters

Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

MATERIAL SAFETY DATA SHEET (MSDS)

PHENYL MERCURY ACETATE (FOR SYNTHESIS)

6. Accidental release measures (continued)

For emergency responders : Equip cleanup crew with proper protection.
Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.
Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not breathe dust, fume, gas, mist, vapours, spray.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

Storage regulation : Comply with applicable regulations.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

MATERIAL SAFETY DATA SHEET (MSDS)

PHENYL MERCURY ACETATE (FOR SYNTHESIS)

8. Exposure controls/personal protection (continued)

Personal protection	: Avoid all unnecessary exposure.
• Respiratory protection	: Wear approved mask.
• Hand protection	: Wear protective gloves.
• Skin protection	: Wear suitable protective clothing.
• Eye protection	: Chemical goggles or face shield.
• Others	: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits	: No data available.
------------------------------	----------------------

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White
Odour	: Acetic acid odour
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 148 - 151 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: N/A
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: N/A
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 0.16g in 100g of wat
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.

MATERIAL SAFETY DATA SHEET (MSDS)
PHENYL MERCURY ACETATE (FOR SYNTHESIS)**9. Physical and chemical properties (continued)**

Solubility : N/A
Viscosity at 40°C [mm²/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A
Oxidising properties : No data available.

10. Stability and reactivity**10.1. Reactivity**

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.
Thermal decomposition generates : Corrosive vapours.

11. Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

• Inhalation : Based on available data, the classification criteria are not met.

MATERIAL SAFETY DATA SHEET (MSDS)

PHENYL MERCURY ACETATE (FOR SYNTHESIS)

11. Toxicological information (continued)

• Dermal	: Based on available data, the classification criteria are not met.
• Ingestion	: Toxic if swallowed.
Corrosion	: Causes severe skin burns and eye damage.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

PHENYL MERCURY ACETATE (FOR SYNTHESIS)

13. Disposal considerations (continued)

- General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Special precautions** : Hazardous waste due to toxicity.

14. Transport information

14.1. Land transport (ADR-RID)

- Proper shipping name** : PHENYLMERCURIC ACETATE
UN N° : 1674
H.I. nr : 60
ADR - Class : 6.1
Labelling - Transport : 6.1 : Toxic substances.



- ADR - Classification code** : T3
ADR - Group : II
ADR - Packing instructions : P002
ADR - Limited Quantity : 500 G
ADR - Tunnel code



- : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG).[English only]

- Proper shipping name** : PHENYLMERCURIC ACETATE
UN N° : 1674
IMO-IMDG - Class or division : 6.1 : Toxic substances.
IMO-IMDG - Packing group : II
IMO-IMDG - Packing instructions : P002
IMO-IMDG - Limited quantities : 500 g
IMO-IMDG - Marine pollution : Yes
EMS-Nr : F-A S-A

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

PHENYL MERCURY ACETATE (FOR SYNTHESIS)

14. Transport information (continued)

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : PHENYLMERCURIC ACETATE
 UN N° : 1674
 IATA - Class or division : 6.1 : Toxic substances.
 IATA - Packing group : II
 IATA - Passenger and Cargo Aircraft : ALLOWED
 - Passenger and Cargo - Packing instruction : 669
 - Passenger and Cargo - Maximum Quantity/Packing : 25 kg
 IATA - Cargo only : ALLOWED
 - Cargo only - Packing instruction : 676
 - Cargo only - Maximum Quantity/Packing : 100 kg
 IATA - Limited Quantities : 1 kg
 ERG-Nr : 6L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture : Ensure all national/local regulations are observed.
 REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.
 REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision : Revision - See : *
 Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.
 vPvB: very persistent and very bioaccumulative
 Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)
PHENYL MERCURY ACETATE (FOR SYNTHESIS)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document