

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

POTASSIUM CHLORIDE LR

1. Product Identification

Svnonvms: Potassium monochloride

CAS No.: 7447-40-7

Product Coad: P0165405000

Molecular Weight: 74.55 Chemical Formula: KCI

2. Composition/Information on Ingredients

Ingredient CAS No Percent

Potassium Chloride 7447-40-7 100%

3. Hazards Identification

Emergency Overview CAUTION! MAY BE HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT.

Inhalation: Inhalation of high concentrations of dust may cause nasal or lung irritation.

Ingestion: Large quantities can produce gastrointestinal irritation and vomiting. May produce weakness and circulatory problems. May affect heart. In severe cases, ingestion may be fatal.

Skin Contact: Contact may cause irritation or rash, particularly with moist skin.

Eye Contact: Potassium chloride is moderate eye irritant. Redness, tearing, possible abrasion can occur.

4. First Aid Measures

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. **Ingestion:** Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician. **Skin Contact:** Remove any contaminated clothing. Wash skin with soap and water for at least 15 minutes. Get medical attention if irritation develops or persists. **Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Call a physician if irritation persists.

5. Fire Fighting Measures

Fire: Not considered to be a fire hazard.

Explosion: Not considered to be an explosion hazard.

Fire Extinguishing Media: Use any means suitable for extinguishing surrounding fire.

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits: None established.

Ventilation System: A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details. **Personal Respirators (NIOSH Approved):** For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not

known, use a full-face positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. **Skin Protection:** Wear protective gloves and clean

-



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

POTASSIUM CHLORIDE LR

body-covering clothing. **Eye Protection:** Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance: White crystals or powder.

Odor: Odorless.

Solubility: 28.1 g/100g of water @ 0C.

Density: 1.987

pH: ca. 7 Saturated aq. sl. @ 15C %

Volatiles by volume @ 21C (70F): 0

Boiling Point: 1500C (2732F) Sublimes.

Melting Point: 772C (1422F)

10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products: Oxides of the contained metal and halogen, possibly also free, or ionic halogen.

Hazardous Polymerization: Will not occur.

Incompatibilities: Bromine trifluoride; potassium permanganate plus sulfuric acid.

11. Toxicological Information

Oral rat LD50: 2600 mg/kg; irritation eye rabbit (standard Draize): 500 mg/24 hr mild; investigated as a mutagen.

---NTP Carcinogen---

Ingredient Known Anticipated IARC Category

Potassium Chloride (7447-40-7) No No None

12. Ecological Information

Environmental Fate: No information found. **Environmental Toxicity:** No information found.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Not regulated.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAŁ 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

POTASSIUM CHLORIDE LR

15. Regulatory Information	
\Chemical Inventory Statu	s - Part 1\
Ingredient	TSCA EC Japan Australia
Potassium Chloride (7447-40-7)	Yes Yes Yes Yes
\Chemical Inventory Status	- Part 2\
	Canada
Ingredient	Korea DSL NDSL Phil.
Potassium Chloride (7447-40-7)	Yes Yes No Yes
	nal Regulations - Part 1\ \ 302SARA 313
Ingredient RC	Q TPQ List Chemical Catg.
Potassium Chloride (7447-40-7)	No No No No
\Federal, State & Internation	nal Regulations - Part 2\
Ingredient CE	ERCLA 261.33 8(d)
Potassium Chloride (7447-40-7)	No No No
Chemical Weapons Convention: I	No TSCA 12(b): No CDTA: No
SARA 311/312: Acute: Yes Chr	onic: No Fire: No Pressure: No
Reactivity: No (Pure / Solid)	

Australian Hazchem Code: None allocated. **Poison Schedule:** None allocated.

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

POTASSIUM CHLORIDE LR

16. Other Information

NFPA Ratings: Health: 1 Flammability: 0 Reactivity: 0

Label Hazard Warning: CAUTION! MAY BE HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT. Label Precautions: Avoid breathing dust. Keep container closed. Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Label First Aid: If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If irritation develops call a physician. If inhaled, remove to fresh air. Get medical attention for any breathing difficulty.

Product Use: Laboratory Reagent.

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses. **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document