

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

PPO (SCINTILLATION GRADE) (2,5-DIPHENYL OXAZOLE)

1. Product Identification

Synonyms: 2,5-Diphenyloxazole CAS No.: 92-71-7

Product Coad: P0170800025

Molecular Weight: 221 Chemical Formula: C15H11NO

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Haza	rdous
2,5-Diphenyloxazole	92-71	-7 90	- 100%	Yes

3. Hazards Identification

Emergency Overview

CAUTION! MAY BE HARMFUL IF SWALLOWED OR INHALED. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT. Potential Health Effects

Inhalation: May cause irritation to the respiratory tract. Symptoms may include coughing and shortness of breath.

Ingestion: Information limited. Should be assumed moderately toxic like other aromatic compounds and having the capacity to cause nausea, vomiting and diarrhea as well as depression and possibly liver or kidney damage on acute exposure. The toxic effects will probably be limited by its low water solubility.

Skin Contact: May cause irritation with redness and pain.

Eye Contact: May cause irritation, redness and pain. Mild chemical irritant, causing redness and tearing.

Chronic Exposure: No information found.

Aggravation of Pre-existing Conditions: No information found.

4. First Aid Measures

Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion: Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Skin Contact: Immediately flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation develops.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get medical attention if irritation persists.

5. Fire Fighting Measures

Fire: As with most organic solids, fire is possible at elevated temperatures or by contact with an ignition source.

Explosion: Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Fire Extinguishing Media: Water spray, dry chemical, alcohol foam, or carbon dioxide.

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal.

AN ISO 9001: 2015 CERTIFIED



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

PPO (SCINTILLATION GRADE) (2,5-DIPHENYL OXAZOLE)

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

- OSHA Permissible Exposure Limit (PEL):

15 mg/m3 total dust, 5 mg/m3 respirable fraction for nuisance dusts.

- ACGIH Threshold Limit Value (TLV):

10 mg/m3 total dust containing no asbestos and < 1% crystalline silica for Particulates Not Otherwise Classified (PNOC). Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details. Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded, a half-face dust/mist respirator may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece dust/mist respirator may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection: Wear protective gloves and clean body-covering clothing.

Eye Protection: Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance: White powder. Odor: Odorless. Solubility: Insoluble in water. Specific Gravity: 1.06 pH: No information found. % Volatiles by volume @ 21C (70F): 0 Boiling Point: 360C (680F) Melting Point: 72 - 73C (162 - 163F) Vapor Density (Air=1): No information found. Vapor Pressure (mm Hg): No information found. Evaporation Rate (BuAc=1): No information found.

10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage.
Hazardous Decomposition Products: Carbon dioxide and carbon monoxide may form when heated to decomposition.
Hazardous Polymerization: This substance does not polymerize.
Incompatibilities: Strong oxidizers.
Conditions to Avoid: No information found.

11. Toxicological Information

No LD50/LC50 information found relating to normal routes of occupational exposure.

----NTP Carcinogen----

Ingredient Known Anticipated IARC Category

2,5-Diphenyloxazole (92-71-7) No No None

12. Ecological Information

Environmental Fate: No information found. Environmental Toxicity: No information found.



CHAITANYA CH5, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) PPO (SCINTILLATION GRADE) (2,5-DIPHENYL OXAZOLE)

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Not regulated.

15. Regulatory Information

\Chemical Inventory Status - Part 1\			
Ingredient	TSCA EC Japan Australia		
2,5-Diphenyloxazole (92-71-7)	Yes Yes Yes Yes		
\Chemical Inventory Status - Part 2\			
	Canada		
Ingredient	Korea DSL NDSL Phil.		
2,5-Diphenyloxazole (92-71-7)	Yes Yes No Yes		
\Federal, State & International Regulations - Part 1\			
-SARA	302SARA 313		
Ingredient RC	Q TPQ List Chemical Catg.		
2,5-Diphenyloxazole (92-71-7)	No No No No		
\Federal, State & International Regulations - Part 2\			
	-RCRATSCA-		
Ingredient CE	ERCLA 261.33 8(d)		
2,5-Diphenyloxazole (92-71-7) No No No			
Chemical Weapons Convention: No TSCA 12(b): No CDTA: No			
SARA 311/312: Acute: Yes Chr	onic: No Fire: No Pressure: No		
Reactivity: No (Pure / Solid)			

Australian Hazchem Code: None allocated.

Poison Schedule: None allocated.

WHMIS: This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

AN ISO 9001: 2015 CERTIFIED



CHAITANYA CH5, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

PPO (SCINTILLATION GRADE) (2,5-DIPHENYL OXAZOLE)

16. Other Information

NFPA Ratings: Health: 2 Flammability: 1 Reactivity: 0 Label Hazard Warning: CAUTION! MAY BE HARMFUL IF SWALLOWED OR INHALED. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT.

Label Precautions: Avoid contact with eyes, skin and clothing. Avoid breathing dust. Keep container closed.

Use with adequate ventilation.Wash thoroughly after handling.

Label First Aid: If inhaled, remove to fresh air. Get medical attention for any breathing difficulty. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Get medical attention if irritation develops or persists. If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person.

Product Use: Laboratory Reagent.

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document