

MATERIAL SAFETY DATA SHEET (MSDS)
PYRIDINIUM-P-TOLUENESULFONATE (FOR SYNTHESIS)
1 - Chemical Product

MSDS Name:Pyridinium-P-Toluenesulfonate
 Synonym:PPTS

Cas NO:24057-28-1

Product Coad: P0171700100

Molecular Formula: C₁₂H₁₃NO₃S
 Molecular Weight: 251.30

2 - COMPOSITION, INFORMATION ON INGREDIENTS

CAS#	Chemical Name	content	EINECS#
24057-28-1	Pyridinium-P-Toluenesulfonate	98%	246-002-7

Section 3 - HAZARDS IDENTIFICATION
EMERGENCY OVERVIEW

Moisture sensitive.The toxicological properties of this material have not been fully investigated.

Potential Health Effects

Eye:May cause eye irritation.

Skin:May cause skin irritation.

Ingestion:May cause irritation of the digestive tract. The toxicological properties of this substance have not been fully investigated.

Inhalation:May cause respiratory tract irritation. The toxicological properties of this substance have not been fully investigated.

Chronic:No information found.

4 - FIRST AID MEASURES

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin:Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Ingestion:Never give anything by mouth to an unconscious person. Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

Inhalation:Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician:

5 - FIRE FIGHTING MEASURES

General Information:As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Runoff from fire control or dilution water may cause pollution.

Extinguishing Media:In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam. Use agent most appropriate to extinguish fire. Do NOT get water inside containers.

6 - ACCIDENTAL RELEASE MEASURES

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions.Provide ventilation. Do not get water inside containers.

7 - HANDLING and STORAGE

Handling:Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation. Do not allow contact with water. Keep from contact with moist air and steam.

Storage:Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Store protected from moisture.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)**PYRIDINIUM-P-TOLUENESULFONATE (FOR SYNTHESIS)****8 - EXPOSURE CONTROLS, PERSONAL PROTECTION**

Engineering Controls:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Exposure Limits CAS# 24057-28-1: Personal Protective Equipment Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Crystalline powder

Color: white

Odor: None reported.

pH: Not available.

Vapor Pressure: Not available.

Viscosity: Not available.

Boiling Point: Not available.

Freezing/Melting Point: 117.00 - 119.00 deg C

Autoignition Temperature: Not applicable.

Flash Point: Not applicable.

Explosion Limits, lower: Not available.

Explosion Limits, upper: Not available.

Decomposition Temperature:

Solubility in water: decomposes

Specific Gravity/Density:

10 - STABILITY AND REACTIVITY

Chemical Stability: Stable under normal temperatures and pressures. May decompose on exposure to moist air or water.

Conditions to Avoid: Incompatible materials, dust generation, moisture, excess heat, strong oxidants.

Incompatibilities with Other Materials: Oxidizing agents, moisture.

Hazardous Decomposition Products: Nitrogen oxides, carbon monoxide, oxides of sulfur, irritating and toxic fumes and gases, carbon dioxide, nitrogen.

Hazardous Polymerization: Has not been reported.

11 - TOXICOLOGICAL INFORMATION

RTECS#:

CAS# 24057-28-1 unlisted.

LD50/LC50:

Not available.

Carcinogenicity:

Pyridinium-P-Toluenesulfonate - Not listed by ACGIH, IARC, or NTP.

12 - ECOLOGICAL INFORMATION**13 - DISPOSAL CONSIDERATIONS**

Dispose of in a manner consistent with federal, state, and local regulations.

14 - TRANSPORT INFORMATION

Not regulated

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)**PYRIDINIUM-P-TOLUENESULFONATE (FOR SYNTHESIS)****15 - REGULATORY INFORMATION**

European/International Regulations
European Labeling in Accordance with EC Directives
Hazard Symbols: Not available.
Risk Phrases:
Safety Phrases:
S 24/25 Avoid contact with skin and eyes.
S 28A After contact with skin, wash immediately with plenty of water.
S 37 Wear suitable gloves.
S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
WGK (Water Danger/Protection)
CAS# 24057-28-1: No information available.
Canada
CAS# 24057-28-1 is listed on Canada's DSL List.
CAS# 24057-28-1 is not listed on Canada's Ingredient Disclosure List.
US FEDERAL
TSCA
CAS# 24057-28-1 is listed on the TSCA inventory.

16: Other Information

References: Laboratory Reagent

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document