

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

### MATERIAL SAFETY DATA SHEET (MSDS)

## SILICA GEL GF 254 (FOR THIN LAYER CHROMATOGRAPHY)

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Trade name** : SILICA GEL GF 254 (FOR THIN LAYER CHROMATOGRAPHY)

**Product code** : S0180605000

**Identification of the product** : SILICA GEL GF 254 for thin layer chromatography  
CAS No: 112926-00-8

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use** : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

**Company identification** : SUVCHEM  
Chaitanya Tower, 2nd Floor, Office # 206,  
Siddharth Nagar, S.V. Road,  
Goregaon (West), Mumbai - 400062,  
Maharashtra, India.  
Contact: +91 22 28725393 / 94 / 95  
Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

**Phone no.** : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

**Classification** : T; R23

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

**Health hazards** : Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331

##### 2.2. Label elements

##### Labelling EC 67/548 or EC 1999/45

**Symbol(s)**



### MATERIAL SAFETY DATA SHEET (MSDS)

## SILICA GEL GF 254 (FOR THIN LAYER CHROMATOGRAPHY)

#### 2. Hazards identification -DSD (continued)

<b>Symbol(s)</b>	: T : Toxic
<b>R Phrase(s)</b>	: R23 : Toxic by inhalation. R49 : May cause cancer by inhalation.
<b>S Phrase(s)</b>	: S45 : In case of accident or if you feel unwell, seek medical advice immediately ( show the label when possible). S52 : Not recommended for interior use on large surface areas.

#### Labelling Regulation EC 1272/2008 (CLP)

##### Hazard pictograms



<b>Signal words</b>	: Danger
<b>Hazard statements</b>	: H331 : Toxic if inhaled.
<b>Precautionary statements</b>	
• <b>Prevention</b>	: P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray.
• <b>Response</b>	: P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
• <b>Storage</b>	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.
• <b>Disposal considerations</b>	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

<b>Other hazards</b>	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
----------------------	---

#### 3. Composition/information on ingredients

**Substance / Preparation** : SILICA GEL GF 254 for thin layer chromatography

Substance.

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

##### 4.1. Description of first aid measures

<b>Inhalation</b>	: Assure fresh air breathing. Allow the victim to rest. Remove to fresh air and keep at rest in a position comfortable for breathing. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.
-------------------	---

## MATERIAL SAFETY DATA SHEET (MSDS)

### SILICA GEL GF 254 (FOR THIN LAYER CHROMATOGRAPHY)

#### 4. First aid measures (continued)

- Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- Ingestion** : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Danger of serious damage to health by prolonged exposure through inhalation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

- General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

#### 5. Fire-fighting measures

##### 5.1. Extinguishing media

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

##### 5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

##### 5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection. Ventilate area.
- For non-emergency personnel** : Evacuate unnecessary personnel.

##### 6.2. Environmental precautions

## MATERIAL SAFETY DATA SHEET (MSDS)

### SILICA GEL GF 254 (FOR THIN LAYER CHROMATOGRAPHY)

#### 6. Accidental release measures (continued)

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

**Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

##### 7.1. Precautions for safe handling

**Handling** : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Avoid breathing dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

##### 7.2. Conditions for safe storage, including any incompatibilities

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

##### 7.3. Specific end use(s)

**Specific end use(s)** : None.

#### 8. Exposure controls/personal protection

##### 8.1. Exposure controls

**Personal protection** : Avoid all unnecessary exposure.

- **Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment.
- **Hand protection** : Wear protective gloves.
- **Eye protection** : Chemical goggles or safety glasses.
- **Others** : When using, do not eat, drink or smoke.

##### 8.2. Control parameters

## MATERIAL SAFETY DATA SHEET (MSDS)

### SILICA GEL GF 254 (FOR THIN LAYER CHROMATOGRAPHY)

#### 8. Exposure controls/personal protection (continued)

Occupational Exposure Limits : No data available.

#### 9. Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White powder
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: > 1600 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 2230 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm <sup>3</sup> ]	: 2,1
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: ~7
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

##### 9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**SILICA GEL GF 254 (FOR THIN LAYER CHROMATOGRAPHY)**
**10. Stability and reactivity**
**10.1. Reactivity**

Reactivity : Not established.

**10.2. Chemical stability**

Chemical stability : Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

Hazardous reactions : Not established.

**10.4. Conditions to avoid**

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

**10.5. Incompatible materials**

Materials to avoid : Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

**11. Toxicological information**
**11.1. Information on toxicological effects**
**Acute toxicity**

- Inhalation : Toxic if inhaled.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Based on available data, the classification criteria are not met.

**Sensitization** : Based on available data, the classification criteria are not met.

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Based on available data, the classification criteria are not met.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure** : Based on available data, the classification criteria are not met.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

**MATERIAL SAFETY DATA SHEET (MSDS)**  
**SILICA GEL GF 254 (FOR THIN LAYER CHROMATOGRAPHY)**
**12. Ecological information**
**12.1. Toxicity**

Toxicity information : Not established.

**12.2. Persistence - degradability**

Persistence - degradability : Biodegradable.

**12.3. Bioaccumulative potential**

Bioaccumulative potential : Not established.

**12.4. Mobility in soil**

Mobility in soil : Not established.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**12.6. Other adverse effects**

Environmental precautions : Avoid release to the environment.

**13. Disposal considerations**
**13.1. Waste treatment methods**

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**Special precautions** : Hazardous waste due to toxicity.

**14. Transport information**
**14.1. Land transport (ADR-RID)**

General information : Not regulated.

**14.2. Sea transport (IMDG) [English only]**

## MATERIAL SAFETY DATA SHEET (MSDS)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

### DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**